
5.0 LITERATURE CITED

- Adams, P. and J. Ringer. 1994. The effects of timber harvesting and forest roads on water quantity and quality in the Pacific Northwest: Summary and annotated bibliography. Oregon State University. Forest Engineering Department. Corvallis, Oregon.
- ADFG. 1983. Fish culture manual. Alaska Dept. Fish Game, Juneau.
- ADFG. 1985. Genetic policy. Alaska Dept. Fish Game, Juneau.
- ADFG. 1988. Regulation changes, policies and guidelines for Alaska fish and shellfish health and disease control. Alaska Dept. Fish Game, Juneau.
- Allen, G. H. and W. Aron. 1958. Food of salmonid fishes of the western north Pacific Ocean. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish. 237:11.
- Allen, M. A. and T. J. Hassler. 1986. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest)-- chinook salmon. U.S. Fish Wildl. Serv. Biol. Rep. 82(11.49). U.S. Army Corps of Engineers, TR EL-82-4, 26 p.
- Allen, M.J. and G.B. Smith. 1988. Atlas and zoogeography of common fishes in the Bering Sea and northeastern Pacific. U.S. Dep. Commer., NOAA Tech. Rep. NMFS-66, 151 p.
- Allen, R. L. and T. K. Meekin. 1980. Columbia River sockeye salmon study, 1972 progress report. Wash. Dep. Fish, 61 p.
- Argue, A. W. 1970. A study of factors affecting exploitation of Pacific salmon in the Canadian gauntlet fishery of Juan de Fuca Strait. Fish. Serv. (Can.) Pac. Reg. Tech. Rep. 1970-11:259.
- Arkoosh, M. R., E. Casillas, P. Huffman, E. Clemons, J. Evered, J. E. Stein, and U. Varanasi. 1998. Increased Susceptibility of Juvenile Chinook Salmon from a Contaminated Estuary to *Vibrio anguillarum*. Transaction of the American Fisheries Society 127:360-374.
- Armour, C. L., D. A. Duff, and W. Elmore. 1994. The effects of livestock grazing on riparian and stream ecosystems, Fisheries. 16(1):7-11.
- Aro, K. V. and M. P. Shepard. 1967. Salmon of the North Pacific Ocean--Part IV. Spawning populations of north Pacific salmon. 5. Pacific salmon in Canada. Int. North Pac. Fish. Comm. Bull. 23:225-327.
- Atkinson, C. E., T. H. Rose, and T. O. Duncan. 1967. Salmon of the North Pacific Ocean. Part IV. Spawning populations of North Pacific salmon. 4. Pacific salmon in the United States. Int. North Pac. Fish. Comm. Bull. 23:43-223.
- Auster, P. J. and R. W. Langton. 1998. The indirect effects of fishing. Draft report for the National Marine Fisheries Service, 52 p.
- Ayers, R. J. 1955. Pink salmon caught in Necanicum River. Ore. Fish Comm. Res. Briefs 6(2):20.
- Bailey, J. E., B. L. Wing, and C. R. Mattson. 1975. Zooplankton abundance and feeding habits of fry of pink salmon, *Oncorhynchus gorbuscha* and chum salmon, *Oncorhynchus keta*, in Traitors Cove, Alaska, with speculations on the carrying capacity of the area. Fish. Bull. (U.S.) 73:846-861.

- Baker, T. T., A. C. Wertheimer, R. D. Burkett, R. Dunlap, D. M. Eggers, E. L. Fritts, A. J. Gharrett, R. A. Holmes, and R. L. Wilmot. 1996. Status of Pacific salmon and steelhead escapements in Southeastern Alaska. *Fisheries* 21(10): 6-18.
- Bakkala, R. G. 1971. Distribution and migration of immature sockeye salmon taken by U.S. research vessels with gillnets in offshore waters, 1956-67. *Int. North Pac. Fish. Comm. Bull.* 27:170.
- Bakstansky, E. L. 1980. The introduction of pink salmon into the Kola Peninsula, pp. 245-259. *In*: J. Thorpe, ed. *Salmon ranching*. Academic Press, New York, NY.
- Bams, R. A. 1969. Adaptations of sockeye salmon associated with incubation in stream gravels, pp. 71-87. *In*: T.G. Northcote, ed. *Symposium on salmon and trout in streams*. H.R. MacMillan lectures in fisheries. Institute of Fisheries, University of British Columbia, Vancouver, British Columbia, Canada.
- Barnaby, J. T. 1944. Fluctuations in abundance of red salmon, *Oncorhynchus nerka* (Walbaum), of the Karluk River, Alaska. *Fish. Bull. Fish Wildl. Serv.* 50:237-296.
- Barraclough, W. E. and D. Robinson. 1972. The fertilization of Great Central Lake. III. Effect on juvenile sockeye salmon. *Fish. Bull. (U.S.)* 70:37-48.
- Barraclough, W. E. and A. C. Phillips. 1978. Distribution of juvenile salmon in the southern Strait of Georgia during the period April to July 1966-1969. *Fish. Mar. Ser. (Can.) Tech. Rep.* 826:47.
- Bauersfeld, Kevin. 1977. Effects of peaking (stranding) of Columbia River dams on juvenile anadromous fishes below the Dalles dam, 1974 and 1975. State of Washington. Department of Fisheries. Technical Report No. 31. Olympia, Washington.
- Bauersfeld, Kevin. 1998. Washington Department of Fish and Wildlife, Olympia, Washington, Personal Communication.
- Beacham, T. D. 1986. Type, quantity and size of food of Pacific salmon (*Oncorhynchus*) in the Strait of Juan De Fuca, British Columbia. *Fish. Bull., U.S.* 84: 77-89.
- Beacham, T. D. and C. B. Murray, 1986. Comparative developmental biology of pink salmon, *Oncorhynchus gorbuscha*, in southern British Columbia. *J. Fish. Bull.* 28:233- 246.
- Beacham, T. D. and C. B. Murray. 1987. Adaptive variation in body size, age, morphology, egg size and developmental biology of chum salmon (*Oncorhynchus keta*) in British Columbia. *Can. J. Fish. Aquat. Sci.* 44:244-261.
- Beacham, T. D. and C. B. Murray. 1993. Fecundity and egg size variation in North American Pacific salmon (*Oncorhynchus*). *J. Fish Biol.* 42:485-508.
- Beacham, T. D., R. E. Withler, C. B. Murray, and L. W. Barner. 1988. Variation in body size, morphology, egg size and biochemical genetics of pink salmon in British Columbia. *Trans. Am. Fish. Soc.* 117:109-126.
- Beacham, T. D. 1982. Fecundity of coho salmon (*Oncorhynchus kisutch*) and chum salmon (*O. keta*) in the northeast Pacific ocean. *Can. J. Zool.* 60:1463-1469.
- Beauchamp, D. A., M. G. LaRiviere, and G. L. Thomas. 1995. Evaluation of competition and predation as limits to juvenile kokanee and sockeye salmon production in Lake Ozette, Washington. *North Am. J. Fish. Manage.* 15:193-207.
- Ben-David, M., T.A. Hanley, D. R. Klein, and D. M. Schell. 1997. Seasonal changes in diets of coastal and riverine mink: The role of spawning Pacific salmon. *Can. J. Zool.* 75:803-811.

- Berman, C. H. and T. P. Quinn. 1991. Behavioral thermoregulation and homing by spring chinook salmon, *Oncorhynchus tshawytscha* (Walbaum), in the Yakima River. *J. Fish. Biol.* 39:301-312.
- Berwick, S. 1976. Range, forest, and wildlife ecology. The Gifford Pinchot National Forest: An endangered ecosystem. *American Society*, 61 (1).
- Berwick, S. 1978. Dry-gulched by policy, editorial, Op-Ed page of *The New York Times*, December 8.
- Beschta, R. L., R. E. Bilby, G. W. Brown, L. B. Holtby, and T. D. Hofstra. 1987. Stream temperature and aquatic habitat: Fisheries and forestry interactions. Pp. 191-232 *In*: E.O. Salo and T.W. Cundy, eds. *Streamside management: Forestry and fishery interactions*. University of Washington, College of Forest Research, Seattle.
- Beschta, R. L., J. Griffith, and T. Wesche. 1993. Field review of fish habitat improvement projects in central Idaho. BPA project No. 84-24; 83-359, Bonneville Power Administration, Div. of Fish and Wildlife, Portland.
- Beschta, R. L., J. R. Boyle, C. C. Chambers, W. P. Gibson, S. V. Gregory, J. Grizzel, J. C. Hagar, J. L. Li, W.C. McComb, M. L. Reiter, G. H. Taylor, and J. E. Warila. 1995. Cumulative effects of forest practices in Oregon. Oregon State University, Corvallis. Prepared for the Oregon Department of Forestry, Salem, Oregon.
- Beschta R. L. 1997. Restoration of riparian and aquatic systems for improved aquatic habitat in the upper Columbia River Basin. Pp. 475-491, *In*: D. Stouder, P. Bisson, and R. Naiman, eds. *Pacific salmon and their ecosystems*. ITP Publishing, New York, 685.
- Bilby, R., B. Fransen, J. Walter, and J. Cederholm. 1997. Abstract and information presented to the annual meeting of the American Fisheries Society, Monterey, California, August, 1997 as reviewed in *Restoration*, Fall 1997, Winter 1997 by Oregon Sea Grant.
- Bilby, R. E., B. R. Fransen, and P. A. Bisson. 1996. Incorporation of nitrogen and carbon from spawning coho salmon into the trophic system of small streams: Evidence from stable isotopes. *Can. J. Fish. Aquat. Sci.* 53:164-173.
- Bilton, H. and W. Ricker. 1965. Supplementary checks on the scales of pink salmon (*Oncorhynchus gorbuscha*) and chum salmon (*Oncorhynchus keta*). *J. Fish. Res. Board Can.* 22:1477-1489.
- Bilton, H. T. 1971. A hypothesis of alternation of age of return in successive generations of Skeena River sockeye salmon (*Oncorhynchus nerka*). *J. Fish. Res. Board Can.* 28:513-516.
- Birman, I. B. 1960. New information on the marine period of life and the marine fishery of Pacific salmon, pp. 151-164. *In*: *Trudy Soveshchaniia po biologicheskim osnovam okeanicheskovo rybolovostva, 1958*. Tr. Soveshch. Ikhtiol. Komm. Akad. Nauk SSSR 10. (Transl. from Russian; *J. Fish. Res. Board Can. Transl. Ser.* 357.)
- Birtwell, I. K. 1978. Studies on the relationship between juvenile chinook salmon and water quality in the industrialized estuary of the Somass River. *Fish. Mar. Serv. (Can.) Tech. Rep.* 759:58-78.
- Birtwell, I. K., M. D. Nassichuk, and H. Buene. 1987. Underyearling sockeye salmon (*Oncorhynchus nerka*) in the estuary of the Fraser River. *Can. Spec. Publ. Fish. Aquat. Sci.* 96:25-35.
- Bisson, P. A., R. A. Bilby, M. D. Bryant, C. A. Dolloff, G. B. Grette, R. A. House, M. L. Murphey, K. V. Koski, and J. R. Sedell. 1987. Large woody debris in forested streams in the Pacific northwest: Past, present and future. Pp. 143-190 *In*: Salo and Cundy, eds. *Streamside management: Forestry and fishery interactions*. University of forest resources Contribution 57, Seattle.

- Bisson, P. A., J. L. Nielson, and J. W. Ward. 1988. Summer production of coho salmon stocked in Mt. St. Helens streams 3-6 years after the 1990 eruption. *Transactions of the American Fisheries Society* 117:322-335.
- Bisson, P., G. Reeves, R. Bilby and R. Naiman. 1997. Watershed management and Pacific salmon: Desired future conditions. *In: Stouder, D., P. Bisson and R. Naiman, eds. Pacific Salmon and their ecosystems, status and future options.* Chapman and Hall, New York.
- Bjornn, T. C. and D. W. Reiser. 1991. Habitat requirements of salmonids in streams, pages 83-138. *In: W. R. Meehan, ed. Influences of forest and rangeland management on salmonid fishes and their habitats,* pp. 519-557. American Fisheries Society, Bethesda, Maryland. American Fisheries Society Special Publication 19.
- Blackbourn, D. J. 1987. Sea surface temperature and pre-season prediction of return timing in Fraser River sockeye salmon (*Oncorhynchus nerka*). *Can. Spec. Publ. Fish. Aquat. Sci.* 96:296-306.
- Blackbourn, D. J. 1990. Comparison of size and environmental data with the marine survival rates of some wild and enhanced stocks of pink and chum salmon in British Columbia and Washington State. *In: P. A. Knudsen, ed. Proceedings of the 14th northeast Pacific pink and chum salmon workshop,* pp. 82-87. Wash. Dep. Fish., Olympia, Washington.
- Blankenship, L. and R. Tivel. 1980. Puget Sound wild stock coho trapping and tagging, 1973-1979. *Wash. Dep. Fish. Prog. Rep.* 111, 62.
- Blankenship, L., P. Hanratty, and R. Tivel. 1983. Puget Sound wild stock coho trapping and tagging, 1980-1982. *Wash. Dep. Fish. Prog. Rep.* 198, 34.
- Bledsoe, L. J., D. A. Somerton, and C. M. Lynde. 1989. The Puget Sound runs of salmon: An examination of the changes in run size since 1896. *In: C. D. Levings, L. B. Holtby, and M. A. Henderson eds. Proceedings of the National Workshop on Effects of Habitat Alteration on Salmonid Stocks, May 6-8, 1987, Nanaimo, B.C.,* pp. 50-61. *Can. Spec. Publ. Fish. Aquat. Sci.* 105.
- Botkin, D, K. Cummins, T. Dunne, H. Reiger, M. Sobel, L. Talbot, and L. Simpson. 1995. Status and future of salmon of western Oregon and northern California: Findings and options. Center for the Study of the Environment, Report 8, Santa Barbara, California.
- BPA. 1994. Selected species currently under Endangered Species Act review. Map product from Northwest Environmental Database. June, 1994. (Note: the Northwest Environmental Database was integrated into StreamNet in 1995 and is now managed by PSMFC, see StreamNet 1998).
- BPA. 1997. Watershed management program. Final environmental impact statement. DOE/EIA-0265. Portland, Oregon. 1-800-622-4520.
- Boyd, Steve. 1994. Memo to Joe Miyamoto, East Bay Municipal District. Striped bass predation in the Woodbridge Dam afterbay. Oakland, California.
- Brannon, E. L. 1972. Mechanisms controlling migration of sockeye salmon fry. *Int. Pac. Salmon Fish. Comm. Bull.* 21:86.
- Brannon, E. L. 1984. Influence of stock origin on salmon migratory behavior, pp. 103-111. *In: J.D. McCleave, G.P. Arnold, J.J. Dodson, and W.H. Neill, eds. Mechanisms of migration in fishes. NATO Conf. Ser. IV Mar. Sci.* 14.
- Brannon, E. L. 1987. Mechanisms stabilizing salmonid fry emergence timing, pp. 120-124. *In: H.D. Smith, L. Margolis, and C. C. Wood, eds. Sockeye salmon (*Oncorhynchus nerka*) population biology and future management.* *Can. Spec. Publ. Fish. Aquat. Sci.* 96.
- Brett, J. R. 1952. Skeena River sockeye escapement and distribution. *J. Fish. Res. Board Can.* 8:453-468.

- Briggs, J. C. 1953. The behavior and reproduction of salmonid fishes in a small coastal stream. Calif. Dep. Fish Game Fish. Bull. 94:62.
- Brown, L. R., P. B. Moyle, and R. M. Yoshiyama. 1994. Historical decline and current status of coho salmon in California. N. Am. J. Fish. Manage. 14:237-261.
- Brown, L. R. and P. B. Moyle. 1991. Status of coho salmon in California. Report to the National Marine Fisheries Service, pp. 114. (Available from Environmental and Technical Services Division, NMFS., 525 NE Oregon St., Portland, Oregon, 97232.)
- Bryant, F. G and Z. E. Parkhurst. 1950. Survey of the Columbia River and its Tributaries: Part IV. USFWS Spec. Sci. Rep. - Fish. No. 37. September, 1950. 108.
- Bryant, G. J. 1994. Status review of coho salmon in Scott Creek and Waddell Creek, Santa Cruz County, California. Natl. Mar. Fish. Serv., SW Region, Protected Species Management Division, p.102. (Available from NMFS, Southwest Region, 501 Ocean Blvd., Suite 4200, Long Beach, California, 90802).
- Bryant, L. D. 1985. Livestock management in the riparian ecosystem pp. 285-289 *In*: R. R. Johnson, C. D. Ziebell, and D.R. Patton eds. Riparian ecosystems and their management: reconciling conflicting uses. Proc. 1 No. Amer. Riparian Conf. Tucson, AZ. USDA Forest Service Rocky Mountain Forest and Range Expt. Sta. Gen. Tech. Rep. RM-120. Ft. Collins, Colorado.
- Bryant, G.J. 1998. National Marine Fisheries Service, Southwest Region, 501 Ocean Blvd., Suite 4200, Long Beach, California. Personal communication.
- Buckman, R. 1998. Oregon Department of Fish and Wildlife. Personal communication.
- Bureau of Reclamation. 1996. Reclamation policy for administering water conservation plans pursuant to statutory and contractual agreements. Washington, D.C.
- Bugaev, V. F. 1992. Age structure of sockeye salmon, *Oncorhynchus nerka* and methods for its study. J. Ichthyol. (Engl. Transl. Vopr. Ikhtiol.) 32(8):1-19.
- Burger, C. V., R. L. Wilmot, and D. B. Wangaard. 1985. Comparison of spawning areas and times for two runs of chinook salmon (*Oncorhynchus tshawytscha*) in the Kenai River, Alaska. Can. J. Fish. Aquat. Sci. 42:693-700.
- Burgner, R. L. 1962. Studies of red salmon smolts from the Wood River Lakes, Alaska. Pp. 247-314. *In*: T.S.Y. Koo, ed. Studies of Alaska red salmon. Univ. Wash. Publ. Fish. New Ser.1.
- Burgner, R.L. 1980. Some features of ocean migration and timing of Pacific salmon, p. 153-164. *In*: W.J. McNeil and D.C. Himsworth (eds.). Salmonid ecosystems of the north Pacific. Oregon State University Press, Corvallis, Oregon.
- Burgner, R. L. 1991. Life history of sockeye salmon *Oncorhynchus nerka*. *In* C. Groot and L. Margolis eds. Pacific salmon life histories, pp. 3-117. Univ. British Columbia Press, Vancouver, B.C.
- Burgner, R. L., C. J. DiCostanzo, R. J. Ellis, G. Y. Harry, Jr., W. L. Hartman, O. E. Kems, Jr., O. A. Mathisen, and W. F. Royce. 1969. Biological studies and estimates of optimum escapements of sockeye salmon in the major river systems in southwestern Alaska. Fish. Bull. (U.S.) 67:405-459.
- Burgner, R. L. and W. G. Meyer. 1983. Surface temperatures and salmon distribution relative to the boundaries of the Japanese drift gillnet fishery for flying squid (*Ommastrephes bartram*). Univ. Wash. Fish. Res. Inst. FRI-UW-8317:35.
- Burner, C. J. 1951. Characteristics of spawning nests of Columbia River salmon. Fish. Bull., U.S. 52:95-110.
- Bustard, D. R. and D. W. Narver. 1975. Aspects of the winter ecology of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). J. Fish. Res. Bd. Can. 32:667-680.

- Cameron, J. 1998. States/B.C. Oil Spill Task Force, Personal communication.
- Campbell, E. A. and P. B. Moyle. 1990. Historical and recent populations sizes of spring-run chinook salmon in California. *In*: T. J. Hassler, ed., Northeast Pacific chinook and coho salmon workshops and proceedings, pp. 155-216. Humboldt State University, Arcata, California.
- Casillas, E., B. McCain, M. Arkoosh, and J. Stein. 1997. Estuarine pollution and juvenile salmon health: Potential impact on survival. *In*: R. Emmett and M. Schiewe, eds. Estuarine and ocean survival of northeastern Pacific salmon. Proceedings of the workshop. U.S. Dept. of Commerce., NOAA Tech. Memo. NMFS-NWFSC-29, 313. Seattle, Washington.
- CDFG. 1994. California salmonid stream habitat restoration manual (2nd edition). Sacramento, California. Manual and computer disk (containing data input forms and data summary programs) is available (at a cost of \$5 each) from CDFG, 1416 Ninth Street, Sacramento, California, 95814, or through the internet: <http://elib.cs.berkeley.edu>.
- CDFG. 1997. Trinity River Basin salmon and steelhead monitoring project annual performance report. CDFG, Project (Contract) No. I-FG-20-09820 (FG 0414). 30p. (Available from Sara Borok, CDFG).
- Cederholm, C. J. and W. J. Scarlett. 1981. Seasonal immigrations of juvenile salmonids into four small tributaries of the Clearwater River, Washington, 1977-1981. *In*: E. L. Brannon and E. O. Salo, eds. Proceedings of the salmon and trout migratory behavior symposium, pp. 98-110. Univ. Wash. School Fish., Seattle, Washington.
- Cederholm, C. J., D. B. Houston, D. L. Cole, and W. J. Scarlett. 1989. Fate of coho salmon (*Oncorhynchus kisutch*) carcasses in spawning streams. *Can. J. Fish. Aquat. Sci.* 46:1347-1355.
- Chaney, E., and W. Elmore, and W. Platts. 1993. Livestock grazing on western riparian areas. Produced for the U.S. Environmental Protection Agency by the Northwest Resource Information Center, Eagle Idaho, 45.
- Chapman, W. M. 1943. The spawning of chinook salmon in the mainstem Columbia River. *Copeia* 1943:168-170.
- Chapman, D. W. 1962. Aggressive behavior in juvenile coho salmon as a cause of emigration. *J. Fish. Res. Board Can.* 19:1047-1080.
- Chapman, D. W. 1965. Net production of juvenile coho salmon in three Oregon streams. *Trans. Am. Fish. Soc.* 94(1):40-52.
- Chapman, D. W., C. Peven, A. E. Giorgi, T. W. Hillman, F. Utter, M. T. Hill, and J. Stevenson. 1995. Status of sockeye salmon in the mid-Columbia Region. Don Chapman and Consultants, Inc. Boise, Idaho.
- Clark, G. H. 1929. Sacramento - San Joaquin Salmon (*Oncorhynchus tshawytscha*) Fishery of California. *Calif. Dep. Fish Game Fish Bull.* 17, 73.
- Cleaver, F. C. 1969. Effects of ocean fishing on the 1961-brood fall chinook salmon from Columbia River hatcheries. *Res. Rep. Fish. Comm. Ore.*, 1:76.
- Cobb, N. J. 1911. The salmon fisheries of the Pacific coast. Report to the Commissioner of Fisheries for fiscal year 1910 and Special Papers, 180.
- Cohen, A. 1997. The invasion of the estuaries. *In*: Second international spartina conference proceedings 1997. Kim Patten, ed. Washington State University, Long Beach, Washington. Document available: <http://www.willapabay.org/~coastal>.

- Congleton, J. L., S. K. Davis, and S. R. Foley. 1981. Distribution, abundance, and outmigration timing of chum and chinook fry in the Skagit salt marsh, pp. 153-163. *In*: E. L. Brannon and E. O. Salo, eds. Proceedings of the salmon and trout migratory behaviour symposium. School of Fisheries, University of Washington, Seattle, Washington.
- Cooper, A. C. 1977. Evaluation of the production of sockeye and pink salmon at spawning and incubation channels in the Fraser River system. *Int. Pac. Salmon Fish. Comm. Prog. Rep.* 36:80.
- Coronado-Hernandez, M. C. 1995. Spatial and temporal factors affecting survival of hatchery-reared chinook, coho, and steelhead in the Pacific Northwest. Ph. D. Dissertation, Univ. Washington, Seattle, 235.
- Cortright, R., J. Weber and R. Bailey. 1987. The Oregon estuary plan book. Department of Land Conservation and Development, Salem, Oregon.
- Crone, R. A. and C. E. Bond. 1976. Life history of coho salmon, *Oncorhynchus kisutch*, in Sashin Creek, southeastern Alaska. *Fish. Bull., U.S.*, 74(4):897-923.
- Cummins, K. W., and G. L. Sprengler. 1974. Stream ecosystems. *Water Spectrum.* 10:1-9.
- Curtright, S. 1979. The Quinault blueback. Quinault Dept. Natural Resources Economic Development Newsletter, May 1979:4-5.
- Davidson, F. A. 1934. The homing instinct and age at maturity of pink salmon (*Oncorhynchus gorbuscha*). *Bull. Bur. Fish. (U.S.)* 48:27-29.
- Dauble, D. 1994. Influence of water practices on fisheries resources in the Yakima River basin. *Northwest Science* 68:121. Conference information for the 67th annual meeting of the Northwest Scientific Association, Ellensburg, Washington.
- Davis, J. W. 1982. Livestock vs. riparian habitat management - there are solutions. Pp. 175-184. *In*: Wildlife-livestock relationships symposium: Proc. 10 Univ. Of Idaho Forest, Wildlife, and Range Expt. Sta., Moscow.
- Dawley, E. M., R. D. Ledgerwood, T. H. Blahm, C. W. Sims, J. T. Durkin, R. A. Kirn, A. E. Rankis, G. E. Monan, and F. J. Ossiander. 1986. Migrational characteristics, biological observations, and relative survival of juvenile salmonids entering the Columbia River estuary, 1966-1983. Final Rep. to Bonneville Power Admin., Contract DE-A 179-84BP39652, 256.
- Dawson, J. J. 1972. Determination of seasonal distribution of juvenile sockeye salmon in Lake Washington by means of acoustics. M.Sc. thesis. University of Washington, Seattle, Washington, 112.
- Day, J. W., C.A.S. Hall, W. M. Kemp, and A. Yanez-Arancibia. 1989. *Estuarine Ecology*. John Wiley and Sons, New York, 558.
- Demory, R., R. Orrell and D. Heinle. 1964. Spawning ground catalog of the Kvichak River system, Bristol Bay, Alaska. *U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish.* 488:292.
- Doyle, E. G. 1997. The habitat restoration costestimation model (HCREM): A cooperative tool for watershed management. M.Sc. thesis, Univ. Wash., Seattle, 132.
- Drabelle, D. 1985. The endangered species program. *In*: The audubon wildlife report. 1985: 72-90. National Audubon Society, New York, 671.
- Drucker, B. 1972. Some life history characteristics of coho salmon of Karluk River system, Kodiak Island, Alaska. *Fish. Bull. (U.S.)* 70:79-94.

- Duff, D. 1983. Livestock grazing impacts on aquatic habitat in Big Creek, Utah, pp. 129-142 in Menke 1983. Proceedings, workshop on livestock and wildlife-fisheries relationships in the great basin. University of California. Ag. Sci. Spec. Publ, 3301, Berkley.
- Dunford, W. E. 1975. Space and food utilization by salmonids in marsh habitats of the Fraser River estuary. M. Sc. thesis, Univ. British Columbia, Vancouver, 81.
- Dvinin, P. A. 1952. The salmon of south Sakhalin. Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 37:69-108 (Transl. From Russian; Fish. Res. Board Can. Transl. Ser. 120).
- Eggers, D. M. 1978. Limnetic feeding behavior of juvenile sockeye salmon in lake and predator avoidance. Limnol. Oceanogr. 23:1114-1125.
- Eggers, D. M. and D. E. Rogers. 1987. The cycle of runs of sockeye salmon (*Oncorhynchus nerka*) to the Kvichak River, Bristol Bay, Alaska: Cyclic dominance or compensatory fishing? Can. Spec. Publ. Fish. Aquat. Sci. 96:343-366.
- Egovora, T. V. 1970a. The absence of seasonal groupings in sockeye salmon of the basin of the Ozernaya River. Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 78:43-47. (Transl. from Russian; Fish. Res. Board Can. Transl. Ser. 2351.)
- Egovora, T. V. 1970b. Reproduction and development of sockeye in the Basin of Ozernaya River. Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 73:39-53. (Transl. from Russian; Fish. Res. Board Can. Transl. Ser. 2619.)
- Eiler, J. H., B. D. Nelson, and R. F. Bradshaw. 1992. Riverine spawning by sockeye salmon in the Taku River, Alaska and British Columbia. Trans. Am. Fish. Soc. 121(6):701-708.
- Ellis, C. H. and R. E. Noble. 1959. Even year-odd year pink salmon. Wash. Dep. Fish. Annu. Rep. 69, 1959, 36-29.
- Ellis, R. J. 1969. Return and behavior of adults of the first filial generation of transplanted pink salmon and survival of their progeny, Sashin Creek, Baranof Island, Alaska. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish. 589:13.
- Emmett, R. L., S. L. Stone, S. A. Hinton, and M. E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in West Coast estuaries, Volume II: Species life history summaries. ELMR Rep. No. 8 NOAA/NOS Strategic Environmental Assessments Division, Rockville, Maryland, 329.
- EPA. 1993. Guidance specifying management measures for sources of non-point pollution in coastal waters. Office of Water. Washington, D.C. 840-B-92-002. Available from NCEPI, 1-800-490-9198.
- EPA . 1994. The quality of our nation's water: 1994. Office of Water. Washington, D.C., 841-S-94-002. (Information also available at <http://www.epa.gov/OW/305b> or through NCEPI, 1-800-490-9198).
- EPA. 1994a. A watershed assessment primer. EPA 910-b-94-005. 191 p. Seattle, Washington. 1-800-424-4EPA or from NCEPI, 1-800-490-9198.
- Everest, F. H. and D. W. Chapman. 1972. Habitat selection and spatial interaction by juvenile chinook salmon and steelhead trout in two Idaho streams. J. Fish. Res. Bd. Can. 29:91-100.
- Evermann, B. W. and H. W. Clark. 1931. A distributional list of the species of freshwater fishes known to occur in California. Calif. Dep. Fish Game Fish Bull. 35, 67.
- Falco, James. 1992. Preserving coastal water quality. In: Stemming the tide of coastal fish habitat loss, proceedings of a symposium on conservation of coastal fish habitat, Baltimore, March 1991. National Coalition for Marine Conservation, Savannah, Georgia.

- Felsot, A. 1997. Risk evaluation of chemical technologies used in spartina control. *In*: Patten, K., ed. Second international spartina conference proceedings 1997. Washington State University, Long Beach, Washington. Document available: <http://www.willapabay.org/~coastal>.
- Fiscus, C.H. 1980. Marine mammal-salmonid interactions: A review, pp. 121-132. *In*: W.J. McNeil and D.C. Himsworth eds. Salmonid ecosystems of the north Pacific. Oregon State University Press, Corvallis, Oregon.
- Fisher, J. P., W. C. Pearcy, and A. W. Chung. 1983. Studies of juvenile salmonids off the Oregon and Washington coast, 1982. Oregon State University, College of Oceanography. Cruise report 83-2:41.
- Fisher, J.P., W.C. Pearcy, and A.W. Chung. 1984. Studies of juvenile salmonids off the Oregon and Washington coast, 1983. Oregon State University, College of Oceanography. Cruise report 83-2; Oregon State University, Sea grant Coll. Program ORESU-T-85-004:29.
- Fisher, J. P. and W. G. Pearcy. 1995. Distribution, migration, and growth of juvenile chinook salmon, *Oncorhynchus tshawytscha*, off Oregon and Washington. *Fish. Bull.* 93: 274-289.
- Flagg, T. A., F. W. Waknitz, D. J. Maynard, G. B. Milner, and C. V. Mahnken. 1995. The effect of hatcheries on native coho salmon populations in the lower Columbia River. *Am. Fish. Soc. Symp.* 15:366-375.
- Fleming, I. A. and M. R. Gross. 1990. Latitudinal clines: Trade-off between egg number and size in Pacific salmon. *Ecology* 71(1):1-11.
- Foerster, R. E. and W. E. Ricker. 1953. The coho salmon of Cultus Lake and Sweltzer Creek. *J. Fish. Res. Board Can.* 10(6):293-319.
- Foerster, R. E. and A. L. Pritchard. 1941. Observations on the relation of egg content to total length and weight in sockeye salmon (*Oncorhynchus nerka*) and pink salmon (*Oncorhynchus gorbuscha*). *Trans. R. Soc. Can. Sect. V, Ser. 3*, 35:51-60.
- Foerster, R. E. 1954. On the relation of adult sockeye salmon (*Oncorhynchus nerka*) returns to known smolt seaward migrations. *J. Fish. Res. Board Can.* 11:339-350.
- Foerster, R. E. 1968. The sockeye salmon, *Oncorhynchus nerka*. *Bull. Fish. Res. Board Can.* 162, 422.
- Forrester, C. R. 1987. Distribution and abundance of sockeye salmon (*Oncorhynchus nerka*). *Can. Spec. Publ. Fish. Aquat. Sci.* 96:2-10.
- Foy, M. G., K. K. English, C. R. Steward, J. Big Eagle, and C. Huntington. 1995. Sockeye salmon catch, escapement and historical abundance data. A report prepared for U.S. Dep. Commer., Natl. Mar. Fish. Serv., Northwest Fisheries Science Center, Coastal Zone and Estuarine Studies Division. (Available from West Coast Sockeye Salmon Administrative Record, Division, NFMS, 525 NE Oregon St., Portland, Oregon, 97232.)
- Fraser, F. J., E. A. Perry, and D. T. Lightly. 1983. Big Qualicum River salmon development project. *Can. Tech. Rep. Fish. Aquat. Sci.*, 1189:198.
- French, R. R. and R. J. Wahle. 1959. Biology of chinook salmon and blueback salmon and steelhead in the Wenatchee River system. *U.S. Fish Wildl. Serv. Spec. Sci. Rep.* 304, 17.
- French, R. R., R. G. Bakkala, and D. F. Sutherland. 1975. Ocean distribution of stocks of Pacific salmon *Oncorhynchus* spp. and steelhead trout, *Salmo gairdnerii*, as shown by tagging experiments. *U.S. Dep. Commer., NOAA Tech. Rep. NMFS SSRF-689*, 89.

- French, R., H. Bilton, M. Osako, and A. Hartt. 1976. Distribution and origin of sockeye salmon (*Oncorhynchus nerka*) in offshore waters of the north Pacific Ocean. *Int. North Pac. Fish. Comm. Bull.* 34, 113.
- Frenkel, R. E. and J. E. Morlan. 1991. Can we restore our salt marshes? Lesons from the Salmon River, Oregon. *Northwest Environmental Journal.* 7: 119-135.
- Fresh, Kurt. 1997. The role of competition and predation in the decline of Pacific salmon and steelhead. *In: Stouder, D., P. Bisson, and R. Naiman eds. Pacific salmon and their ecosystems: Status and future options.* Chapman and Hall. New York.
- FRI. 1981. Juvenile salmonid and baitfish distribution, abundance and prey resources in selected areas of Grays Harbor, Washington. Report Number FRI-UW-8116, University of Washington, Seattle, Washington 98195.
- Frissell, C. A., Liss, W. J., and D. Bayles, 1993. An integrated biophysical strategy for ecological restoration of large watersheds. Proceedings from the symposium on changing roles in water resources management and policy, June 27-30, 1993 (American Water Resources Association), 449-456.
- Fryer, J. K. 1995. Columbia Basin sockeye salmon: Causes of their past decline, factors contributing to their present low abundance and future outlook. Ph.D. Thesis, Univ. Washington, Seattle, Washington, 274.
- FSOS. 1998. FSOS in Gladstone, Oregon, maintains information about the watershed groups and salmon restoration efforts in the region. Guidance manuals of use to watershed groups are also summarized and ordering information provided. Contact them at 503-650-5447 or download information from: <http://www.4sos/homepage/watershed/hab.html>.
- Fulton, L. A. 1968. Spawning areas and abundance of chinook salmon (*Oncorhynchus tshawytscha*) in the Columbia River Basin - past and present. USFWS Spec. Sci. Rep. - Fish. No. 571, 26.
- Fulton, L. A. 1970. Spawning areas and abundance of steelhead trout and coho, sockeye and chum salmon in the Columbia River Basin - past and present. U.S. Dept. of Commerce, NOAA Spec. Sci. Rept. Fish. 618, 37.
- Furniss, M. J., T. D. Roelofs, and C. S. Kee. 1991. Road construction and maintenance, p. 297-323. *In: W.R. Meehan, ed. Influences of Forest and Rangeland management on Salmonid Fishes and Their Habitats.* American Fisheries Society. Special Publication 19. Bethesda, Maryland, 751.
- Gauvin, Charles. 1997. Water-management and water-quality decision making in the range of pacific salmon habitat.
- Gerke, R. J. and V. W. Kaczynski. 1972. Food of juvenile pink and chum salmon in Puget Sound, Washington. Wash. Dep. Fish. Tech. Rep.10:27.
- Gharrett, A. J., C. Smoot, and A. J. McGregor. 1988. Genetic relationships of even-year northwestern Alaskan pink salmon. *Trans. Am. Fish. Soc.* 117:536-545.
- Gilbert, C. H. 1912. Age at maturity of the Pacific coast salmon of the genus *Oncorhynchus*. *Fish Bull., U.S.* 32:3-22.
- Gilbert, C. H. 1916. Contributions to the life history of sockeye salmon, no. 3. *Rep. Br. Col. Comm. Fish.* 1915:S27-S64.
- Gilbert, C. H. 1918. Contributions to the life history of sockeye salmon, no. 4. *Rep. Br. Col. Comm. Fish.* 1917:Q33-Q80.

- Gilbert, J. R. 1968. Surveys of sockeye salmon spawning populations in the Nushagak District, Bristol Bay, Alaska, 1946-1958, pp. 199-267. *In*: R.L. Burgner, ed. Further studies of Alaska sockeye salmon. Univ. Wash. Publ. Fish. New Ser. 3.
- Gillilan, D. M. and T. C. Brown. 1997. Instream flow protection -- seeking a balance in western water use, Island Press Washington, DC, 417.
- Gjernes, T, A. R. Kronlund, and T. J. Mulligan. 1993. Mortality of chinook and coho salmon in their first year of ocean life following catch-and-release by anglers. *N. Am. J. Fish. Manage.* 13(3):524-539.
- Godfrey, H. 1968. Ages and physical characteristics of maturing chinook salmon on the Nass, Skeena, and Fraser Rivers in 1964, 1965, and 1966. *Fish. Res. Board Can.* Manuscript report 967.
- Godfrey, H., K. A. Henry, and S. Machidori. 1975. Distribution and abundance of coho salmon in offshore waters of the north Pacific Ocean. *Int. North Pac. Fish. Comm. Bull.* 31, 80.
- Godin, J. G. J. 1981. Daily patterns of feeding behavior, daily rations, and diets of juvenile pink salmon (*Oncorhynchus gorbuscha*) in two marine bays of British Columbia. *Can. J. Fish. Aquat. Sci.* 38: 10-15.
- Godin, J. G. J. 1982. Migrations of salmonid fishes during early life history phases: Daily and annual timing, p. 22-50. *In*: E.L. Brannon and E.O. Salo eds. Proceedings of the salmon and trout migratory behavior symposium. School of Fisheries, University of Washington, Seattle, Washington.
- Goloranov, I. S. 1982. Natural reproduction of pink salmon, *Oncorhynchus gorbuscha* (Salmonidae) on the northern shore of the Okhotsk Sea. *J. Ichthyol.* 22:32-39.
- Gonor, J., J. Sedell, and P. Benner. 1988. What we know about large trees in estuaries, in the sea, and on coastal beaches. *In*: C. Maser, R. Tarrant, J. Trappe, and J. Franklin, eds. From the forest to the sea: A story of fallen trees. PNW-GTR-229, 153.
- Gordon, D. K. and C. D. Levings. 1984. Seasonal changes of inshore fish populations on Sturgeon and Roberts Bank, Fraser River estuary, British Columbia. *Can. Tech. Rep. Fish. Aquat. Sci.* 1240:81.
- Graybill, J. P. 1979. Role of depth and velocity for nest site selection by Skagit River pink and chum salmon, p. 391-392. *In*: J.C Mason, ed. Proceedings of the 1978 northeast Pacific pink and chum salmon workshop. Pacific Biological Station, Nanaimo, B.C.
- Gregory, S. and P. Bisson. 1997. Degradation and loss of anadromous salmonid habitat in the Pacific northwest. *In*: Pacific salmon and their ecosystems: Status and future options. D Stouder, P. Bisson, and R. Naiman, eds., 1997. Chapman and Hall. NY (Available from International Thomson Publishing, Kentucky, 1-800-842-3636).
- Gribanov, V. I. 1948. The coho salmon (*Oncorhynchus kisutch* Walb.)-a biological sketch. *Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr.* 28:43-101. (Trans. from Russian; *Fish. Res. Bd. Can. Transl. Ser.* 370.)
- Groot, C. and K. Cooke. 1987. Are the migrations of juvenile and adult Fraser River sockeye salmon (*Oncorhynchus nerka*) in near-shore waters related? *Can. Spec. Publ. Fish. Aquat. Sci.* 96:53-60.
- Guenther P. M. And W. A. Hubert 1993. Method for determining minimum pool requirements to maintain and enhance salmonid fisheries in small Wyoming reservoirs. *Environmental Management.* 17:645-653.
- Gustafson, R. G., T. C. Wainwright, G. A. Winans, F. W. Waknitz, L. T. Parker, and R. S. Waples. 1997. In press. Status review of sockeye salmon from Washington and Oregon. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-33, 282.
- Hall, C., R. Howarth, B. Moore, and C. Vorosmarty. 1978. Environmental impacts of industrial energy systems in the coastal zone. *Ann. Rev. Energy.* 3:395-475.

- Hallock, R. J. and D. H. Fry, Jr. 1967. Five species of salmon, *Oncorhynchus*, in the Sacramento River, California. Calif. Fish Game 53:5-22.
- Hanamura, N. 1967. Salmon of the north Pacific Ocean—Part III. Spawning populations of north Pacific salmon. 1. Sockeye in the far east. Int. N. Pac. Fish. Comm. Bull. 18:1-27.
- Hanavan, M. G. and B. E. Skud. 1954. Intertidal spawning of pink salmon. Fish. Bull. Fish Wild. Serv. 56:167-185.
- Hanson, A. J. and H. D. Smith. 1967. Mate selection in a population of sockeye salmon (*Oncorhynchus nerka*) of mixed age groups. J. Fish. Res. Board Can. 24:1955-1977.
- Hanson, H. A., O. R. Smith, and P. R. Needham. 1940. An investigation of fish-salvage problems in relation to Shasta Dam. U.S. Dept. Interior, Bureau of Fish., Special Scientific Report 10, 200.
- Hard, J. J., R. G. Kope, W. S. Grant, F. W. Waknitz, L. T. Parker, and R. S. Waples. 1996. Status review of pink salmon from Washington, Oregon, and California. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-NWFSC-25, 131.
- Harden Jones, F. R. 1968. Fish migration. St. Martin's Press, New York, 325 p.
- Hartman, W. L. 1959. Red salmon spawning behavior. Sci. Alaska Proc. Alaska Sci. Conf. 9(1958):48-49.
- Hartman, W. L., W. R. Heard, and B. Drucker. 1967. Migratory behavior of sockeye salmon fry and smolts. J. Fish. Res. Board Can. 24(10):2069-2099.
- Hartman, W. L. and R. L. Burgner. 1972. Limnology and fish ecology of sockeye salmon nursery lakes of the world. J. Fish. Res. Board Can. 29:699-715.
- Hart, J. L. 1973. Pacific fishes of Canada. Bull. Fish. Res. Bd. Can. 180:740.
- Hartman, G. F., L. B. Holtby, and J. C. Scrivener. 1984. Some effects of natural and logging-related winter stream temperature changes on the early life history of coho salmon (*Oncorhynchus kisutch*) in Carnation Creek, British Columbia. In: W. R. Meehan, T. R. Merrill, Jr., and T. A. Hanley, eds. Fish and wildlife relationships in old-growth forests, pp. 141-149. Am. Instit. Fish. Biologists.
- Hartt, A. C. 1980. Juvenile salmonids in the oceanic ecosystem—the critical first summer. In: W. J. McNeil and D. C. Himsforth, eds. Salmonid ecosystems of the North Pacific, pp. 25-57. Oreg. State Univ. Press and Oreg. State Univ. Sea Grant College Prog., Corvallis.
- Hartt, A. C. and M. B. Dell. 1986. Early oceanic migrations and growth of juvenile Pacific salmon and steelhead trout. Int. North Pac. Fish. Comm. Bull. 46, 105.
- Hayes, F. A. 1978. Streambank and meadow condition in relation to livestock grazing in mountain meadows of central Idaho. M.S. Thesis, University of Idaho.
- Heady, H. F., and R. D. Child. 1994. Rangeland ecology and management. Westview Press, Boulder, 519.
- Healey, M. C. 1967. Orientation of pink salmon (*Oncorhynchus gorbuscha*) during early marine migration from Bella Coola River system. J. Fish. Res. Board Can. 24:2321-2338.
- Healey, M. C. 1978. The distribution, abundance and feeding habits of juvenile Pacific salmon in Georgia Strait, British Columbia. Fish. Mar. Serv. (Can.) Tech. Rep. 788:49.
- Healey, M. C. 1980. The ecology of juvenile salmon in Georgia Strait, British Columbia. In: W. J. McNeil and D. C. Himsforth eds., Salmonid ecosystems of the North Pacific, pp. 203-229. Oregon State University Press, Corvallis, Oregon.

- Healey, M. C. 1982. Juvenile Pacific salmon in estuaries: The life support system. *In*: V. S. Kennedy, ed., Estuarine comparisons, pp. 315-341. Academic Press, New York.
- Healey, M. C. 1983. Coastwide distribution and ocean migration patterns of stream-type and ocean-type chinook salmon. *Canadian Field-Naturalist* 97:427-433.
- Healey, M. C. and W. R. Heard. 1984. Inter- and intra-population variation in the fecundity of chinook salmon (*Oncorhynchus tshawytscha*) and its relevance to life history theory. *Can. J. Fish. Aquat. Sci.* 41:476-483.
- Healey, M. C. 1986. Optimum size and age at maturity in Pacific salmon and effects of size-selective fisheries. *In*: D. J. Meerburg, ed., Salmonid age at maturity, pp. 39-52. *Can. Spec. Publ. Fish. Aquat. Sci.* 89.
- Healey, M. C. and C. Groot. 1987. Marine migration and orientation of ocean-type chinook and sockeye salmon, pp. 298-312. *In*: M. J. Dadswell, R. J. Klanda, C. M. Moffitt, R. L. Saunders, R. A. Rulifson, and J. E. Cooper, eds. Common strategies of anadromous and catadromous fishes. *Am. Fish. Soc. Symp.* 1.
- Healey, M. C. 1987. The adaptive significance of age and size at maturity in female sockeye salmon (*Oncorhynchus nerka*). *Can. Spec. Publ. Fish. Aquat. Sci.* 96:110-117.
- Healey, M. C. 1991. The life history of chinook salmon (*Oncorhynchus tshawytscha*). *In*: C. Groot and L. Margolis eds., Life history of Pacific salmon, p. 311-393. Univ. BC Press, Vancouver, British Columbia, Canada.
- Heard, W. R. 1991. Life history of pink salmon, *Oncorhynchus gorbuscha*, pp. 119-230. *In*: C. Groot and L. Margolis, eds. Pacific salmon life histories. UBC Press, Vancouver.
- Heifitz, J., S. W. Johnson, K. V. Koski, and M. L. Murphy. 1989. Migration timing, size, and salinity tolerance of sea-type sockeye salmon (*Oncorhynchus nerka*) in an Alaska estuary. *Can. J. Fish. Aquat. Sci.* 46:633-637.
- Helle, J. H. 1970. Biological characteristics of intertidal and fresh-water spawning pink salmon at Olsen Creek, Prince William Sound, Alaska, 1962-63. *U.S. Fish Wild. Serv. Spec. Sci. Rep. Fish.* 602:19.
- Herrmann, R. B. 1959. Occurrence of juvenile pink salmon in a coastal stream south of the Columbia River. *Res. Briefs Fish Comm. Oreg.* 7(1):81.
- Hicks, B. J., J. D. Hall, P. A. Bisson, and J. R. Sedell. 1991. Responses of salmonids to habitat changes, p. 483-518. *In*: W. R. Meehan, ed. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society. Special Publication 19. Bethesda, Maryland, 751.
- Higgins, P., S. Dobush, and D. Fuller. 1992. Factors in northern California threatening stocks with extinction. Humboldt Chapter of the American Fisheries Society, 26.
- Hiss, J. M. 1995. Environmental factors influencing spawning escapement of Dungeness River pink salmon (*Oncorhynchus gorbuscha*) 1959-1993. Unpubl. manuscr., 33. (Available from U.S. Fish and Wildlife Service, Western Washington Fishery Resource Office, 2625 Parkmont Lane SW, Bldg. A, Olympia, Washington 98502.)
- Hoar, W. S. 1956. The behaviour of migrating pink and chum salmon fry. *J. Fish. Res. Board Can.* 13:309-325.
- Hoar, W. S. 1958. The evolution of migratory behaviour among juvenile salmon of the genus *Oncorhynchus*. *J. Fish. Res. Board Can.* 15:391-428.
- Holtby, L. B. and M. C. Healey. 1986. Selection for adult size in female coho salmon (*Oncorhynchus kisutch*). *Can. J. Fish. Aquat. Sci.* 43:1946-1959.

- Holtby, L. B., B. C. Andersen, and R. K. Kadowaki. 1990. Importance of smolt size and early ocean growth to interannual variability in marine survival of coho salmon (*Oncorhynchus kisutch*). *Can. J. Fish. Aquat. Sci.* 47:2181-2194.
- Horton, G. 1994. Effects of jet boats on salmonid reproduction in Alaskan streams. Masters thesis. University of Alaska, Fairbanks, Alaska.
- Hourston, W. R. and D. MacKinnon. 1956. Use of an artificial spawning channel by salmon. *Trans. Am. Fish. Soc.* 86:220-230.
- Houston, D. B. 1983. Anadromous fish in Olympic National Park: A status report. Natl. Park Serv. Pacific Northwest Region, 72. (Available from Olympic National Park, 600 East Park Avenue, Port Angeles, Washington, 98362.)
- Hubbs, C. L. 1946. Wandering of pink salmon and other salmonid fishes into southern California. *Calif. Fish Game* 81-86.
- Hunter, J. G. 1959. Survival and production of pink and chum salmon in a coastal stream. *J. Fish. Res. Board Can.* 16:835-886.
- Hyatt, K. D. and J. G. Stockner. 1985. Responses of sockeye salmon (*Oncorhynchus nerka*) to fertilization of British Columbia coastal lakes. *Can. J. Fish. Aquat. Sci.* 42:320-331.
- Ivankov, V. N. and V. L. Andreyev. 1969. Fecundity of Pacific salmon (genus *Oncorhynchus* spp.). *Vopr. Ikhtiol.* 9:80-89. (Engl. Transl. *Problems in Ichthyology, Am. Fish. Soc.* 9:59-66.)
- Irvine, J. R. and B. R. Ward. 1989. Patterns of timing and size of wild coho salmon (*Oncorhynchus kisutch*) smolts migrating from the Keogh River Watershed on northern Vancouver Island. *Can. J. Fish. Aquat. Sci.* 46:1086-1094.
- Ito, J. 1964. Food and feeding habits of Pacific salmon (genus *Oncorhynchus*) in their oceanic life. *Bull. Hokkaido Reg. Fish. Res. Lab.* 29:85-97. (Transl. from Japanese; *Fish. Res. Board Can. Transl. Ser.* 1309.)
- Jaworski, N. 1981. Sources of nutrients and the scale of eutrophication problems in estuaries. In: B. Neilson and L. Cronin, eds., *Estuaries and Nutrients*. Humana, Clifton, New Jersey, 83-110.
- Jensen, H. M. 1956. Migratory habits of pink salmon found in the Tacoma Narrows area of Puget Sound. *Wash. Dep. Fish. Fish. Res. Pap.* 1:21-24.
- Johnson, J. 1998. Oregon Department of Fish and Wildlife. Personal communication. Newport, Oregon.
- Jordan, D. S. 1895. Notes on the fresh water species of San Louis Obispo County, California. *Bull. U.S. Fish Comm.* 14:141-142.
- Jordan, D. S. and C. H. Gilbert. 1881. Notes on the fishes of the Pacific coast of the United States. *Proc. U.S. National Mus.* 4:29-70.
- Kaczynski, V. W., R. J. Feller, and J. Clayton. 1973. Trophic analysis of juvenile pink and chum salmon (*Oncorhynchus gorbuscha* and *Oncorhynchus keta*) in Puget Sound. *J. Fish. Res. Board Can.* 30:1003-1008.
- Karpenko, V. I. 1982. Biological peculiarities of juvenile coho, sockeye, and chinook salmon in coastal waters of east Kamchatka. *Sov. J. mar. Biol.* 8:317-324.
- Karpenko, V. I. 1987. Growth variation of juvenile pink salmon, *Oncorhynchus gorbuscha* and chum salmon *Oncorhynchus keta*, during the coastal period of life. *J. Ichthyol.* 27:117-125.

- Kauffman, J. B. 1982. Synecological effects of cattle grazing riparian ecosystems. M.S. Thesis. Oregon State University, Corvallis, Oregon.
- Kauffman, B. and R. Beschta. 1997. General conclusions regarding the restoration of Columbia Basin stream habitats. Presented at a 12/9/97 meeting of the Northwest Power Planning Council.
- Kauffman, B., R. Beschta, N. Otting, and D. Lytjen. 1997. An ecological perspective of riparian and stream restoration in the western United States. *Fisheries*: 22 (5)12-24.
- Kennedy, C. E. 1977. Wildlife conflicts in riparian management: Water. *In: Importance, preservation, and management of riparian habitat*. USDA Forest Service Gen. Tech. Rep. RM-43:52-58.
- Kennish, M. 1997. Practical handbook of estuarine and marine pollution. CRC Press, Boca Raton, Florida.
- Kerns, O. E., Jr. and J.R. Donaldson. 1968. Behavior and distribution of spawning sockeye salmon on island beaches in Iliamna Lake, Alaska, 1965. *J. Fish. Res. Board Can.* 25:485-494.
- Khorevin, L. D., V.A. Rudnev, and A.P. Shershnev. 1981. Predation on juvenile pink salmon by predatory fishes during the period of their seaward migration on Sakhalin Island. *J. Ichthyol.* 21:47-53.
- Killick, S. R. 1955. The chronological order of Fraser River sockeye salmon during migration, spawning, and death. *Int. Pac. Salmon Fish. Comm. Bull.* 7:95.
- Killick, S. R. and W. A. Clemens. 1963. The age, sex ratio, and size of Fraser River sockeye salmon 1915 to 1960. *Int. Pac. Salmon Fish. Comm. Bull.* 14:1-140.
- King J. And L. Tennyson. 1984. Alteration of stream flow characteristics following road construction in north central Idaho. *Water Resources Research* 20:1159-1163.
- Kjelson, M. A., P. F. Raquel, and F. W. Fisher. 1982. Life history of fall-run juvenile chinook salmon, *Oncorhynchus tshawytscha*. *In: the Sacramento-San Joaquin estuary, California. In: V. S. Kennedy ed., Estuarine Comparisons*, pp. 393-411. Academic Press, New York, New York.
- Konecki, J. T., C. A. Woody, and T. P. Quinn. 1995. Critical thermal maxima of coho salmon (*Oncorhynchus kisutch*) fry under field and laboratory acclimation regimes. *Can. J. Zool.* 73:993-996.
- Konkel, G. W. and J. D. McIntyre. 1987. Trends in spawning populations of Pacific anadromous salmonids. U.S. Fish Wildl. Serv. Tech. Rep. 9, 25.
- Konovalov, S. M. 1971. Differentiation of local populations of sockeye salmon *Oncorhynchus nerka* (Walbaum). Nauka Publishing House, Moscow, USSR. 229. (Transl. from Russian; Univ. Wash. Publ. Fish. New Ser. 5).
- Koski, K. V. 1965. The survival of coho salmon. M.S. Thesis, Oregon State Univ., 84.
- KRBFTF. 1991. Long range plan for the Klamath River Basin Conservation Area Fishery Restoration Program. 339 plus appendices. (Available from U.S. Fish and Wildlife Service, Klamath River Fishery Resource Office, P.O. Box 1006, Yreka, California, 96097).
- Labelle, M. 1992. Straying patterns of coho salmon (*Oncorhynchus kisutch*) stocks from southeast Vancouver Island, British Columbia. *Can. J. Fish. Aquat. Sci.* 49:1843-1855.
- Landingham, J. H. 1982. Feeding ecology of pink and chum salmon fry in the nearshore habitat of Auke Bay, Alaska. M.Sc. thesis. University of Alaska, Juneau, Alaska. 132.
- Lawson, P. 1997. Cycles in ocean productivity, trends in habitat quality, and the restoration of salmon runs in Oregon. *Fisheries*: 22(5).

- Lebovitz, A. 1992. Oregon estuarine conservation and restoration priority evaluation: Opportunities for salmonid habitat and wetlands functions enhancement in Oregon's estuaries. Oregon Trout, Portland, Oregon.
- LeBrasseur, R. J. and R. R. Parker. 1964. Growth rate of central British Columbia pink salmon (*Oncorhynchus gorbuscha*). J. Fish. Res. Board Can. 21:1101-1128.
- LeBrasseur, R. J. 1966. Stomach contents of salmon and steelhead trout in the northeastern Pacific Ocean. J. Fish. Res. Board Can. 23:85-100.
- Lenzi, J. 1985. Coho smolt enumeration on several small Puget Sound streams, 1982-1984. Wash. Dep. Fish. Prog. Rep. 232, 61.
- Lenzi, J. 1987. Coho smolt enumeration on several small Puget Sound streams, 1985-1987. Wash. Dep. Fish. Prog. Rep. 262, 59.
- Lenzi, J. 1983. Coho smolt enumeration on several small Puget Sound streams, 1978-1981. Wash. Dep. Fish. Prog. Rep. 199, 91.
- Lestelle, L. C. and C. Weller. 1994. Summary report: Hoko and Skokomish River coho salmon indicator stock studies 1986-1989. Point No Point Treaty Council Tech. Rep. TR 94-1, 13 plus appendices. (Available from Point No Point Treaty Council, 7999 NE Salish Lane, Kingston, Washington, 98346).
- Levings, C. D., D. E. Boyle, and T. R. Whitehouse. 1995. Distribution and feeding of juvenile Pacific salmon in freshwater tidal creeks of the lower Fraser River, British Columbia. Fish. Manage. Ecol. 2:299-308.
- Levings, C. D. 1982. Short term use of a low tide refuge in a sandflat by juvenile chinook, *Oncorhynchus tshawytscha*, in the Fraser River estuary. Can. Tech. Rep. Fish. Aquat. Sci. 1111:33.
- Levings, C. and D. Bouillon. 1997. Criteria for evaluating the survival value of estuaries for salmonids. In: R. Emmett and M. Schiewe, eds. 1997. Estuarine and ocean survival of Northeastern Pacific Salmon. Proceedings of the workshop. U.S. Dept. of Commerce., NOAA Tech. Memo. NMFS-NWFSC-29, 313 Seattle, Washington.
- Levings, C. D., C. D. McAllister, and B. C. Chang. 1986. Differential use of the Campbell River estuary, British Columbia, by wild and hatchery reared juvenile chinook salmon (*Oncorhynchus tshawytscha*). Can. J. Fish. Aquat. Sci. 43:1386-1397.
- Levy, D. A. and T. G. Northcote. 1982. Juvenile salmon residency in a marsh area of the Fraser River estuary. Can. J. Fish. Aquat. Sci. 39:270-276.
- Levy, D. A., T. G. Northcote, and G. J. Birch. 1979. Juvenile salmon utilization of tidal channels in the Fraser River estuary, British Columbia. Westwater Res. Cent. Univ. Br. Col. Tech. Rep. 23:70.
- Levy, D. A. and T. G. Northcote. 1981. The distribution and abundance of juvenile salmon in marsh habitats of the Fraser River estuary. Westwater Res. Cent. Univ. Br. Col. Tech. Rep. 25:117.
- Li, H. 1994. Cumulative effects of riparian disturbances along high desert trout streams of the John Day Basin, Oregon. Transaction of the American Fisheries Society. 123:627-640.
- Lichatowich, J. 1993. Dungeness River pink and chinook salmon historical abundance, current status, and restoration. Unpubl. rep. to Jamestown S' Klallam Tribe, August 1992 (revised October 1993), 55. (Available from Jamestown S' Klallam Tribe, 305 Old Blyn Hwy., Sequim, Washington, 98382).
- Lister, D., D. Hickey and I. Wallace. 1981. Review of the effects of enhancement strategies on the homing, straying, and survival of Pacific salmonids. Prepared for Dep. Fish. Oceans, Salmonid Enhancement Prog. by Lister and Assoc., W. Vancouver, British Columbia, Canada., 51.

- Lister, D. B. and H. S. Genoe. 1970. Stream habitat utilization by cohabiting underyearlings of chinook (*Oncorhynchus tshawytscha*) and coho (*Oncorhynchus kisutch*) salmon in the Big Qualicum River, British Columbia. J. Fish. Res. Board Can. 27:1215-1224.
- Lockwood, Jeffrey. 1990. Seagrass as a consideration in the site selection and construction of marinas. In: Environmental management for marinas conference, September 5-7, 1990, Washington, D.C. Technical Reprint Series, International Marina Institute, Wickford, Rhode Island.
- Loeffel, R. E. and W. O. Forster. 1970. Determination of movement and identity of stocks of coho salmon in the ocean using the radionuclide Zinc-65. Res. Rep. Fish Comm. Oregon, 2(1):1-13.
- Loftus, W. F. and H. L. Lenon. 1977. Food habits of salmon smolts, (*Oncorhynchus tshawytscha* and *Oncorhynchus keta*), from the Salcha River, Alaska. Trans. Am. Fish. Soc. 106:235-240.
- Logan, R. 1998. Washington Department of Ecology, Personal communication.
- Lollock, D. 1998. California Department of Fish and Game, Personal communication.
- Lorz, H. and B. McPherson. 1976. Effects of copper or zinc in freshwater on the adaptation to seawater and ATPase activity, and the effects of copper on the migratory disposition of coho salmon (*Oncorhynchus kisutch*). Journal of the Fisheries Research Board of Canada.
- Luiting, V., J. Cordell, A. Olson, and C. Simenstad. 1997. Does exotic (*Spartina alterniflora*) change benthic invertebrate assemblages. In Second International Spartina Conference Proceedings. 1997. Kim Patten, ed. Washington State University, Long Beach, Washington. Document available: <http://www.willapabay.org/~coastal>.
- Lunetta, R. S., B. L. Cosentino, D. R. Montgomery, E. M. Beamer, and T. J. Beechie. 1997. GIS-based evaluation of salmon habitat in the Pacific Northwest. Photogrammetric engineering and remote sensing 63(10):1219-1229.
- Maahs, M. and J. Gilleard. 1994. Anadromous salmonid resources of Mendocino County coastal and inland rivers. Final report to the Salmon Trollers Marketing Association. CDFG Inland Fisheries Division Contract Number FG-9364, 60.
- MacDonald, A. and K. Ritland. 1989. Sediment Dynamics in type 4 and 5 waters: A review and synthesis. TFW-102-89-002. Prepared for the TFW/SMER Sediment, Hydrology, and Mass Wasting Steering Committee and Washington Department of Natural Resources, Forest Regulation and Assistance, Olympia, Washington.
- MacKinnon, D. 1963. Salmon spawning channels in Canada, pp. 108-110. In: R.S. Croer, ed. Report of Second Governor's Conference on Pacific Salmon. State Printing Plant, Olympia, Washington.
- Mains, E. M. and J. M. Smith. 1964. The distribution, size, time, and current preferences of seaward migrant chinook salmon in the Columbia and Snake Rivers. Wash. Dep. Fish., Fish. Res. Pap. 2(3):5-43.
- Major, R. L. and R. L. Mighell. 1966. Influence of Rocky Reach Dam and the temperature of the Okanogan River on the upstream migration of sockeye salmon. U.S. Fish Wildl. Serv., Fish. Bull. 66(1):131-147.
- Major, R. L., J. Ito, S. Ito and H. Godfrey. 1978. Distribution, and origin of chinook salmon in offshore waters of the north Pacific Ocean. Int. North Pac. Fish. Comm. Bull. 38:54.
- Manzer, J. I. and M. P. Shepard. 1962. Marine survival, distribution, and migration of pink salmon (*Oncorhynchus gorbuscha*) off the British Columbia coast. In: N. J. Wilimovsky, ed., Symposium on pink salmon, pp. 113-122. H. R. MacMillan Lectures in Fisheries, Univ. British Columbia, Vancouver.

- Manzer, J. I. 1968. Food of Pacific salmon and steelhead trout in the northeast Pacific Ocean. J. Fish. Res. Board Can. 25:1085-1089.
- Manzer, J. I. 1964. Preliminary observations on the vertical distribution of Pacific salmon (genus *Oncorhynchus*) in the Gulf of Alaska. J. Fish. Res. Board Can. 21:891-903.
- Manzer, J. I. and I. Miki. 1985. Fecundity and egg retention of some sockeye salmon (*Oncorhynchus nerka*) stocks in British Columbia. Can. J. Fish. Aquat. Sci. 43:1643-1655.
- Manzer, J. I. and R. J. LeBrasseur. 1959. Further observations on the vertical distribution of salmon in the northeast Pacific. Fish. Res. Board Can. MS Rep. Ser. 689:9.
- Manzer, J. I., T. Ishida, A. E. Peterson, and M. G. Hanavan. 1965. Salmon of the north Pacific Ocean. Part V: Offshore distribution of salmon. Int. North Pac. Fish. Comm. Bull. 15:452.
- Marcus, M., M. Young, L. Noel, and B. Mullan. 1990. Salmonid-habitat relationships in the western United States. General Tech Report RM-GTR-188. U.S. Dept. of Ag. Forest Service. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado.
- Margolis, L., F. C. Cleaver, Y. Fukuda, and H. Godfrey. 1966. Salmon of the north Pacific Ocean—Part VI. Sockeye salmon in offshore waters. Int. North Pac. Fish. Comm. Bull. 20:70.
- Marriot, R. A. 1964. Spawning ground catalog of the Wood River system, Bristol Bay, Alaska. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish. 494:210.
- Martin, J. W. 1966. Early sea life of pink salmon, pp. 111-125. In: W.L. Sheridan, ed. Proceedings of the 1966 northeast Pacific pink salmon workshop. Alaska Dept. Fish Game Inf. Leaflet. 87.
- Maser, C. and J. R. Sedell. 1994. (From the forest to the sea: The ecology of wood in streams, rivers, estuaries, and oceans. St. Lucie Press. FL. 200.
- Mathews, G. M. and R. S. Waples. 1991. Status review for Snake River spring and summer chinook salmon. U.S. Dep. of Commer., NOAA Tech. Memo. NMFS F/NWC-200, 75. (Available from NMFS, Northwest Fisheries Science Center, Coastal Zone and Estuarine Studies Division, 2725 Montlake Blvd. E., Seattle, Washington, 98112-2097.)
- Mathisen, O. A. 1994. Spawning characteristics of the pink salmon (*Oncorhynchus gorbuscha*) in the eastern north Pacific Ocean. Aquacult. Fish. Manage. 25 (Suppl. 2):147-156.
- Mathisen, O. A. 1962. The effect of altered sex ratios on the spawning of red salmon, pp. 137-248. In: T.S.Y. Koo, ed. Studies of Alaska red salmon. Univ. Wash. Publ. Fish. New Ser. 1.
- Mathisen, O. A. 1966. Some adaptations of sockeye salmon races to limnological features of Iliamna Lake, Alaska. Int. Ver. Theor. Angew. Limnol. Verh. 16:1025-1035.
- May, C., E. Welch, R. Horner, J. Karr, and B. Mar. 1997. Quality indices for urbanization effects in Puget Sound lowland streams. Department of Ecology, Olympia, Washington. Publication number 98-04.
- McCullough, D. and A. Espinosa Jr. 1996. Columbia River Inter-Tribal Fish Commission. A monitoring strategy for application to salmon watersheds. Portland, Oregon.
- McDonald, J. 1960. The behaviour of Pacific salmon fry during their downstream migration to freshwater and saltwater nursery areas. J. Fish. Res. Board Can. 17:655-676.
- McDonald, J. 1969. Distribution, growth and survival of sockeye fry (*Oncorhynchus nerka*) produced in natural and artificial stream environments. J. Fish. Res. Board Can. 26:229-267.
- McDonald, J. S., I. K. Birtwell, and G. M. Kruzynski. 1987. Food and habitat utilization by juvenile salmonids in the Campbell River estuary. Can. J. Fish. Aquat. Sci. 44:1233-1246.

- McMahon, T. E. and L. B. Holtby. 1992. Behavior, habitat use and movements of coho salmon (*Oncorhynchus kisutch*) smolts during seaward migration. *Can. J. Fish. Aquat. Sci.* 49:1478-1485.
- McMahon, T. E. 1983. Habitat suitability index models: Coho salmon. U.S. Dept. Of the Interior, Fish and Wildlife Service. FWS/OBS-82/10.49, 29.
- McNeil, W. J. 1980. Vulnerability of pink salmon populations to natural and fishing mortality, pp. 147-151. *In: W.J. McNeil and D.C. Himsworth, eds. Salmonid ecosystems of the north Pacific.* Oregon State University Press, Corvallis, Oregon.
- McNeil, W. J. 1962. Mortality of pink and chum salmon eggs and larvae in southeast Alaska streams. Ph.D. thesis. University of Washington, Seattle, Washington, 270.
- McPhail, J. D. and C. C. Lindsey. 1970. Freshwater fishes of northwestern Canada and Alaska. *Bull. Fish. Res. Board Can.* 173:38.
- Meehan, W. R. and D. B. Siniff. 1962. A study of the downstream migrations of anadromous fishes in the Taku River, Alaska. *Trans. Am. Fish. Soc.* 91:399-407.
- Merkel, T. J. 1957. Food habits of the king salmon, *Oncorhynchus tshawytscha* (Walbaum), in the vicinity of San Francisco, California. *Calif. Fish Game* 43:249-270.
- Metro. 1997. Policy analysis and scientific literature review for Title 3 of the urban growth management functional plan: Water quality and floodplain management conservation. Metro. Growth Management Services Department. Portland, Oregon.
- Meyer, B. 1998. NMFS, personal communication Portland, Oregon.
- Michael, J. H. 1995. Enhancement effects of spawning pink salmon on stream rearing juvenile coho salmon: Managing one resource to benefit another. *Northwest Science* 69:228-233.
- Miller, D. R., J. G. Williams, and C. W. Sims. 1983. Distribution, abundance, and growth of juvenile salmonids off the coast of Oregon and Washington, summer 1980. *Fish. Res.*, 2:1-17.
- Miller, R. J. and E. L. Brannon. 1982. The origin and development of life history patterns in Pacific salmonids, p. 296-309. *In: E. L. Brannon and E. O. Salo, eds. Proceedings of the salmon and trout migratory behavior symposium.* School of Fisheries, University of Washington, Seattle, Washington.
- Mirata, A. 1998. Personal Communication. Oregon Department of Fish and Wildlife, Portland, Oregon.
- Montgomery, D. R., E. M. Beamer, G. Pess, and T. P. Quinn. In prep. Geomorphological controls on salmonid spawning distribution and abundance, 28. (Available from D.R. Montgomery, Dept. Geological Sciences, Univ. of Washington, Seattle, Washington, 98112).
- Montgomery, D. R. and J. M. Buffington. 1997. Channel-reach morphology in mountain drainage basins. *Geol. Soc. Am. Bull.* 109:596-611.
- Morton, W.M. 1982. Comparative catches and food habits of Dolly Varden and Arctic charrs, (*Salvelinus malma* and *Salvelinus alpinus*), at Karluk, Alaska, in 1939-1941. *Environ. Biol. Fishes* 7:7-28.
- Mosely, J., P. S. Cok, A. J. Griffiths, and J. O'Laughlin. 1997. Guidelines for managing cattle grazing in riparian areas to protect water quality; Review of research and best management practices policy. Report No. 15, Idaho Forest, Wildlife Range Policy Analysis Group.
- Moyle, P. B., R. M. Yoshiyama, J. E. Williams and E. D. Wikramanayake. 1995. Fish species of special concern in California, 2nd ed. *Calif. Dep. Fish Game, Sacramento California*, 272.

- Mullan, J. W. 1986. Determinants of sockeye salmon abundance in the Columbia River, 1880s-1982: A review and synthesis. U.S. Fish Wildl. Serv. Biol. Rep. 86(12), 135.
- Mundy, P. R. 1979. A quantitative measure of migratory timing illustrated by application to the management of commercial salmon fisheries. Ph.D. thesis. University of Washington, Seattle, Washington, 85.
- Mundy, P. R. 1997. The role of harvest management in the future of Pacific salmon populations: Shaping human behavior to enable the persistence of salmon. *In*: D. J. Stouder, P. A. Bisson, and R. J. Naiman eds., Pacific salmon and their ecosystems, pp. 315-330. Chapman and Hall, New York.
- Murphy, M. 1995. Forestry impacts on freshwater habitat of anadromous salmonids in the Pacific Northwest and Alaska -- Requirements for protection and restoration, NOAA Coastal Ocean Program, Decision Analysis Series No. 7, Washington, D.C.
- Murray, C. B., T. D. Beacham, and J. D. McPhail. 1990. Influence of parental stock and incubation on the early development of coho salmon (*Oncorhynchus kisutch*) in British Columbia. *Can. J. Zool.* 68:347-358.
- Myers, J. M., R. G. Kope, G. J. Bryant, D. Teel, L. J. Lierheimer, T. C. Wainwright, W. S. Grant, F. W. Waknitz, K. Neely, S. T. Lindley, and R. S. Waples. 1998. Status review of chinook salmon from Washington, Oregon, Idaho, and California. NOAA Tech. Memo NMFS-NW FSC 35, 443.
- Myers, K. W., K. Y. Aydin, R. V. Walker, S. Fowler and M. L. Dahlberg. 1996. Known ocean ranges of stocks of Pacific salmon and steelhead as shown by tagging experiments, 1956-1995. NPAFC Doc. 192 (FRI-UW-961), 4 plus figures and appendices. (Available from Univ. Wash., Fisheries Research Institute, Box 357980, Seattle, Washington, 98195-7980).
- Myers, K. W. 1980. An investigation of the utilization of four study areas in Yaquina Bay, Oregon, by hatchery and wild juvenile salmonids. M. Sc. Thesis, Oregon State Univ., Corvallis, 233.
- Myers, K. W. and H. F. Horton. 1982. Temporal use of an Oregon estuary by hatchery and wild juvenile salmon. *In*: V. S. Kennedy, ed., Estuarine comparisons, pp. 377-392. Academic Press, New York.
- Naiman, R. J., T. J. Beechie, L. E. Benda, D. R. Berg, P. A. Bisson, L. H. MacDonald, M. D. O'Connor, P. L. Olson and A. E. Steel. 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. *In*: R. J. Naiman, ed., Watershed Management, pp. 127-188. Springer-Verlag, New York.
- Neave, F., T. Ishida, and S. Murai. 1967. Salmon of the north Pacific Ocean. Part VI. Pink salmon in offshore waters. *Int. North Pac. Fish. Comm. Bull.* 22:33.
- Neave, F. 1962. The observed fluctuations of pink salmon in British Columbia. Pp. 3-14. *In*: N. J. Wilimovsky, ed. Symposium on pink salmon. H. R. MacMillan lectures in fisheries. Institute of Fisheries, University of British Columbia, Vancouver, British Columbia, Canada.
- Neave, F. 1948. Fecundity and mortality in Pacific salmon. *Proc. Trans. R. Soc. Can. Ser.* 3 42(5):97-105.
- Neave, F. and W. P. Wickett. 1953. Factors affecting the freshwater development of Pacific salmon in British Columbia. *Proc. 7th Pac. Sci. Congr.* 1949(4):548-556.
- Neave, F. 1966. Pink salmon in British Columbia, pp. 71-79. *In*: Salmon of the north Pacific Ocean. Part III. A review of the life history of north Pacific salmon. *Int. North Pac. Fish. Comm. Bull.* 18.
- Neave, F. 1953. Principles affecting the size of pink and chum salmon populations in British Columbia. *J. Fish. Res. Board Can.* 9:450-491.
- Neave, F. 1952. 'Even-year' and 'odd-year' pink salmon populations. *Proc. Trans. R. Soc. Can. Ser.* 3 46(5):55-70.

- Nehlsen, W., J. Williams, and J. Lichatowich. 1991. Pacific salmon at the crossroads: Stocks at risk from California, Oregon, Idaho, and Washington. *Fisheries* 16(2):4-21.
- Nehlsen, W. 1995. Historical salmon and steelhead runs of the upper Deschutes River and their environments, 65. (Available from Portland General Electric Company, Hydro Licensing Department, Attn: Mary May, 3WTCR04, 1221 SW Salmon St., Portland, Oregon, 97204).
- Neilson, J. D. and C. E. Banford. 1983. Chinook salmon (*Oncorhynchus tshawytscha*) spawner characteristics in relation to redd physical features. *Can. J. Zool.* 61:1524-1531.
- Neilson, J. D. and G. H. Geen. 1981. Enumeration of spawning salmon from spawner residence time and aerial counts. *Trans. Am. Fish. Soc.* 110:554-556.
- Nelson, R. L. McHenry, M., and W. S. Platts. 1991. Mining. Influences of forest and rangeland management on salmonid fishes and their habitats. Pp. 425-457 *In*: W. Meehan, ed. Influences of forest and range management on salmonid fishes and their habitats. AFS Special Publication 19. Bethesda, Maryland.
- Nelson, J. 1993. South central coastal stream coho salmon and steelhead trout population inventory and habitat assessment. Calif. Dep. Fish Game, Annual Performance Rep. F-51-R-5. 52 p. (Available from California Department of Fish and Game, 1416 Ninth, Sacramento, California, 95814).
- Nelson, J. 1994. Coho salmon and steelhead habitat and population surveys of Scott Creek, Santa Cruz, California, 1993. Calif. Dep. Fish Game, Annual Report, 52. (Available from California Department of Fish and Game, 1416 Ninth, Sacramento, California, 95814).
- Netboy, A. 1958. Salmon of the Pacific Northwest. Fish vs. Dams. Binford & Mort, Portland, Oregon, 119.
- Nicholas, J. W. and D. G. Hankin. 1988. Chinook salmon populations in Oregon coastal river basins. Oregon Dept. Fish Wildl. Fish. Div. Info. Report 88-1. 359.
- Nickleson, T. E., J. D. Rodgers, S. L. Johnson and M. F. Solazzi. 1992. Seasonal changes in habitat use by juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Can. J. Fish. Aquat. Sci.* 49:783-789.
- Nielson, R. S. 1950. Survey of the Columbia River and its tributaries: Part V. USFWS Spec. Sci. Rep. - Fish. No. 38, 41.
- NMFS. 1991. Final rule: Endangered status for Snake River sockeye salmon. *Federal Register* 56(224):58619-58624.
- NMFS. 1995. Endangered and threatened species; proposed threatened status for three contiguous ESUs of coho salmon ranging from Oregon through central California. *Federal Register* 60(142):38011-38030.
- NMFS. 1995. Biological opinion on land and resource management plans for the: Boise, Challis, Nez Perce, Payette, Salmon, Sawtooth, Umatilla, and Wallowa-Whitman National Forests. March 1, 1995.
- NMFS. 1995. Biological opinion on implementation of interim strategies for managing anadromous fish-producing watersheds in eastern Oregon and Washington, Idaho, and portions of California (PACFISH).
- NMFS. 1996. Factors for decline: A supplement to the notice of determination for West Coast steelhead under the Endangered Species Act. (Available from Environmental Technical Services Division, NMFS 525 NE Oregon St., Suite 500, Portland, Oregon, 97232).
- NMFS. 1996. National gravel extraction policy. Santa Rosa, California. (<http://swr.ucsd.edu/hcd/gravelsw.htm>).

- NMFS. 1996. Implementation of "matrix of pathways and indicators" for evaluating the effects of human activities on anadromous salmonid habitat. National Marine Fisheries Service September 4, 1996 Memorandum.
- NMFS. 1997. Essential fish habitat draft guidance document. Office of Habitat Conservation, Washington, D.C.
- NMFS. 1997a. Endangered and threatened species; threatened status for southern Oregon/northern California coast evolutionarily significant unit (ESU) of coho salmon. Federal Register 62(87):24588-24609.
- NMFS. 1997b. Designated critical habitat; central California coast and southern Oregon/northern California coast coho salmon. Federal Register [Docket No. 971029257-7257-01 I.D. No. 101097A] 62(227):627641-62751.
- NMFS. 1997c. Investigation of scientific information on impacts of California sea lions and Pacific harbor seals on salmonids and on the coastal ecosystems of Washington, Oregon, and California. U.S. Dep. Commerce., NOAA Tech. Memo. NMFS-NWFSC-28. (Available from NMFS Northwest Fisheries Science Center, 2725 Montlake Blvd., Seattle, Washington, 98112).
- NMFS. 1997d. Coastal coho habitat factors for decline and protective efforts in Oregon. Habitat Conservation Program, Portland, Oregon. April 24, 1997.
- NMFS. 1998. Endangered and threatened species: Proposed endangered status for two chinook salmon ESUs and proposed threatened status for five chinook salmon ESUs; proposed redefinition, threatened status and revision of critical habitat for one chinook salmon ESU, proposed designation of chinook salmon critical habitat in California, Oregon, Washington, and Idaho. Federal Register [Docket No. 980225050-8050-01 I.D. 022398C] 63(45):11481-11520.
- NOAA. 1990. Coastal and ocean zone strategic assessment atlas: Data atlas, invertebrate and fish volume. (Available from National Ocean Service, NOAA, Rockville, Maryland, 20582.
- NOAA. 1996. Guidance documents for natural resource damage assessment under the oil pollution act of 1990. NOAA Damage Assessment and Restoration Program, Silver Spring, Maryland.
- Northcote, T. C. and D. Y. Atagi. 1997. Pacific salmon abundance trends in the Fraser River watershed compared with other British Columbia systems. *In*: D. J. Stouder, P. A. Bisson, and R. J. Naiman, eds., Pacific salmon and their ecosystems, status, and future options. Chapman and Hall, Inc., New York.
- Northcote, T. G., N. T. Hohnston, and K. Tsumara. 1979. Feeding relationships and food web structure of lower Fraser River fishes. Westwater Res. Cent. Univ. Br. Col. Tech. Rep. 16:73.
- Northwest Forest Plan. 1994. Standards and guidelines for management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. USDA Forest Service and USDI Bureau of Land Management.
- NPFMC. 1998. Salmon essential fish habitat draft. Anchorage, Alaska.
- NPPC. 1986. Compilation of Information on salmon and steelhead losses in the Columbia River Basin. Columbia River Basin Fish and Wildlife Program. Portland, Oregon.
- NRC. 1989. Irrigation-induced water quality problems: what can be learned from the San Joaquin Valley experience. National Academy Press, Washington, D.C.
- NRC. 1996. Upstream: salmon and society in the Pacific Northwest. Report of the committee on protection and management of Pacific northwest anadromous salmonids, Board on Environmental Studies and

- Toxicology, and Commission on Life Sciences. National Academy Press. Washington, D.C. (Available from National Academy Press, 1-800-624-6242, Washington, DC 20055).
- NWIFC and WDFW. (Washington Department of Fish and Wildlife). 1998. Salmonid disease control policy of the fisheries co managers of Washington State. NWIFC/WDFW, Olympia, Washington, 22.
- OCSRI. 1997. OCSRI conservation plan. Draft revision February 24, 1997. State of Oregon, Salem, Oregon.
- ODFW. 1989. Waterway habitat alteration policies. Review. Draft prepared by B. Forsberg, A. Smith, C. Kunkel, G. Anderson, J. Muck.
- ODFW. 1995. Comprehensive plan for production and management of Oregon's anadromous salmon and trout. Part III: Steelhead. Ore. Dept. Fish Wild., Portland, Oregon, 58.
- ODFW. 1996. Oregon river information coverage s. Oregon Department of Fish and Wildlife. 1996--Available from ODFW at <http://rainbow.dfw.state.or.us/ftp>.
- Odum, W. E. 1971. Fundamentals in Ecology. W. B. Saunders. Philadelphia, Pennsylvania.
- Ogura, M. 1994. Migratory behavior of Pacific salmon (*Oncorhynchus spp.*) in the open sea. Bull. Nat. Res. Inst. Far Seas Fish. 31:1-139.
- Olsen, J. C. 1968. Physical environment and egg development in a mainland beach area and an island beach area of Iliamna Lake, pp. 169-197. In: R. L. Burgner, ed. Further studies of Alaska sockeye salmon. Univ. Wash. Publ. Fish. New Ser. 3.
- Olson, R. and W. Hubert. 1994. Beaver: Water resources and riparian habitat manager. University of Wyoming, Laramie, Wyoming, 48 p. (Available from University of Wyoming Cooperative Extension, 307-766-6198).
- Omernik, J. M. 1977. Nonpoints source-stream nutrient level relationships: A nationwide study. EPA-600/3/77-105. US Environmental Protection Agency. Corvallis, Oregon.
- ORIS. 1994. Oregon Department of Fish and Wildlife, Corvallis, Oregon. 1994--Available from ODFW, Corvallis, Oregon.
- Oregon Territorial Sea Management Study. 1987. Oregon Department of Land Conservation and Development, Salem, Oregon.
- OWRRI. 1995. Gravel Disturbance Impacts on Salmon Habitat and Stream Health, Volume 1. Summary Report. Oregon State University, Corvallis, Oregon. (Also available Vol. II: Technical background report). Available from Oregon Division of State Lands, Salem, Oregon, 503-378-3805.
- Parker, R. R. 1962. Estimation of ocean mortality rates for Pacific salmon (*Oncorhynchus*). J. Fish. Res. Board Can. 19:561-589.
- Parker, R. R. 1965. Estimation of sea mortality rates for the 1961 brood-year pink salmon of the Bella Coola area, British Columbia. J. Fish. Res. Board Can. 22:1523-1554.

- Parker, R. R. and R. J. LeBrasseur. 1974. Ecology of early sea life, pink and chum juveniles, p. 161-171. *In*: D. R. Harding, ed. Proceedings of the 1974 northeast Pacific pink and chum salmon workshop. Department of the Environment, Fisheries, Vancouver, British Columbia, Canada.
- Parker, R. R. 1971. Size selective predation among juvenile salmonid fishes in a British Columbia inlet. *J. Fish. Res. Board Can.* 28:1503-1510.
- Parker, R. R. 1968. Marine mortality schedules of pink salmon of the Bella Coola River, central British Columbia. *J. Fish. Res. Board Can.* 25:757-794.
- Parkhurst, Z. E., F. G. Bryant, and R. S. Nielson. 1950. Survey of the Columbia River and its tributaries: Part III. USFWS Spec. Sci. Rep. - Fish. No. 36. September, 1950.
- Parkhurst, Z. E. 1950. Survey of the Columbia River and its tributaries, Part 6. USFWS Spec. Sci. Rep. - Fish. No. 39.
- Pearce, T. A., J. H. Meyer, and R. S. Boomer. 1982. Distribution and food habits of juvenile salmon in the Nisqually Estuary, Washington, 1979-1980. U.S. Fish Wildl. Serv., Fish. Assist. Off., Olympia, Washington, 77. (Available from U.S. Fish and Wildlife Service, Western Washington Fishery Resource Office, 2625 Parkmount Lane, Bldg. A, Olympia, Washington, 98502).
- Pearcy, W. G. and J. P. Fisher. 1990. Distribution and abundance of juvenile salmonids off Oregon and Washington, 1981-1985. NOAA Tech. Rep. 87. 83p.
- Pearcy, W. G. and J. P. Fisher. 1988. Migrations of coho salmon, *Oncorhynchus kisutch*, during their first summer in the ocean. *Fish. Bull.*, U.S. 86(2):173-186.
- Pearcy, W. G. 1992. Ocean ecology of north Pacific salmonids. Univ. Washington Press, Seattle, 179.
- Pearcy, W. 1998. Oregon State University, College of Oceanic and Atmospheric Science, Corvallis, Oregon, Personal communication.
- PFMC. 1984. Final framework amendment for managing the ocean salmon fisheries off the coasts of Washington, Oregon, and California commencing in 1985. Portland, Oregon.
- PFMC. 1988. Eighth amendment to the fishery management plan for commercial and recreational salmon fisheries off the coasts of Washington, Oregon, California commencing in 1978. Portland, Oregon.
- PFMC. 1997a. December 1997 letters and attachments to NMFS Office of Sustainable Fisheries on draft rule describing fisheries and gears under Section 305(a) of the Magnuson-Stevens Fishery Conservation and Management Act. Portland, Oregon.
- PFMC. 1997b. Pacific coast salmon plan. (Available from PFMC, 2130 S.W Fifth Ave, Suite 224, Portland, Oregon, 97201).
- PFMC. 1998. Preseason report I: Stock abundance analysis for 1998 ocean salmon fisheries. PFMC, 2130 SW Fifth Ave, Suite 224, Portland, Oregon, 97201.
- PFMC. 1999a. Review of 1998 ocean salmon fisheries. PFMC, 2130 SW Fifth Ave, Suite 224, Portland, Oregon, 97201.

- PFMC. 1999b. Preseason report I: Stock abundance analysis for 1999 ocean salmon fisheries. PFMC, 2130 SW Fifth Ave, Suite 224, Portland, Oregon, 97201.
- Phillips, A. C. and W. E. Barraclough. 1978. Early marine growth of juvenile Pacific salmon in the Strait of Georgia and Saanich Inlet, British Columbia. Can. Fish. Mar. Serv. Tech. Rep. 830, 19.
- Phillips, R. 1984. The ecology of eelgrass meadows in the Pacific Northwest: A community profile. U.S. Fish and Wildlife Service. FWS/OBS-84/24.
- Platts, W. S. 1991. Livestock grazing. Pp. 389-423. In: W. R. Meehan, ed. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society. Special Publication 19. Bethesda, Maryland, 751.
- Ploskey, G. R. 1983. Review of the effects of water-level changes on reservoir fisheries and recommendations for improved management. Technical report VESW/TR/E-83-3. U.S. Army, Engineering and Waterways Experiments Station. Vicksburg, Mississippi.
- Pond, F. W. 1961. Effect of the intensity of clipping on the density and production of meadow vegetation. J. Range Manage. 14:34-38.
- Pozarycki, S. L. Weber and H. Lee, II. 1997. The effects on English sole on carbaryl application on oyster beds. Poster presentation, Oregon State University, Hatfield Marine Science Center and EPA Coastal Ecology Branch, Newport, Oregon.
- Prakash, A. 1962. Seasonal changes in feeding of coho and chinook (spring) salmon in southern British Columbia waters. J. Fish. Res. Bd. Can. 19:851-866.
- Pritchard, A. L. 1940. Studies on the age of the coho salmon (*Oncorhynchus kisutch*) and the spring salmon (*Oncorhynchus tshawytscha*) in British Columbia. Trans. R. Soc. Can., Ser. 3, 34(V):99-120.
- Pritchard, A. L. and A. C. DeLacy. 1944. Migration of pink salmon (*Oncorhynchus gorbuscha*) in southern British Columbia and Washington in 1943. Fish. Res. Board Can., Bull. 66, 23.
- Pritchard, A. L. 1939. Homing tendency and age at maturity of pink salmon (*Oncorhynchus gorbuscha*) in British Columbia. J. Fish. Res. Board Can. 4:233-251.
- Pritchard, A. L. 1937. Variation in the time of run, sex proportions, size, and egg content of adult pink salmon (*Oncorhynchus gorbuscha*) at McClinton Creek, Masset Inlet, British Columbia, Canada J. Bill. Board Can. 3(5):403-416.
- Pritchard, A. L. 1948. A discussion of the mortality in pink salmon (*Oncorhynchus gorbuscha*) during their period of marine life. Proc. Trans. R. Soc. Can. Ser. 3 42(5):125-133.
- Pritchard, A. L. 1934. Do caddis fly larvae kill fish? Can. Field-Nat. 48:39 p.
- PSWQAT. 1997. Nearshore habitats regulatory perspective: A review of issues and obstacles identified by shoreline managers. Olympia, Washington.
- Quinn, T. P., A. P. Hendry, and L. A. Wetzel. 1995. The influence of life history trade-offs and the size of incubation gravels on egg size variation in sockeye salmon (*Oncorhynchus nerka*). Oikos 74:425-438.

- Quinn, T. P. and G. M. Tolson. 1986. Evidence of chemically mediated population recognition in coho salmon (*Oncorhynchus kisutch*). *Can. J. Zool.* 64:84-87.
- RAC. 1997. California's ocean resources: An agenda for the future. Habitats and living resources. Sacramento, California.
- Raleigh, R. F. 1967. Genetic control in the lakeward migrations of sockeye salmon (*Oncorhynchus nerka*) fry. *J. Fish. Res. Board Can.* 24:2613-2622.
- Ralph, S., G. Poole, L. Conquest, and R. Naiman. 1994. Stream channel morphology and woody debris in logged and unlogged basins in western Washington. *Canadian Journal of Fisheries and Aquatic Sciences.* 51:37-51.
- Raymond, H. 1979. Effects of dams and impoundment on migrations of juvenile chinook salmon and steelhead from the Snake river, 1966 to 1975. *Trans. Amer. Fish. Soc.* 108 (6):505-529.
- Rauzi, F. and C. L. Hanson. 1966. Water intake and runoff as affected by intensity of grazing. *J. Range Management.* 26:126-129.
- Reeves, G. H., L. E. Benda, K. M. Burnett, P. A. Bisson, and J. R. Sedell. 1995. A disturbance-based approach to maintaining and restoring freshwater habitats of evolutionary significant units of anadromous salmonids in the Pacific Northwest. *Am. Fish. Soc. Symposium* 17:334-349.
- Reeves, G. H., F. H. Everest, and T. E. Nickelson. 1989. Identification of physical habitats limiting the production of coho salmon in western Oregon and Washington. U.S. Forest Service Gen. Tech. Rep. PNW-GTR-245, 18.
- Reimers, P. E. 1973. The length of residence of juvenile fall chinook salmon in the Sixes River, Oregon. *Oreg. Fish Comm.* 4, 2-43.
- Reisenbichler, R. R. 1997. Genetic factors contributing to declines of anadromous salmonids in the Pacific Northwest. *In: D. J. Stouder, P. A. Bisson, and R. J. Naiman, eds., Pacific salmon and their ecosystems,* pp. 223-244. Chapman and Hall, New York.
- Rice, S. D., R. E. Thomas, and A. Moles. 1994. Physiological and growth differences in three stocks of underyearling sockeye salmon (*Oncorhynchus nerka*) on early entry into seawater. *Can. J. Fish. Aquat. Sci.* 51:974-980.
- Rich, W. H. 1920. Early history and seaward migration of chinook salmon in the Columbia and Sacramento Rivers. *U.S. Bur. Fish., Bull.* 37:74.
- Ricker, W. E. 1938. "Residual" and kokanee salmon in Cultus Lake. *J. Fish. Res. Board Can.* 4(3):192-218.
- Ricker, W. E. 1966. Salmon of the north Pacific Ocean - Part III. A review of the life history of north Pacific salmon. 4. Sockeye salmon in British Columbia. *Int. North Pac. Fish. Comm. Bull.* 18:59-70.
- Ricker, W. E. 1972. Hereditary and environmental factors affecting certain salmonid populations. *In: R. C. Simon and P. A. Larkin, eds., The stock concept in Pacific salmon,* pp. 19-160. H. R. MacMillan Lectures in Fisheries, Univ. British Columbia, Vancouver.

- Ricker, W. E. 1980. Causes of decrease in size and age of chinook salmon (*Oncorhynchus tshawytscha*). Can. Tech. Rep. Fish. Aquat. Sci. 944:2.
- Ricker, W. 1982. Size and age of British Columbia sockeye salmon (*Oncorhynchus nerka*) in relation to environmental factors and the fishery. Can. Tech. Rep. Fish. Aquat. Sci. 1115, 117p.
- Ricker, W. E. 1989. History and present state of the odd-year pink salmon runs of the Fraser River region. Can. Tech. Rep. Fish. Aquat. Sci. 1702, 37.
- Ricker, W. E. and J. I. Manzer. 1974. Recent information on salmon stocks in British Columbia. Int. North Pac. Fish. Comm. Bull. 29:1-24.
- Ricker, W. E. 1962. Comparison of ocean growth and mortality of sockeye salmon during their last two years. J. Fish. Res. Board Can. 19:531-560.
- Ricker, W. E. 1964. Ocean growth and mortality of pink and chum salmon. J. Fish. Res. Board Can. 21:905-931.
- Ricker, W.E. 1962. Regulation of the abundance of pink salmon populations, pp. 155-206. In: N. J. Wilimovsky, ed. Symposium on pink salmon. H. R. MacMillan lectures in fisheries. Institute of Fisheries, University of British Columbia, Vancouver, British Columbia, Canada.
- Roberts, B. and R. White. 1992. Effects of angler wading on survival of trout eggs and pre-emergent fry. North American Journal of Fisheries Management. 12:450-459.
- Robertson, A. 1922. Further proof of the parent stream theory. Trans. Am. Fish. Soc. 51:87-90.
- Rogers, D. E. 1968. A comparison of the food of sockeye salmon fry and threespine sticklebacks in the Wood River Lakes, pp. 1-43. In: R. L. Burgner, ed. Further studies of Alaska sockeye salmon. Univ. Wash. Publ. Fish. New Ser. 3.
- Rogers, D. E. and P. H. Poe. 1984. Escapement goals for the Kvichak River system. Univ. Wash. Fish. Res. Inst. FRI-UW-8407:66.
- Roni, P. and T. P. Quinn. 1995. Geographic variation in size and age of North American chinook salmon. N. Am. J. Fish. Manage. 15:325-345.
- Roni, P. 1992. Life history and spawning habitat of four stocks of large-bodied chinook salmon (*Oncorhynchus tshawytscha*). Master's thesis. University of Washington, Seattle: 96.
- Roper, B., J. Dose, and J. Williams. 1997. Stream restoration: Is fisheries biology enough? Fisheries: 22(5).
- Rounsefell, G. A. 1957. Fecundity in North American salmonidae. U.S. Fish Wildl. Serv. Fish Bull. 57:451-468.
- Royce, W. F. 1965. Almanac of Bristol Bay sockeye salmon. Univ. Wash. Fish. Res. Inst. Circ. 235:48.
- Sandercock, F. K. 1991. Life history of coho salmon (*Oncorhynchus kisutch*). In: C. Groot and L. Margolis (editors), Pacific salmon life histories, p. 396-445. Univ. British Columbia Press, Vancouver.

- Sasaki, S. 1966. Distribution and food habits of king salmon (*Oncorhynchus tshawytscha*) and steelhead rainbow trout (*Salmo gairdnerii*) in the Sacramento-San Joaquin delta. Calif. Dep. Fish Game Bull. 136:108-114.
- Satterwaithe, T. 1995. Effects of boat traffic on juvenile salmonids in the Rogue River. Oregon Department of Fish and Wildlife. Portland, Oregon.
- Satterwaithe, T. 1998. Personal communication. Oregon Department of Fish and Wildlife, Gold Beach, Oregon.
- Scott, W. B. and E. J. Crossman. 1973. Freshwater fishes of Canada. Bull. Fish. Res. Bd. Can. 184:966 p.
- Scrivener, J. C. and B. C. Andersen. 1984. Logging impacts and some mechanisms that determine the size of spring and summer populations of coho salmon fry (*Oncorhynchus kisutch*) in Carnation Creek, British Columbia. Can. J. Fish. Aquat. Sci. 41:1097-1105.
- SCS Engineers. 1989. Hazardous waste minimization audit study of marine yards for maintenance and repair. Prepared for California Department of Health Services, Alternative Technology and Policy Development Section. Sacramento, California.
- Seaber, P. R., F. P. Kapinos and G. L. Knapp. 1987. Hydrologic unit maps. U.S. Geological Survey water supply paper 2294. 63.
- Sedell, J. and K. Luchessa. 1982. Using the historical record as an aid to salmonid habitat enhancement. p. 210-223. In: Armantrout, ed. Acquisition and utilization of aquatic habitat inventory information symposium. American Fisheries Society, Western Division, Bethesda, Maryland.
- Sedell, J., G. Reeves, and P. Bisson. 1997. Habitat policy for salmon in the Pacific Northwest, In: Pacific salmon and their ecosystems: Status and future options, D. Stouder, P. Bisson, and R. Naiman, ed.. Chapman and Hall, New York.
- Seeley, C. M. and G. W. McCammon. 1966. Kokanee, pp. 274-294. In: A.C. Calhoun, ed. Inland fisheries management. California Department of Fish and Game, Sacramento, California.
- Seiler, D. 1989. Differential survival of Grays Harbor basin anadromous salmonids: Water quality implications. Can. Spec. Publ. Fish. Aquat. Sci. 105:123-135.
- Seiler, D., S. Neuhauser, and M. Ackley. 1984. Upstream/downstream salmonid trapping project, 1980-1982. Wash. Dep. Fish. Prog. Rep. 200, 151.
- Seiler, D., S. Neuhauser, and M. Ackley. 1981. Upstream/downstream salmonid trapping project, 1977-1980. Wash. Dep. Fish. Prog. Rep. 144, 197.
- Semko, R. S. 1954. The stocks of west Kamchatka salmon and their commercial utilization. Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 41:3-109. (Transl. from Russian; Fish. Res. Board Can. Transl. Ser. 288).
- Shaklee, J. B., J. Ames, and D. Hendrick. 1995. Genetic diversity units and major ancestral lineages for pink salmon in Washington. In C. Busack and J. B. Shaklee, eds., Genetic diversity units and major ancestral lineages of salmonid fishes in Washington. Wash. Dep. Fish Wildl. Tech. Rep. RAD95-02, pp. B1-B37.

(Available from Washington Department of Fish and Wildlife, P.O. Box 43151, Olympia, Washington, 98501).

- Shaklee, J. B., D. C. Klaybor, S. Young, and B. A. White. 1991. Genetic stock structure of odd-year pink salmon, *Oncorhynchus gorbuscha* (Walbaum), from Washington and British Columbia and potential mixed-stock fisheries applications. *J. Fish. Bull.* 39 (Suppl. A):21-34.
- Shaklee, J. B., J. Ames, and L. LaVoy. 1996. Genetic diversity units and major ancestral lineages for sockeye salmon in Washington. Chapter E (Tech. Rep. RAD 95-02/96) *In*: C. Busack and J. B. Shaklee, eds., Genetic diversity units and major ancestral lineages of salmonid fishes in Washington, Tech Rep. RAD 95-02. Wash. Dep. Fish Wildl., Olympia, Wash., 37 plus figures and appendices.
- Shapovalov, L. and A. C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri*) and silver salmon (*Oncorhynchus kisutch*) with special reference to Waddell Creek, California and recommendations regarding their management. *Calif. Dep. Fish Game, Fish Bull.* 98, 375.
- Sherwood, C., D. Jay, B. Harvey, P. Hamilton, and C. Simenstad. 1990. Historical changes in the Columbia River estuary. *Progress in Oceanography*, 25:299-352.
- Simenstad, C., L. Small and C. McIntyre. 1990. Consumption processes and food web structure in the Columbia river estuary. *Progress in Oceanography*, 25:271-298.
- Simenstad, C. A., K. L. Fresh, and E. O. Salo. 1982. The role of Puget Sound and Washington coastal estuaries in the life history of Pacific salmon: An unappreciated function. *In*: V. S. Kennedy, ed., *Estuarine comparisons*, pp. 343-364. Academic Press, New York.
- Simenstad, C. A. 1983. The ecology of estuarine channels of the Pacific Northwest coast: A community profile. U.S. Fish and Wildlife Service. FWS/OBS-83/05. Washington, D.C.
- Simenstad, C. A. 1985. The role of Pacific Northwest estuarine wetlands in supporting fish and motile macroinvertebrates: The unseen users. *In*: *Proceedings northwest wetland: What are they? For whom? For what?* Seattle Center, November 1-2, 1985. Institute for Environmental Studies, University of Washington, 1987.
- Simenstad, C., and K. Fresh. 1995. Influence of intertidal aquaculture on benthic communities in Pacific Northwest estuaries: Scales of disturbance. *Estuaries*, 18:43-70.
- Skeesick, D. G. 1970. The fall immigration of juvenile coho salmon into a small tributary. *Fish Comm. Oregon Res. Rep.* 2(1):1-6.
- Slaney, T. L., K. D. Hyatt, T. G. Northcote, and R. J. Fielden. 1996. Status of anadromous salmon and trout in British Columbia and Yukon. *Fisheries* 21(10): 20-35.
- SMETRO. 1991. Shipyard wastewater treatment guidelines. Municipality of Metropolitan Seattle, Water Pollution Control Department, Seattle, Washington.
- Smirnov, A. I. 1975. The biology, reproduction, and development of the Pacific salmon. Izdatel'stvo Moskovskogo Universiteta, Moscow, USSR. (Transl. from Russian; Fish. Res. Board Can. Transl. Ser. 2861).

- Snyder, J. O. 1914. The Fishes of the streams tributary to Monterey Bay, California. Bulletin of the U.S. Bureau of Fisheries: 32:47-72.
- Spence, B. C., G. A. Lomnický, R. M. Hughes, and R. P. Novitzki. 1996. An ecosystem approach to salmonid conservation. Prepared by Management Technology for the National Marine Fisheries Service. TR-4501-96-6057. 356p. (Available from the NMFS Habitat Branch, Portland, Oregon).
- Stein, J., T. Hom, T. Collier, D. Brown, and U. Varanasi. 1995. Contaminant exposure and biochemical effects in outmigrant juvenile chinook salmon from urban and nonurban estuaries of Puget Sound, Washington. Environmental Toxicology and Chemistry, 14:1019-1029.
- Stober, Q. J., M. R. Criben, R. V. Walker, A. L. Setter, *et al.* 1979. Columbia River irrigation withdrawal environmental review: Columbia River fishery study. Final report, Contract Number DACW 5779-C-0090, Corps, FRI-UW-7919, University of Washington, 244.
- Straty, R. R. 1974. Ecology and behavior of juvenile sockeye salmon (*Oncorhynchus nerka*) in Bristol Bay and the eastern Bering Sea, pp. 285-320. *In*: D. W. Hood and E. J. Kelley, eds. Oceanography of the Bering Sea with emphasis on renewable resources. Univ. Alaska Inst. Mar. Sci. Occ. Publ. 2.
- StreamNet. 1998. Pacific States Marine Fisheries Commission database --. Available through Internet, <http://www.streamnet.org> (online database).
- Streif 1996. Guidelines for environmentally friendly EWP projects, Natural Resources Conservation Service, U.S. Department of Agriculture, Salem, Oregon.
- Strickland, R. And D. Chasan. 1993. The opil industry and its impacts. Washington State Sea Grant Program. University of Washington, Seattle, Washington.
- Sullivan, K. and T. E. Lisle, C. Andrew Dolloff, G. E. Grant and L. M. Reid. 1987. Stream channels, the link between forests and fishes. *In*: E. O. S. a. T. W. C., eds., Streamside management: Forestry and fisheries interactions., pp. 39-97. Institute of Forest Resources, University of Washington, Seattle, Washington. Contribution Number 57.
- Sumner, F. H. 1953. Migrations of salmonids in Sand Creek, Oregon. Trans. Am. Fish. Soc. 82:139-149.
- Sutherland, A. and D. Ogle. 1975. Effect of jet boats on salmon eggs. New Zealand Journal of Marine and Freshwater Research. 9(3) 273-282.
- Swales, S., F. Caron, J. R. Irvine, and C. D. Levings. 1988. Overwintering habitats of coho salmon (*Oncorhynchus kisutch*) and other juvenile salmonids in the Keogh River system, British Columbia. Can. J. Zool. 66:254-261.
- Takagi, K., K. V. Aro, A. C. Hartt, and M. B. Dell. 1981. Distribution and origin of pink salmon (*Oncorhynchus gorbuscha*) in offshore waters of the north Pacific Ocean. Int. North Pac. Fish. Comm. Bull. 40:195.
- Taylor, E. B. 1990a. Environmental correlates of life-history variation in juvenile chinook salmon, *Oncorhynchus tshawytscha*. (Walbaum). J. Fish Biol. 37:1-17.
- Taylor, E. B. 1990b. Phenotypic correlates of life-history variation in juvenile chinook salmon *Oncorhynchus tshawytscha*. J. Anim. Ecol. 59:455-468.

- Taylor, F. H. 1969. The British Columbia offshore herring survey, 1968-1969. Fish. Res. Bd. Can. Tech. Rep. 140:54.
- Taylor, S. G. 1983. Vital statistics on juvenile and adult pink and chum salmon at Auke Creek, northern southeastern Alaska. Auke Bay Lab., U.S. Natl. Mar. Fish. Serv. MS Rep.-File MR-F 152:35.
- Taylor, S. G. 1980. Marine survival of pink salmon fry from early and late spawners. Trans. Am. Fish. Soc. 109:79-82.
- Thom, R. M. and D. K. Shreffler. 1994. Shoreline armoring effects on coastal ecology and biological resources in Puget Sound, Washington. Coastal erosion management studies, Volume 7. Washington Department of Ecology, Shorelands and Coastal Zone Management Program.
- Thomas, D. W. 1983. Changes in the Columbia River estuary habitat types over the past century. Astoria: Columbia River Estuary Data Development Program.
- Thorsteinson, F. V. 1962. Herring predation on pink salmon fry in a southeastern Alaska estuary. Trans. Am. Fish. Soc. 91:321-323.
- Tschaplinski, P. J. 1982. Aspects of the population biology of estuary-reared and stream-reared juvenile coho salmon in Carnation Creek: A summary of current research. In: G. Hartman ed., Proceedings of the Carnation Creek workshop, a 10 year review, pp. 289-305. Dep. Fish. Oceans, Pacific Biol. Sta., Nanaimo, British Columbia, Canada.
- Turner, C. E. and H. T. Bilton. 1968. Another pink salmon (*Oncorhynchus gorbuscha*) in its third year. J. Fish. Res. Board Can. 25:1993-1996.
- Tytler, P., J. E. Thorpe, and W. M. Shearer. 1978. Ultrasonic tracking of the movements of Atlantic salmon smolts (*Salmo salar* L.) in the estuaries of two Scottish rivers. J. Fish. Biol. 12:575-586.
- USACOE. 1991. Fisheries handbook of engineering and biological criteria. Fish Passage and Development Program. Portland, Oregon.
- USDA Forest Service. 1993. Determining the risk of cumulative watershed effects resulting from multiple activities.
- USDA Forest Service. 1994. Section 7 fish habitat monitoring protocol for the upper Columbia River Basin.
- USDA Forest Service. 1995. Elk River watershed analysis report. Siskiyou National Forest, Oregon.
- USFWS. 1984. Fish health protection policy. USFWS, Washington, D.C.
- USGS (United States Geological Survey). 1975. Hydrologic unit map, 1974, State of Idaho. (Available from U.S. Geological Survey, Denver, Colorado, 80225).
- USGS. 1976. Hydrologic unit map, 1974, State of Washington. (Available from U.S. Geological Survey, Denver, Colorado, 80225).

- USGS. 1978. Hydrologic unit map, 1974, State of California. (Available from U.S. Geological Survey, Denver, Colorado, 80225).
- USGS (United States Geological Survey). 1989. Hydrologic unit map, 1974, State of Oregon. (Available from U.S. Geological Survey, Denver, Colorado, 80225)
- Vallion, A. C., A. C. Wertheimer, W. R. Heard, and R. M. Martin. 1981. Summary of data and research pertaining to the pink salmon population at Little Port Walter, Alaska, 1964-80. NWAFC Processed Rep. 81-10:102 p.
- van den Berghe, E. P. and M. R. Gross. 1989. Natural selection resulting from female breeding competition in a Pacific salmon (coho: *Oncorhynchus kisutch*). *Evolution* 43(1):125-140.
- van den Berghe, E. P. and M. R. Gross. 1984. Female size and nest depth in coho salmon (*Oncorhynchus kisutch*). *Can. J. Fish. Aquat. Sci.* 41:204-206.
- Vernon, E. H. 1966. Enumeration of migrant pink salmon fry in the Fraser River estuary. *Int. Pac. Salmon Fish. Comm. Bull.* 19, 83.
- Vernon, E. H. 1962. Pink salmon populations of the Fraser River system. *In*: N. J. Wilimovsky ed., *Symposium on pink salmon*, pp. 121-230. H. R. MacMillan Lectures in Fisheries, Univ. British Columbia, Vancouver.
- Vronskiy, B. B. 1972. Reproductive biology of the Kamchatka River chinook salmon (*Oncorhynchus tshawytscha* (Walbaum)). *J. Ichthyol.* 12:259-273.
- Wahle, R. J., E. Chaney, and R. E. Pearson. 1981. Areal distribution of marked Columbia River basin spring chinook salmon recovered in fisheries and at parent hatcheries. *Mar. Fish. Rev.* 43(12):1-9.
- Wahle, R. J. and R. R. Vreeland. 1977. Bioeconomic contribution of Columbia River hatchery fall chinook salmon, 1961 through 1964 broods, to the Pacific salmon fisheries. *Fish. Bull.* 76(1):179-208.
- Waldichuk, M. 1993. Fish habitat and the impact of human activity with particular reference to Pacific salmon. Pages 295-337. *In*: L. S. Parsons and W. H. Lear, eds. *Perspectives on Canadian marine fisheries management*. Canadian Bulletin of Fisheries and Aquatic Sciences 226.
- Waples, R. S., R. P. Jones, Jr., B. R. Beckman, and G. A. Swan. 1991. Status review for Snake River fall chinook salmon. U.S. Dep. Commer., NOAA Tech. Memo. NMFS F/NWC-201, 73. June 1991.
- WDF, WDFW, and Western Washington Treaty Indian Tribes. 1993. 1992 Washington State SASSI. Wash. Dep. Fish Wildl., Olympia, 212 plus three Appendices. (Available Washington Department of Fish and Wildlife, 600 Capitol Way N., Olympia, Washington, 98501-1091.)
- WARIS. Washington Department of Fish and Wildlife 1997.--Available from WDFW, 600 Capitol Way N., Olympia, Washington, 98501.
- Washington Timber/Fish Wildlife Cooperative Monitoring Evaluation and Research Committee. 1993. Watershed analysis manual (Version 2.0). Washington Department of Natural Resources.

- Waters, T. 1995. Sediment in streams: Sources, biological effects, and control. American Fisheries Society Monograph 7. Bethesda, Maryland.
- WDF. 1991. Revised stock transfer guidelines. Wash. Dept. Fish., Olympia, Washington, 10.
- WDF WDOE. 1992. Supplemental environmental impact statement. Use of carbaryl to control ghost and mud shrimp in oyster beds of Willapa Bay and Grays Harbor. Wash. Dept. Fish., Wash. Dept. Ecol., Olympia, Washington. 147.
- WDF. 1993. 1992 Washington State SASSI. WDFW. Olympia, Washington.
- WDFW. 1997. Final environmental impact statement for the Wild Salmonid Policy. Olympia, Washington.
- WDFW. 1998. Gold and fish. Rules and regulations for mineral prospecting and mining in Washington State. Draft February 1998. Olympia, Washington.
- WDOE. 1986. Recommended interim guidelines for the management of salmon net-pen culture in Puget Sound. WDOE, Olympia, Washington.
- Weiss, C. and F. Wilkes. 1974. Estuarine ecosystems that receive sewage wastes. *In*: H. T. Odum, B. J. Copeland, and E. McMahan, eds., Coastal Ecological Systems of the United States. The Conservation Foundation, Washington, D. C. Vol. III, pp. 71-111.
- Weitkamp, L. A., T. C. Wainwright, G. J. Bryant, G. B. Milner, D. J. Teel, R. G. Kope, and R. S. Waples. 1995. Status review of coho salmon from Washington, Oregon, and California. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-24, 258.
- Welch, D. W. 1995. Upper thermal limits on the oceanic distribution of Pacific salmon (*Oncorhynchus* spp.) in the spring. *Can. J. Fish. Aquat. Sci.* 52:489-503.
- Wemple, B. C. 1994. Hydrologic integration of forest roads with stream networks in two basins, western Cascades, Oregon. M.S. Thesis, Geosciences Department, Oregon State University.
- Wertheimer, A., A. Clewyc, H. Jaenicke, D. Motensen, and J. Orsi. 1997. Size-related hooking mortality of incidentally caught chinook salmon, *Oncorhynchus tshawytscha*. *Mar. Fish. Rev.* 51(2):28-35.
- Wertheimer, A. 1988. Hooking mortality of chinook salmon released by commercial trollers. *N. Am. J. Fish. Manage.* 8(3):346-355.
- Wertheimer, A., A. Celewycz, H. Jaenicke, D. Mortensen, and J. Orsi. 1989. Size-related hooking mortality of incidentally caught chinook salmon, *Oncorhynchus tshawytscha*. *Marine Fishery Review* 51(2):28-35.
- Wertheimer, A. C. 1997. Status of Alaska salmon. Pp. 179-197. *In*: D. J. Stouder, P. A. Bisson, and R. J. Naiman, eds. Pacific salmon and their ecosystems: Status and future options. Chapman and Hall, Inc., New York.
- West, C. J. and J. C. Mason. 1987. Evaluation of sockeye salmon (*Oncorhynchus nerka*) production from the Babine Lake development project, pp. 176-190. *In*: H. D. Smith, L. Margolis, and C. C. Wood, eds. Sockeye salmon (*Oncorhynchus nerka*) population biology and future management. *Can. Spec. Publ. Fish. Aquat. Sci.* 96.

- West, C., L. Galloway, and J. Lyon. 1995. Mines, stormwater pollution, and you. Mineral Policy Center, Washington, D.C.
- WFWC. 1997. Policy of Washington Department of Fish and Wildlife and Western Washington Treaty Tribes Concerning Wild Salmonids.
- Wickett, W. P. 1962. Environmental variability and reproduction potentials of pink salmon in British Columbia. *In*: N. J. Wilimovsky, ed., Symposium on pink salmon, pp. 73-86. H. R. MacMillan lectures in fisheries, Univ. British Columbia, Vancouver.
- Wilderness Society. 1993. Pacific salmon and federal lands: A regional analysis. Volume 2 of the living landscape. A report of The Wilderness Society's Bolle Center for Forest Ecosystem Management. 88. and appendices.
- Williams, R. W., R. M. Laramie, and J. Ames. 1975. A catalog of Washington streams and salmon utilization—Volume 1, Puget Sound Region. Wash. Dep. Fish., Olympia.
- Willis, R. A. 1954. The length of time that silver salmon spent before death on the spawning grounds at Spring Creek, Wilson River, in 1951-52. Fish. Comm. Oregon Res. Briefs 5:27-31.
- Winward, A. H. 1989. Ecological status of vegetation as a base for multiple product management. Abstracts 42nd annual meeting, Society for Range Management, Billings, Montana, Denver, Colorado: Society for Range Management: 277.
- Wood, C. C. 1995. Life history variation and population structure in sockeye salmon. *In*: J. L. Nielsen ed., Evolution and the aquatic ecosystem: Defining unique units in population conservation. Am. Fish. Soc. Symp. 17:195-216.
- Woodey, J. C. 1972. Distribution, feeding and growth of juvenile sockeye salmon in Lake Washington. Ph.D. thesis, Univ. of Washington, 174.
- WMOA. 1995. An agreement concerning the use of treated wood in aquatic areas. Memorandum of Agreement between Washington Department of Ecology and Washington Department of Fish and Wildlife.
- Wright, S. G. 1968. Origin and migration of Washington's chinook and coho salmon. Washington Department of Fisheries, Information Booklet No. 1, 25. Washington Department of Fisheries, Research Division, Olympia.
- Wright, S. G. 1970. Size, age, and maturity of coho salmon in Washington's ocean troll fishery. Wash. Dep. Fish., Fish. Res. Papers 3(2):63-71.
- WWPI. 1996. Best management practices for the use of treated wood in aquatic environments. Vancouver Washington, 33.
- Yoshiyama, R. M., E. R. Gerstung, F. W., Fisher, and P. B. Moyle. 1996. Historical and present distribution of chinook salmon in the Central Valley drainage of California. Dep. Wildl., Fish, and Conservation Biology, 54. (Available from Dept. of Wildlife, Fish, and Conservation Biology, University of California, Davis, California, 95616.

