

SALMON TECHNICAL TEAM

***ANALYSIS OF TENTATIVE 2014
OCEAN SALMON FISHERY
MANAGEMENT MEASURES***

April 9, 2014

A. SEASON ALTERNATIVE DESCRIPTIONS

North of Cape Falcon

Supplemental Management Information

1. Overall non-Indian TAC: 116,000 (non-mark-selective equivalent of 111,500) Chinook and 220,000 coho marked with a healed adipose fin clip (marked).
2. Non-Indian commercial troll TAC: 56,900 Chinook and 35,200 marked coho.

U.S./Canada Border to Cape Falcon

- May 1 through earlier of June 30 or 37,900 Chinook, no more than 12,200 of which may be caught in the area between the U.S./Canada border and the Queets River.

Seven days per week (C.1). All salmon except coho (C.4, C.7). Chinook minimum size limit of 28 inches total length (B, C.1). Vessels in possession of salmon north of the Queets River may not cross the Queets River line without first notifying WDFW at 360-902-2739 with area fished, total Chinook and halibut catch aboard, and destination. Vessels in possession of salmon south of the Queets River may not cross the Queets River line without first notifying WDFW at 360-902-2739 with area fished, total Chinook and halibut catch aboard, and destination (C.6). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3). When it is projected that 28,425 Chinook have been landed overall, or 9,150 Chinook have been landed in the area between the U.S./Canada border and the Queets River, inseason action modifying the open period to five days per week and adding landing and possession limits will be considered to ensure the guideline is not exceeded. Cape Flattery, Mandatory Yelloweye Rockfish Conservation Area, and Columbia Control Zones closed (C.5). Vessels must land and deliver their fish within 24 hours of any closure of this fishery. Under state law, vessels must report their catch on a state fish receiving ticket. Vessels fishing or in possession of salmon while fishing north of Leadbetter Point must land and deliver their fish within the area and north of Leadbetter Point. Vessels fishing or in possession of salmon while fishing south of Leadbetter Point must land and deliver their fish within the area and south of Leadbetter Point, except that Oregon permitted vessels may also land their fish in Garibaldi, Oregon. Oregon State regulations require all fishers landing salmon into Oregon from any fishery between Leadbetter Point, Washington and Cape Falcon, Oregon must notify ODFW within one hour of delivery or prior to transport away from the port of landing by either calling 541-867-0300 Ext. 271 or sending notification via e-mail to nfallcon.trollreport@state.or.us. Notification shall include vessel name and number, number of salmon by species, port of landing and location of delivery, and estimated time of delivery. Inseason actions may modify harvest guidelines in later fisheries to achieve or prevent exceeding the overall allowable troll harvest impacts.

U.S./Canada Border to Cape Falcon

- July 1 through earlier of September 16 or attainment of the quota of 19,000 Chinook (C.8), no more than 8,750 of which may be caught in the area between the U.S./Canada border and the Queets River, or 35,200 marked coho, no more than 5,040 of which may be caught in the area between the U.S./Canada border and the Queets River (C.8.d).

July 1-8 then Friday through Tuesday July 11-August 19 with a landing and possession limit of 60 Chinook and 60 coho per vessel per open period; Friday through Tuesday August 22-September 16 with a landing and possession limit of 20 Chinook and 50 coho per vessel per open period (C.1). Vessels in possession of salmon north of the Queets River may not cross the Queets River line without first notifying WDFW at 360-902-2739 with area fished, total Chinook, coho, and halibut catch aboard, and destination. Vessels in possession of salmon south of the Queets River may not cross the Queets River line without first notifying WDFW at 360-902-2739 with area fished, total Chinook, coho, and halibut catch aboard, and destination (C.6). When it is projected that 14,250 Chinook have been landed overall, or 6,560 Chinook have been landed in the area between the U.S./Canada border and the Queets River, inseason action modifying the open period to five days per week and adding landing and possession limits will be considered to ensure the guideline is not exceeded. No earlier than September 1, if at least 5,000 marked coho remain on the quota, inseason action may be considered to allow non-selective coho retention (C.8). All salmon except no chum retention north of Cape Alava, Washington in August and September (C.7). Chinook minimum size limit of 28 inches total length (B, C.1). All coho must be marked except as noted above (C.8.d). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3). Mandatory Yelloweye Rockfish Conservation Area, Cape Flattery and Columbia Control Zones, and beginning August 9, Grays Harbor Control Zone Closed (C.5). Vessels must land and deliver their fish within 24 hours of any closure of this fishery. Vessels fishing or in possession of salmon while fishing north of Leadbetter Point must land and deliver their fish within the area and north of Leadbetter Point. Vessels fishing or in possession of salmon while fishing south of Leadbetter Point must land and deliver their fish within the area and south of Leadbetter Point, except that Oregon permitted vessels may also land their fish in Garibaldi, Oregon. Under state law, vessels must report their catch on a state fish receiving ticket. Oregon State regulations require all fishers landing salmon into Oregon from any fishery between Leadbetter Point, Washington and Cape Falcon, Oregon must notify ODFW within one hour of delivery or prior to transport away from the port of landing by either calling 541-867-0300 Ext. 271 or sending notification via e-mail to nfallcon.trollreport@state.or.us. Notification shall include vessel name and number, number of salmon by species, port of landing and location of delivery, and estimated time of delivery. Inseason actions may modify harvest guidelines in later fisheries to achieve or prevent exceeding the overall allowable troll harvest impacts.

A. SEASON ALTERNATIVE DESCRIPTIONS
South of Cape Falcon
Supplemental Management Information
<p>1. Sacramento River fall Chinook spawning escapement of 314,715 adults. 2. Sacramento Index exploitation rate of 50.4% 3. Klamath River recreational fishery allocation: 4,128 adult Klamath River fall Chinook. 4. Klamath tribal allocation: 27,294 adult Klamath River fall Chinook.</p>
<p>Cape Falcon to Humbug Mt.</p> <ul style="list-style-type: none"> • April 1-July 31, August 6-29; • September 3-October 31 (C.9.a). <p>Seven days per week. All salmon except coho except as listed below for September non-selective coho incidental retention (C.4, C.7). Chinook minimum size limit of 28 inches total length (B, C.1). All vessels fishing in the area must land their fish in the State of Oregon (C.6). See gear restrictions and definitions (C.2, C.3) and Oregon State regulations for a description of special regulations at the mouth of Tillamook Bay. Beginning September 3, no more than 65 Chinook per vessel per landing week (Wed.-Tues.).</p> <p>Non-selective incidental coho retention:</p> <ul style="list-style-type: none"> • September 3 through the earlier of the quota or September 30, retention of coho will be limited to no more than one coho for each landed Chinook with a landing week limit of no more than 20 coho per vessel if sufficient quota is available for transfer from the Cape Falcon to Humbug Mt. non-selective recreational fishery (C.8.b). <p>Oregon State regulations require all fishers landing coho salmon from this season to notify ODFW within one hour of delivery or prior to transport away from the port of landing by calling 541-867-0300 Ext. 252. Notification shall include vessel name and number, number of salmon by species, port of landing and location of delivery, and estimated time of delivery.</p> <p>In 2015, the season will open March 15, all salmon except coho. Chinook minimum size limit of 28 inches total length. Gear restrictions same as in 2014. This opening may be modified following Council review at its March 2015 meeting</p>
<p>Humbug Mt. to OR/CA Border (Oregon KMZ)</p> <ul style="list-style-type: none"> • April 1-May 31; • June 15 through earlier of June 30, or a 1,500 Chinook quota; • July 1 through earlier of July 31, or a 500 Chinook quota; • August 6 through earlier of August 29, or a 500 Chinook quota; • September 12 through earlier of September 27 or a 500 Chinook quota (C.9.a). <p>Seven days per week. All salmon except coho (C.4, C.7). Chinook minimum size limit of 28 inches total length (B, C.1). Prior to June 1, all fish caught in this area must be landed and delivered in the State of Oregon. June 15 – August 29 landing and possession limit of 30 Chinook per vessel per day. September 12-27 landing and possession limit of 20 Chinook per vessel per day. Any remaining portion of the June and/or July Chinook quotas may be transferred inseason on an impact neutral basis to the next open quota period (C.8). All vessels fishing in this area must land and deliver all fish within this area or Port Orford, within 24 hours of any closure of this fishery, and prior to fishing outside of this area. State regulations require fishers intending to transport and deliver their catch to other locations after first landing in one of these ports notify ODFW prior to transport away from the port of landing by calling 541-867-0300 Ext. 252 or sending notification via email to KMZOR.trollreport@state.or.us, with vessel name and number, number of salmon by species, location of delivery, and estimated time of delivery (C.6). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).</p> <p>In 2015, the season will open March 15 for all salmon except coho, with a 28 inch Chinook minimum size limit. This opening could be modified following Council review at its March 2015 meeting.</p>
<p>OR/CA Border to Humboldt South Jetty (California KMZ)</p> <ul style="list-style-type: none"> • September 12 through earlier of September 30, or 4,000 Chinook quota (C.9.b). <p>Five days per week, Friday through Tuesday. All salmon except coho (C.4, C.7). Chinook minimum size limit of 27 inches total length (B, C.1). Landing and possession limit of 20 Chinook per vessel per day (C.8.g). All fish caught in this area must be landed within the area and within 24 hours of any closure of the fishery and prior to fishing outside the area (C.10). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3). Klamath Control Zone closed (C.5.e). See California State regulations for additional closures adjacent to the Smith and Klamath Rivers. When the fishery is closed between the OR/CA border and Humbug Mountain and open to the south, vessels with fish on board caught in the open area off California may seek temporary mooring in Brookings, Oregon prior to landing in California only if such vessels first notify the Chetco River Coast Guard Station via VHF channel 22A between the hours of 0500 and 2200 and provide the vessel name, number of fish on board, and estimated time of arrival (C.6).</p>
<p>Humboldt South Jetty to Horse Mt. Closed.</p>

A. SEASON ALTERNATIVE DESCRIPTIONS

Horse Mt. to Point Arena (Fort Bragg)

- June 19-30;
- July 15-31;
- August 1-29;
- September 1-30 (C.9.b).

Seven days per week. All salmon except coho (C.4, C.7). Chinook minimum size limit of 27 inches total length (B, C.1). All fish must be landed in California and offloaded within 24 hours of the August 29 closure (C.6). When the CA KMZ fishery is open, all fish caught in the area must be landed south of Horse Mountain (C.6). During September, all fish must be landed north of Point Arena (C.6). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).

In 2015, the season will open April 16-30 for all salmon except coho, with a 27 inch Chinook minimum size limit and the same gear restrictions as in 2014. All fish caught in the area must be landed in the area. This opening could be modified following Council review at its March 2015 meeting.

Pt. Arena to Pigeon Pt. (San Francisco)

- May 1-31;
- June 1-30;
- July 15-31;
- August 1-29;
- September 1-30 (C.9.b).

Seven days per week. All salmon except coho (C.4, C.7). Chinook minimum size limit of 27 inches total length prior to September 1, 26 inches thereafter (B, C.1). All fish must be landed in California and offloaded within 24 hours of the August 29 closure (C.6). During September, all fish must be landed south of Point Arena (C.6). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).

Point Reyes to Point San Pedro (Fall Area Target Zone)

- October 1-3, 6-10, and 13-15.

All salmon except coho (C.4, C.7). Chinook minimum size limit of 26 inches total length (B, C.1). All fish caught in this area must be landed between Point Arena and Pigeon Point (C.6). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).

Pigeon Point to U.S./Mexico Border (Monterey South)

- May 1-31;
- June 1-30;
- July 15-31;
- August 1-13 (C.9.b).

Seven days per week. All salmon except coho (C.4, C.7). Chinook minimum size limit of 27 inches total length (B, C.1). All fish must be landed in California and offloaded within 24 hours of August 29 (C.6). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).

California State regulations require all salmon be made available to a CDFW representative for sampling immediately at port of landing. Any person in possession of a salmon with a missing adipose fin, upon request by an authorized agent or employee of the CDFW, shall immediately relinquish the head of the salmon to the State. (California Fish and Game Code §8226)

B. MINIMUM SIZE (Inches) (See C.1)

Area (when open)	Chinook		Coho		Pink
	Total Length	Head-off	Total Length	Head-off	
North of Cape Falcon	28.0	21.5	16.0	12.0	None
Cape Falcon to OR/CA Border	28.0	21.5	16.0	12.0	None
OR/CA Border to Humboldt South Jetty	27.0	20.5	-	-	None
Horse Mt. to Pt. Arena	27.0	20.5	-	-	None
Pt. Arena to U.S./Mexico Border					
Prior to Sept. 1	27.0	20.5	-	-	None
Sept. 1 to October 15	26.0	19.5	-	-	None

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

- C.1. **Compliance with Minimum Size or Other Special Restrictions:** All salmon on board a vessel must meet the minimum size, landing/possession limit, or other special requirements for the area being fished and the area in which they are landed if the area is open or has been closed less than 96 hours for that species of salmon. Salmon may be landed in an area that has been closed for a species of salmon more than 96 hours only if they meet the minimum size, landing/possession limit, or other special requirements for the area in which they were caught. **Salmon may not be filleted prior to landing.**

Any person who is required to report a salmon landing by applicable state law must include on the state landing receipt for that landing both the number and weight of salmon landed by species. States may require fish landing/receiving tickets be kept on board the vessel for 90 days after landing to account for all previous salmon landings.

C.2. **Gear Restrictions:**

- a. Salmon may be taken only by hook and line using single point, single shank, barbless hooks.
- b. Cape Falcon, Oregon, to the OR/CA border: No more than 4 spreads are allowed per line.
- c. OR/CA border to U.S./Mexico border: No more than 6 lines are allowed per vessel, and barbless circle hooks are required when fishing with bait by any means other than trolling.

C.3. **Gear Definitions:**

Trolling defined: Fishing from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.

Troll fishing gear defined: One or more lines that drag hooks behind a moving fishing vessel. In that portion of the fishery management area off Oregon and Washington, the line or lines must be affixed to the vessel and must not be intentionally disengaged from the vessel at any time during the fishing operation.

Spread defined: A single leader connected to an individual lure and/or bait.

Circle hook defined: A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.

C.4. **Vessel Operation in Closed Areas with Salmon on Board:**

- a. Except as provided under C.4.b below, it is unlawful for a vessel to have troll or recreational gear in the water while in any area closed to fishing for a certain species of salmon, while possessing that species of salmon; however, fishing for species other than salmon is not prohibited if the area is open for such species, and no salmon are in possession.
- b. When Genetic Stock Identification (GSI) samples will be collected in an area closed to commercial salmon fishing, the scientific research permit holder shall notify NOAA OLE, USCG, CDFW and OSP at least 24 hours prior to sampling and provide the following information: the vessel name, date, location and time collection activities will be done. Any vessel collecting GSI samples in a closed area shall not possess any salmon other than those from which GSI samples are being collected. Salmon caught for collection of GSI samples must be immediately released in good condition after collection of samples.

C.5. **Control Zone Definitions:**

- a. *Cape Flattery Control Zone* - The area from Cape Flattery (48°23'00" N. lat.) to the northern boundary of the U.S. EEZ; and the area from Cape Flattery south to Cape Alava (48°10'00" N. lat.) and east of 125°05'00" W. long.
- b. *Mandatory Yelloweye Rockfish Conservation Area* - The area in Washington Marine Catch Area 3 from 48°00.00' N. lat.; 125°14.00' W. long. to 48°02.00' N. lat.; 125°14.00' W. long. to 48°02.00' N. lat.; 125°16.50' W. long. to 48°00.00' N. lat.; 125°16.50' W. long. and connecting back to 48°00.00' N. lat.; 125°14.00' W. long.
- c. *Grays Harbor Control Zone* - The area defined by a line drawn from the Westport Lighthouse (46° 53'18" N. lat., 124° 07'01" W. long.) to Buoy #2 (46° 52'42" N. lat., 124°12'42" W. long.) to Buoy #3 (46° 55'00" N. lat., 124°14'48" W. long.) to the Grays Harbor north jetty (46° 55'36" N. lat., 124°10'51" W. long.).
- d. *Columbia Control Zone* - An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09" N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°15'48" N. lat., 124°05'20" W. long.), and then along the north jetty to the point of intersection with the Buoy #10 line; and, on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line.
- e. *Klamath Control Zone* - The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately six nautical miles north of the Klamath River mouth); on the west, by 124°23'00" W. long. (approximately 12 nautical miles off shore); and on the south, by 41°26'48" N. lat. (approximately six nautical miles south of the Klamath River mouth).

C.6. **Notification When Unsafe Conditions Prevent Compliance with Regulations:** If prevented by unsafe weather conditions or mechanical problems from meeting special management area landing restrictions, vessels must notify the U.S. Coast Guard and receive acknowledgment of such notification prior to leaving the area. This notification shall include the name of the vessel, port where delivery will be made, approximate amount of salmon (by species) on board, the estimated time of arrival, and the specific reason the vessel is not able to meet special management area landing restrictions. In addition to contacting the U.S. Coast Guard, vessels fishing south of the Oregon/California border must notify CDFW within one hour of leaving the management area by calling 800-889-8346 and providing the same information as reported to the U.S. Coast Guard. All salmon must be offloaded within 24 hours of reaching port.

C.7. **Incidental Halibut Harvest:** During authorized periods, the operator of a vessel that has been issued an incidental halibut harvest license may retain Pacific halibut caught incidentally in Area 2A while trolling for salmon. Halibut retained must be no less than 32 inches in total length, measured from the tip of the lower jaw with the mouth closed to the extreme end of the middle of the tail, and must be landed with the head on. **When halibut are caught and landed incidental to commercial salmon fishing by an IPHC license holder, any person who is required to report the salmon landing by applicable state law must include on the state landing receipt for that landing both the number of halibut landed, and the total dressed, head-on weight of halibut landed, in pounds, as well as the number and species of salmon landed.**

License applications for incidental harvest must be obtained from the International Pacific Halibut Commission (phone: 206-634-1838). Applicants must apply prior to mid-March 2015 for 2015 permits (*exact date to be set by the IPHC in early 2015*). Incidental harvest is authorized only during April, May, and June of the 2014 troll seasons and after June 30 in 2014 if quota remains and if announced on the NMFS hotline (phone: 800-662-9825 or 206-526-6667). WDFW, ODFW, and CDFW will monitor landings. If the landings are projected to exceed the 29,671 pound preseason IPHC allocation or the total Area 2A non-Indian commercial halibut allocation, NMFS will take inseason action to prohibit retention of halibut in the non-Indian salmon troll fishery.

May 1, 2014 through December 31, 2014 and April 1-30, 2015, license holders may land or possess no more than one Pacific halibut per each four Chinook, except one Pacific halibut may be possessed or landed without meeting the ratio requirement, and no more than 12 halibut may be possessed or landed per trip. Pacific halibut retained must be no less than 32 inches in total length (with head on).

Incidental Pacific halibut catch regulations in the commercial salmon troll fishery adopted for 2014, **prior to any 2014 inseason action**, will be in effect when incidental Pacific halibut retention opens on April 1, 2015 unless otherwise modified by inseason action **at the March 2015 Council meeting**.

- a. "C-shaped" yelloweye rockfish conservation area is an area to be voluntarily avoided for salmon trolling. NMFS and the Council request salmon trollers voluntarily avoid this area in order to protect yelloweye rockfish. The area is defined in the Pacific Council Halibut Catch Sharing Plan in the North Coast subarea (Washington marine area 3), with the following coordinates in the order listed:
48°18' N. lat.; 125°18' W. long.;
48°18' N. lat.; 124°59' W. long.;
48°11' N. lat.; 124°59' W. long.;
48°11' N. lat.; 125°11' W. long.;
48°04' N. lat.; 125°11' W. long.;
48°04' N. lat.; 124°59' W. long.;
48°00' N. lat.; 124°59' W. long.;
48°00' N. lat.; 125°18' W. long.;
and connecting back to 48°18' N. lat.; 125°18' W. long.

- C.8. **Inseason Management:** In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:
- a. Chinook remaining from the May through June non-Indian commercial troll harvest guideline north of Cape Falcon may be transferred to the July through September harvest guideline if the transfer would not result in exceeding preseason impact expectations on any stocks.
 - b. **If at least 35,000 coho are available for the recreational non-selective coho salmon season quota between Cape Falcon and Humbug Mt. (combined initial quota and impact neutral rollover from the recreational selective coho between Cape Falcon and the Oregon-California Border) consideration will be made to transfer a portion of the remaining coho that are in excess of those needed to meet the recreational objectives to the commercial troll season between Cape Falcon and Humbug Mt. Landing week limits and coho per Chinook ratios may be adjusted inseason.**
 - c. Chinook remaining from the June and/or July non-Indian commercial troll quotas in the Oregon KMZ may be transferred to the Chinook quota for the next open period if the transfer would not result in exceeding preseason impact expectations on any stocks.
 - d. NMFS may transfer fish between the recreational and commercial fisheries north of Cape Falcon if there is agreement among the areas' representatives on the Salmon Advisory Subpanel (SAS), and if the transfer would not result in exceeding preseason impact expectations on any stocks.
 - e. At the March 2015 meeting, the Council will consider inseason recommendations for special regulations for any experimental fisheries (proposals must meet Council protocol and be received in November 2014).
 - f. If retention of unmarked coho is permitted by inseason action, the allowable coho quota will be adjusted to ensure preseason projected impacts on all stocks is not exceeded.
 - g. Landing limits may be modified inseason to sustain season length and keep harvest within overall quotas.
- C.9. **State Waters Fisheries:** Consistent with Council management objectives:
- a. The State of Oregon may establish additional late-season fisheries in state waters.
 - b. The State of California may establish limited fisheries in selected state waters.
Check state regulations for details.
- C.10. For the purposes of California Fish and Game Code, Section 8232.5, the definition of the Klamath Management Zone (KMZ) for the ocean salmon season shall be that area from Humbug Mountain, Oregon, to Horse Mountain, California.

A. SEASON ALTERNATIVE DESCRIPTIONS
North of Cape Falcon
Supplemental Management Information
1. Overall non-Indian TAC: 116,000 (non-mark-selective equivalent of 111,500) Chinook and 220,000 coho marked with a healed adipose fin clip (marked). 2. Recreational TAC: 59,100 (non-mark selective equivalent of 54,600) Chinook and 184,800 marked coho; all retained coho must be marked. 3. No Area 4B add-on fishery (C.6). 4. Buoy 10 fishery opens August 1 with an expected landed catch of 50,000 marked coho in August and September.
U.S./Canada Border to Queets River <ul style="list-style-type: none"> • May 16-17, May 23-24, and May 31-June 13 or a coastwide marked Chinook quota of 9,000 (C.5). Seven days per week. Two fish per day, all salmon except coho, all Chinook must be marked with a healed adipose fin clip (C.1). Chinook 24-inch total length minimum size limit (B). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).
Queets River to Leadbetter Point <ul style="list-style-type: none"> • May 31 through earlier of June 13 or a coastwide marked Chinook quota of 9,000 (C.5). Seven days per week. Two fish per day, all salmon except coho, all Chinook must be marked with a healed adipose fin clip (C.1). Chinook 24-inch total length minimum size limit (B). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).
Leadbetter Point to Cape Falcon <ul style="list-style-type: none"> • May 31 through earlier of June 13 or a coastwide marked Chinook quota of 9,000 (C.5). Seven days per week. Two fish per day, all salmon except coho, all Chinook must be marked with a healed adipose fin clip (C.1). Chinook 24-inch total length minimum size limit (B). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).
U.S./Canada Border to Cape Alava (Neah Bay) <ul style="list-style-type: none"> • June 14 through earlier of September 21 or 19,220 marked coho subarea quota with a subarea guideline of 7,000 Chinook (C.5). Seven days per week. All salmon except no chum beginning August 1; two fish per day. All coho must be marked with a healed adipose fin clip (B, C.1). Beginning August 1, Chinook non-retention east of the Bonilla-Tatoosh line (C.4.a) during Council managed ocean fishery. See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).
Cape Alava to Queets River (La Push Subarea) <ul style="list-style-type: none"> • June 14 through earlier of September 21 or 4,750 marked coho subarea quota with a subarea guideline of 2,350 Chinook (C.5). • September 27 through earlier of October 12 or 50 marked coho quota or 50 Chinook quota (C.5) in the area north of 47°50'00 N. lat. and south of 48°00'00" N. lat. Seven days per week. All salmon, two fish per day. All coho must be marked with a healed adipose fin clip (B, C.1). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).
Queets River to Leadbetter Point (Westport Subarea) <ul style="list-style-type: none"> • June 14 through earlier of September 30 or 68,380 marked coho subarea quota with a subarea guideline of 27,600 Chinook (C.5). Seven days per week. All salmon; two fish per day, no more than one of which can be a Chinook. All coho must be marked with a healed adipose fin clip (B, C.1). See gear restrictions and definitions (C.2, C.3). Grays Harbor Control Zone closed beginning August 11 (C.4). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).
Leadbetter Point to Cape Falcon (Columbia River Subarea) <ul style="list-style-type: none"> • June 14 through earlier of September 30 or 92,400 marked coho subarea quota with a subarea guideline of 13,100 Chinook (C.5). Seven days per week. All salmon; two fish per day, no more than one of which can be a Chinook (B, C.1). All coho must be marked with a healed adipose fin clip (C.1). See gear restrictions and definitions (C.2, C.3). Columbia Control Zone closed (C.4). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).

A. SEASON ALTERNATIVE DESCRIPTIONS
South of Cape Falcon
Supplemental Management Information
<ol style="list-style-type: none"> 1. Sacramento River fall Chinook spawning escapement of 314,715 adults. 2. Sacramento Index exploitation rate of 50.4% 3. Klamath River recreational fishery allocation: 4,128 adult Klamath River fall Chinook. 4. Klamath tribal allocation: 27,294 adult Klamath River fall Chinook. 5. Overall recreational TAC: 80,000 marked coho and 20,000 unmarked coho.
<p>Cape Falcon to Humbug Mt.</p> <ul style="list-style-type: none"> • March 15 through October 31 (C.6), except as provided below during the all salmon mark-selective and non-mark-selective coho fisheries. <p>Seven days per week. All salmon except coho; two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> • Non-mark-selective coho fishery: August 30 through the earlier of September 30 or a landed catch of 20,000 non-mark-selective coho quota (C.5). <p>All salmon, two fish per day (C.5); The all salmon except coho season reopens the earlier of October 1 or attainment of the coho quota (C.5).</p> <p>In 2015, the season between Cape Falcon and Humbug Mountain will open March 15 for all salmon except coho, two fish per day (B, C.1, C.2, C.3).</p> <p>Fishing in the Stonewall Bank yelloweye rockfish conservation area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 or 206-526-6667 for specific dates) (C.3.b, C.4.d).</p>
<p>Cape Falcon to OR/CA Border</p> <ul style="list-style-type: none"> • All salmon mark-selective coho fishery: June 21 through earlier of August 10 or a landed catch of 80,000 marked coho. <p>Seven days per week. All salmon, two fish per day. All retained coho must be marked with a healed adipose fin clip (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3). Any remainder of the mark-selective coho quota will be transferred on an impact neutral basis to the September non-selective coho quota from Cape Falcon to Humbug Mountain. The all salmon except coho season reopens the earlier of August 11 or attainment of the coho quota (C.5).</p> <p>Fishing in the Stonewall Bank yelloweye rockfish conservation area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 or 206-526-6667 for specific dates) (C.3.b, C.4.d).</p>
<p>Humbug Mt. to OR/CA Border. (Oregon KMZ)</p> <ul style="list-style-type: none"> • May 10 through September 7 except as provided above during the all salmon mark-selective coho fishery (C.6). <p>All salmon except coho, except as noted above in the all salmon mark-selective coho fishery. Seven days per week, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p>
<p>OR/CA Border to Horse Mt. (California KMZ)</p> <ul style="list-style-type: none"> • May 10 through September 7 (C.6). <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3). Klamath Control Zone closed in August (C.4.e). See California State regulations for additional closures adjacent to the Smith, Eel, and Klamath rivers.</p>
<p>Horse Mt. to Point Arena (Fort Bragg)</p> <ul style="list-style-type: none"> • April 5 through November 9. <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 20 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2015, season opens April 4 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 20 inches total length (B); and the same gear restrictions as in 2014 (C.2, C.3).</p>

A. SEASON ALTERNATIVE DESCRIPTIONS

<p>Point Arena to Pigeon Point (San Francisco)</p> <ul style="list-style-type: none"> • April 5 through November 9. <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length through June 30; 20 inches thereafter (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2015, season opens April 4 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2014 (C.2, C.3).</p>
<p>Pigeon Point to U.S./Mexico Border (Monterey)</p> <ul style="list-style-type: none"> • April 5 through October 5. <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2015, season opens April 4 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2014 (C.2, C.3).</p> <p>California State regulations require all salmon be made available to a CDFW representative for sampling immediately at port of landing. Any person in possession of a salmon with a missing adipose fin, upon request by an authorized agent or employee of the CDFW, shall immediately relinquish the head of the salmon to the state. (California Fish and Game Code §8226)</p>

B. MINIMUM SIZE (Inches) (See C.1)

Area (when open)	Chinook	Coho	Pink
North of Cape Falcon	24.0	16.0	None
Cape Falcon to Humbug Mt.	24.0	16.0	None
Humbug Mt. to OR/CA Border	24.0	16.0	None
OR/CA Border to Horse Mountain	24.0	-	24.0
Horse Mt. to Pt. Arena	20.0	-	20.0
Pt. Arena. to Pigeon Pt.	Through June 30	-	24.0
	After June 30	20.0	-
Pigeon Pt. to U.S./Mexico Border	24.0	-	24.0

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

- C.1. Compliance with Minimum Size and Other Special Restrictions: All salmon on board a vessel must meet the minimum size or other special requirements for the area being fished and the area in which they are landed if that area is open. Salmon may be landed in an area that is closed only if they meet the minimum size or other special requirements for the area in which they were caught. **Salmon may not be filleted prior to landing.**
- Ocean Boat Limits:* Off the coast of Washington, Oregon, and California, each fisher aboard a vessel may continue to use angling gear until the combined daily limits of Chinook and coho salmon for all licensed and juvenile anglers aboard have been attained (additional state restrictions may apply).
- C.2. Gear Restrictions: Salmon may be taken only by hook and line using barbless hooks. All persons fishing for salmon, and all persons fishing from a boat with salmon on board, must meet the gear restrictions listed below for specific areas or seasons.
- a. *U.S./Canada Border to Point Conception, California:* No more than one rod may be used per angler; and no more than two single point, single shank barbless hooks are required for all fishing gear. [Note: ODFW regulations in the state-water fishery off Tillamook Bay may allow the use of barbed hooks to be consistent with inside regulations.]
 - b. *Horse Mountain, California, to Point Conception, California:* Single point, single shank, barbless circle hooks (see gear definitions below) are required when fishing with bait by any means other than trolling, and no more than two such hooks shall be used. When angling with two hooks, the distance between the hooks must not exceed five inches when measured from the top of the eye of the top hook to the inner base of the curve of the lower hook, and both hooks must be permanently tied in place (hard tied). Circle hooks are not required when artificial lures are used without bait.

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.3. Gear Definitions:

- a. *Recreational fishing gear defined:* Off Oregon and Washington, angling tackle consists of a single line that must be attached to a rod and reel held by hand or closely attended; the rod and reel must be held by hand while playing a hooked fish. No person may use more than one rod and line while fishing off Oregon or Washington. Off California, the line must be attached to a rod and reel held by hand or closely attended; weights directly attached to a line may not exceed four pounds (1.8 kg). While fishing off California north of Point Conception, no person fishing for salmon, and no person fishing from a boat with salmon on board, may use more than one rod and line. Fishing includes any activity which can reasonably be expected to result in the catching, taking, or harvesting of fish.
- b. *Trolling defined:* Angling from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.
- c. *Circle hook defined:* A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.

C.4. Control Zone Definitions:

- a. *The Bonilla-Tatoosh Line:* A line running from the western end of Cape Flattery to Tatoosh Island Lighthouse (48°23'30" N. lat., 124°44'12" W. long.) to the buoy adjacent to Duntze Rock (48°24'37" N. lat., 124°44'37" W. long.), then in a straight line to Bonilla Point (48°35'39" N. lat., 124°42'58" W. long.) on Vancouver Island, British Columbia.
- b. *Grays Harbor Control Zone -* The area defined by a line drawn from the Westport Lighthouse (46° 53'18" N. lat., 124° 07'01" W. long.) to Buoy #2 (46° 52'42" N. lat., 124°12'42" W. long.) to Buoy #3 (46° 55'00" N. lat., 124°14'48" W. long.) to the Grays Harbor north jetty (46° 55'36" N. lat., 124°10'51" W. long.).
- c. *Columbia Control Zone:* An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09" N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°15'48" N. lat., 124°05'20" W. long. and then along the north jetty to the point of intersection with the Buoy #10 line; and on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line.
- d. *Stonewall Bank Yelloweye Rockfish Conservation Area:* The area defined by the following coordinates in the order listed:
44°37.46' N. lat.; 124°24.92' W. long.;
44°37.46' N. lat.; 124°23.63' W. long.;
44°28.71' N. lat.; 124°21.80' W. long.;
44°28.71' N. lat.; 124°24.10' W. long.;
44°31.42' N. lat.; 124°25.47' W. long.;
and connecting back to 44°37.46' N. lat.; 124°24.92' W. long.
- e. *Klamath Control Zone:* The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately 6 nautical miles north of the Klamath River mouth); on the west, by 124°23'00" W. long. (approximately 12 nautical miles off shore); and, on the south, by 41°26'48" N. lat. (approximately 6 nautical miles south of the Klamath River mouth).

C.5. Inseason Management: Regulatory modifications may become necessary inseason to meet preseason management objectives such as quotas, harvest guidelines, and season duration. In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:

- a. Actions could include modifications to bag limits, or days open to fishing, and extensions or reductions in areas open to fishing.
- b. Coho may be transferred inseason among recreational subareas north of Cape Falcon to help meet the recreational season duration objectives (for each subarea) after conferring with representatives of the affected ports and the Council's SAS recreational representatives north of Cape Falcon, and if the transfer would not result in exceeding preseason impact expectations on any stocks.
- c. Chinook and coho may be transferred between the recreational and commercial fisheries north of Cape Falcon if there is agreement among the representatives of the Salmon Advisory Subpanel (SAS), and if the transfer would not result in exceeding preseason impact expectations on any stocks.
- d. Fishery managers may consider inseason action modifying regulations restricting retention of unmarked coho. To remain consistent with preseason expectations, any inseason action shall consider, if significant, the difference between observed and preseason forecasted mark rates. Such a consideration may also include a change in bag limit of two salmon, no more than one of which may be a coho.
- e. Marked coho remaining from the Cape Falcon to OR/CA border recreational mark-selective coho quota may be transferred inseason to the Cape Falcon to Humbug Mountain non-mark-selective recreational fishery if the transfer would not result in exceeding preseason impact expectations on any stocks.

C.6. Additional Seasons in State Territorial Waters: Consistent with Council management objectives, the States of Washington, Oregon, and California may establish limited seasons in state waters. Check state regulations for details.

A. SEASON DESCRIPTIONS
Supplemental Management Information
1. Overall Treaty-Indian TAC: 62,500 Chinook and 57,500 coho.
<ul style="list-style-type: none"> • May 1 through the earlier of June 30 or 31,250 Chinook quota. All salmon except coho. If the Chinook quota is exceeded, the excess will be deducted from the later all salmon season (C.5). See size limit (B) and other restrictions (C). • July 1 through the earlier of September 15, or 31,250 preseason Chinook quota (C.5), or 57,500 coho quota. All Salmon. See size limit (B) and other restrictions (C).

B. MINIMUM SIZE (Inches)					
Area (when open)	Chinook		Coho		Pink
	Total Length	Head-off	Total Length	Head-off	
North of Cape Falcon	24.0 (61.0 cm)	18.0 (45.7 cm)	16.0 (40.6 cm)	12.0 (30.5 cm)	None

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.1. Tribe and Area Boundaries. All boundaries may be changed to include such other areas as may hereafter be authorized by a Federal court for that tribe's treaty fishery.

S'KLALLAM - Washington State Statistical Area 4B (All).

MAKAH - Washington State Statistical Area 4B and that portion of the FMA north of 48°02'15" N. lat. (Norwegian Memorial) and east of 125°44'00" W. long.

QUILEUTE - That portion of the FMA between 48°07'36" N. lat. (Sand Pt.) and 47°31'42" N. lat. (Queets River) and east of 125°44'00" W. long.

HOH - That portion of the FMA between 47°54'18" N. lat. (Quillayute River) and 47°21'00" N. lat. (Quinault River) and east of 125°44'00" W. long.

QUINAULT - That portion of the FMA between 47°40'06" N. lat. (Destruction Island) and 46°53'18"N. lat. (Point Chehalis) and east of 125°44'00" W. long.

C.2. Gear restrictions

- a. Single point, single shank, barbless hooks are required in all fisheries.
- b. No more than eight fixed lines per boat.
- c. No more than four hand held lines per person in the Makah area fishery (Washington State Statistical Area 4B and that portion of the FMA north of 48°02'15" N. lat. (Norwegian Memorial) and east of 125°44'00" W. long.)

C.3. Quotas

- a. The quotas include troll catches by the S'Klallam and Makah tribes in Washington State Statistical Area 4B from May 1 through September 15.
- b. The Quileute Tribe will continue a ceremonial and subsistence fishery during the time frame of September 15 through October 15 in the same manner as in 2004-2013 . Fish taken during this fishery are to be counted against treaty troll quotas established for the 2014 season (estimated harvest during the October ceremonial and subsistence fishery: 100 Chinook; 200 coho).

C.4. Area Closures

- a. The area within a six nautical mile radius of the mouths of the Queets River (47°31'42" N. lat.) and the Hoh River (47°45'12" N. lat.) will be closed to commercial fishing.
- b. A closure within two nautical miles of the mouth of the Quinault River (47°21'00" N. lat.) may be enacted by the Quinault Nation and/or the State of Washington and will not adversely affect the Secretary of Commerce's management regime.

C.5. Inseason Management: In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:

- a. Chinook remaining from the May through June treaty-Indian ocean troll harvest guideline north of Cape Falcon may be transferred to the July through September harvest guideline on a fishery impact equivalent basis.

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2014 ocean fishery management measures analyzed by the STT.^{a/} (Page 1 of 4)

Key Stock/Criteria	Projected Ocean Escapement ^{b/} or Other Criteria (Council Area Fisheries)	Spawner Objective or Other Comparative Standard as Noted
CHINOOK		
<u>PUGET SOUND:</u>		
Elwha Summer/Fall	2.4%	≤ 10.0% Southern U.S. Rebuilding Exploitation Rate (NMFS ESA consultation standard)
Dungeness Spring	2.8%	≤ 6.0% Southern U.S. CERC (NMFS ESA consultation standard)
Mid-Hood Canal Summer/Fall	10.6%	≤ 15.0% Preterminal Southern U.S. (NMFS ESA consultation standard)
Skokomish Summer/Fall	49.8% (4.4%)	≤ 50.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
Nooksack Spring	6.3%	≤ 7.0% Southern U.S. CERC, not to exceed in four out of five years (NMFS ESA consultation standard)
	27.4%	≤ 60.0% ISBM Index (PSC General Obligation) compliance assessed postseason.
Skagit Summer/Fall	42.6%	≤ 50.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
	71.8%	≤ 60.0% ISBM Index (PSC General Obligation) compliance assessed postseason.
Skagit Spring	32.8%	≤ 38.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
	35.7%	≤ 60.0% ISBM Index (PSC General Obligation) compliance assessed postseason.
Stillaguamish Summer/Fall	18.3%	≤ 25.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
	13.1%	≤ 60.0% ISBM Index (PSC General Obligation) compliance assessed postseason.
Snohomish Summer/Fall	20.3%	≤ 21.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
	19.2%	≤ 60.0% ISBM Index (PSC General Obligation) compliance assessed postseason.
Lake Washington Summer/Fall	20% (4.6%)	≤ 20.0% Southern U.S. Rebuilding Exploitation Rate (NMFS ESA consultation standard)
	46.6%	≤ 60.0% ISBM Index (PSC General Obligation) compliance assessed postseason.
Green River Summer/Fall	9.6%	≤ 12.0% Preterminal Southern U.S. CERC (NMFS ESA consultation standard)
	2.7	≥ 5.800 Natural spawning escapement (NMFS ESA consultation standard)
	25.1%	≤ 60.0% ISBM Index (PSC General Obligation) compliance assessed postseason.
White River Spring	19.3%	≤ 20.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
Puyallup Summer/Fall	49.5% (4.6%)	≤ 50.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
Nisqually River Summer/Fall	52% (6.2%)	≤ 52.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
<u>WASHINGTON COAST:</u>		
Hoko Fall	2.4	0.85 FMP MSY spawning escapement objective
	40.0%	≤ 60.0% ISBM Index (PSC General Obligation) compliance assessed postseason.
Quillayute Fall	<i>c/</i>	3.0 FMP MSY spawning escapement objective
	115.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2014 because PSC escapement goal met
Hoh Fall	<i>c/</i>	1.2 FMP MSY spawning escapement objective
	125.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2014 because PSC escapement goal met
Queets Fall	<i>c/</i>	2.5 FMP MSY spawning escapement objective
	23.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2014 because PSC escapement goal met
Grays Harbor Fall	<i>c/</i>	11.4 FMP MSY spawning escapement objective
	47.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2014 because PSC escapement goal met

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2014 ocean fishery management measures adopted by the Council.^{a/} (Page 2 of 4)

Key Stock/Criteria	Projected Ocean Escapement ^{b/} or Other Criteria (Council Area Fisheries)	Spawner Objective or Other Comparative Standard as Noted
CHINOOK		
<u>COLUMBIA RIVER</u>		
Columbia Upriver Brights	919.4	74.0 Minimum ocean escapement to attain 60.0 adults over McNary Dam, with normal distribution and no mainstem harvest.
	91.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2014 because PSC escapement goal met
Deschutes Upriver Brights	70.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2014 because PSC escapement goal met
Mid-Columbia Brights	340.2	14.9 Minimum ocean escapement to attain 0.9 adults for Umatilla and 4.5 for Little White Salmon and Bonneville Hatchery egg-takes, assuming average conversion and no mainstem harvest.
Columbia Lower River Hatchery Tules ^{e/}	100.7	25.0 Minimum ocean escapement to attain 14.5 adults for hatchery egg-take, with average conversion and no lower river mainstem or tributary harvest.
Columbia Lower River Natural Tules (threatened)	41.0%	≤ 41.0% Total adult equivalent fishery exploitation rate (2014 NMFS ESA guidance).
Columbia Lower River Wild ^{d/} (threatened)	33.4	6.9 Minimum ocean escapement to attain MSY spawner goal of 5.7 for N. Lewis River fall Chinook (NMFS ESA consultation standard).
	53.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2014 because PSC escapement goal met
Spring Creek Hatchery Tules	103.3	8.2 Minimum ocean escapement to attain 7.0 adults for Spring Creek Hatchery egg-take, assuming average conversion and no mainstem harvest.
Snake River Fall (threatened) SRFI	47.8%	≤ 70.0% Of 1988-1993 base period exploitation rate for all ocean fisheries (NMFS ESA consultation standard).
Columbia Upriver Summers	64.7	29.0 Minimum ocean escapement to attain 12.1 adults over Rock Island Dam.
	146.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2014 because PSC escapement goal met
<u>OREGON COAST:</u>		
Nehalem Fall	144.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2014 because PSC escapement goal met
Siletz Fall	72.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2014 because PSC escapement goal met
Siuslaw Fall	139.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2014 because PSC escapement goal met

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2014 ocean fishery management measures adopted by the Council.^{a/} (Page 3 of 4)

Key Stock/Criteria	Projected Ocean Escapement ^{b/} or Other Criteria (Council Area Fisheries)	Spawner Objective or Other Comparative Standard as Noted
CHINOOK		
CALIFORNIA		
Klamath River Fall	40,700	40,700 MSY natural area adult spawners
Federally recognized tribal harvest	50.0%	50.0% Equals 27.3 (thousand) adult fish for Yurok and Hoopa Valley tribal fisheries.
Spawner Reduction Rate	47.1%	≤ 47.1% FMP; equals 36.3 (thousand) fewer natural area adult spawners due to fishing.
Adult river mouth return	92.8	NA Total adults.
Age 4 ocean harvest rate	16.0%	≤ 16.0% NMFS ESA consultation standard for threatened California Coastal Chinook.
KMZ sport fishery share	9.0%	No Council guidance for 2014.
River recreational fishery share	15.1%	NA Equals 4.1 (thousand) adult fish for recreational inriver fisheries.
Sacramento River Winter (endangered)	15.4%	≤ 15.4% Age-3 ocean impact rate in fisheries south of Pt. Arena. In addition, the following season restrictions apply: Recreational- Pt. Arena to Pigeon Pt. between the first Saturday in April and the second Sunday in November; Pigeon Pt. to the U.S./Mexico Border between the first Saturday in April and the first Sunday in October. Minimum size limit ≥ 20 inches total length. Commercial- Pt. Arena to the U.S./Mexico border between May 1 and September 30, except Pt. Reyes to Pt. San Pedro between October 1 and 15 (Monday-Friday). Minimum size limit ≥ 26 inches total length (NMFS 2014 ESA Guidance).
Sacramento River Fall	314.7	≥ 190.4 2014 preseason ACL.
Sacramento Index Exploitation Rate	50.4%	≤ 70.0% FMP.
Ocean commercial impacts	191.2	All Alternatives include fall (Sept-Dec) 2013 impacts (35.3 thousand SRFC).
Ocean recreational impacts	77.5	All Alternatives include fall 2013 impacts (3.8 thousand SRFC).
River recreational impacts	51.2	No guidance in 2014.
Hatchery spawner goal	Met	22.0 Aggregate number of adults to achieve egg take goals at Coleman, Feather River, and Nimbus hatcheries.

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2014 ocean fishery management measures adopted by the Council.^{a/} (Page 4 of 4)

Key Stock/Criteria	Projected Ocean Escapement ^{b/} or Other Criteria (Council Area Fisheries)	Spawner Objective or Other Comparative Standard as Noted
COHO		
Interior Fraser (Thompson River)	10%(5.2%)	≤ 10.0% 2014 Southern U.S. exploitation rate ceiling; PSC coho agreement.
Skagit	38.1% (4.9%)	≤ 60.0% 2014 total exploitation rate ceiling; FMP matrix ^{d/}
Stillaguamish	32.0% (3.3%)	≤ 50.0% 2014 total exploitation rate ceiling; FMP matrix ^{d/}
Snohomish	30.0% (3.3%)	≤ 60.0% 2014 total exploitation rate ceiling; FMP matrix ^{d/}
Hood Canal	55.7% (5.3%)	≤ 65.0% 2014 total exploitation rate ceiling; FMP matrix ^{d/}
Strait of Juan de Fuca	12.0% (4.4%)	≤ 40.0% 2014 total exploitation rate ceiling; FMP matrix ^{d/}
Quillayute Fall	17.1	6.3 FMP MSY adult spawner estimate ^{d/} . Value depicted is ocean escapement.
Hoh	7.5	2.5 FMP MSY adult spawner estimate ^{d/} . Value depicted is ocean escapement.
Queets Wild	8.4	5.8 FMP MSY adult spawner estimate ^{d/} . Value depicted is ocean escapement.
Grays Harbor	96.5	24.4 FMP MSY adult spawner estimate ^{d/} . Value depicted is ocean escapement.
Lower Columbia River Natural (threatened)	22.5(14.4%)	≤ 22.5% Total marine and mainstem Columbia River fishery exploitation rate (2014 NMFS ESA guidance).
Upper Columbia ^{e/}	73%	≥ 50% Minimum percentage of the run to Bonneville Dam.
Columbia River Hatchery Early	321.3	41.2 Minimum ocean escapement to attain hatchery egg-take goal of 21.8 early adult coho, with average conversion and no mainstem or tributary fisheries.
Columbia River Hatchery Late	260.4	8.8 Minimum ocean escapement to attain hatchery egg-take goal of 6.3 late adult coho, with average conversion and no mainstem or tributary fisheries.
Oregon Coastal Natural ^{f/}	25.3% ^{f/}	≤ 30.0% Marine and freshwater fishery exploitation rate (NMFS ESA consultation standard).
Southern Oregon/Northern California Coast (threatened)	6.9%	≤ 13.0% Marine fishery exploitation rate for R/K hatchery coho (NMFS ESA consultation standard).

a/ Reflects 2014 fisheries and abundance estimates.

b/ Ocean escapement is the number of salmon escaping ocean fisheries and entering freshwater with the following clarifications. Ocean escapement for Puget Sound stocks is the estimated number of salmon entering Area 4B that are available to U.S. net fisheries in Puget Sound and spawner escapement after impacts from the Canadian, U.S. ocean, and Puget Sound troll and recreational fisheries have been deducted. Numbers in parentheses represent Council area exploitation rates for Puget sound coho stocks. For Columbia River early and late coho stocks, ocean escapement represents the number of coho after the Buoy 10 fishery. Exploitation rates for OCN coho include impacts of freshwater fisheries. Values reported for Klamath River fall Chinook are natural area adult spawners. Values reported for Sacramento River fall Chinook are hatchery and natural area adult spawners.

c/ Annual management objectives may be different than FMP goals, and are subject to agreement between WDFW and the treaty tribes under U.S. District Court orders. It is anticipated that fishery management will be adjusted by state and tribal comanagers during the pre-season planning process to comply with stock management objectives.

d/ Includes minor contributions from East Fork Lewis River and Sandy River.

e/ Includes projected impacts of inriver fisheries that have not yet been shaped.

f/ Modeled as if 35,000 of the marked coho quota was rolled into the 20,000 non-mark-selective coho quota. The resulting 40,300 non-mark-selective coho quota in this simulation did not result in an increase to the projected impacts for LCN coho, but impacts for OCN coho increased by 2.5 percent for a total exploitation rate of 25.3 percent.

TABLE 7. Expected coastwide lower Columbia Natural (LCN) Oregon coastal natural (OCN) and Rogue/Klamath (RK) coho, and Lower Columbia River (LCR) tule Chinook exploitation rates by fishery for 2014 ocean fisheries management measures analyzed by the STT.

Fishery	Exploitation Rate (Percent)			
	LCN Coho	OCN Coho	RK Coho	LCR Tule
SOUTHEAST ALASKA	0.0%	0.0%	0.0%	1.7%
BRITISH COLUMBIA	0.1%	0.3%	0.0%	13.1%
PUGET SOUND/STRAIT	0.1%	0.1%	0.0%	0.4%
NORTH OF CAPE FALCON				
Treaty Indian Ocean Troll	2.3%	0.5%	0.0%	5.6%
Recreational	5.5%	1.0%	0.0%	3.3%
Non-Indian Troll	1.9%	0.5%	0.0%	7.3%
SOUTH OF CAPE FALCON				
Recreational:				0.1%
Cape Falcon to Humbug Mt.	3.3%	10.9%	0.7%	
Humbug Mt. to OR/CA border (KMZ)	0.1%	0.4%	1.0%	
OR/CA border to Horse Mt. (KMZ)	0.1%	0.4%	1.9%	
Fort Bragg	0.0%	0.3%	1.1%	
South of Pt. Arena	0.0%	0.3%	0.7%	
Troll:				1.6%
Cape Falcon to Humbug Mt.	0.7%	0.9%	0.1%	
Humbug Mt. to OR/CA border (KMZ)	0.0%	0.0%	0.0%	
OR/CA border to Humboldt South Jetty (KMZ)	0.0%	0.0%	0.2%	
Fort Bragg	0.0%	0.4%	0.9%	
South of Pt. Arena	0.0%	0.3%	0.2%	
BUOY 10	1.7%	0.1%	0.0%	8.0%
ESTUARY/FRESHWATER	NA	8.9% ^{a/}	0.2%	
TOTAL	14.4%	25.3%^{b/}	7.1%	41.0%

a/ Includes adult mortalities associated with PSC funded Chinook escapement monitoring studies in Oregon.

b/ Modeled as if 35,000 of the marked coho quota was rolled into the 20,000 non-mark-selective coho quota. The resulting 40,300 non-mark-selective coho quota in this simulation did not result in an increase to the projected impacts for LCN coho, but impacts for OCN coho increased by 2.5 percent for a total exploitation rate of 25.3 percent.