

{Table 1 N: revised at 75 FR 82296, 12/30/2010; revised at 76 FR 27508, 05/11/2011; revised at 76 FR 38313, 6/30/2011; revised at 76 FR 79122, 12/21/2011; revised at 77 FR 22679, 04/17/2012; revised at 78 FR 580, 01/03/2013; revised RCA boundaries at 79 FR 21639, 4/17/2014; corrected the revised RCA boundaries, 79 FR 27196, 5/13/2014}

**Table 1 (North) to Part 660, Subpart D -- Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for non-IFQ Species and Pacific Whiting North of 40°10' N. Lat.**

This table describes Rockfish Conservation Areas for vessels using groundfish trawl gear. This table describes incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species.

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table

04012014

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>						
1 North of 48°10' N. lat.	shore - modified <sup>2/</sup> 200 fm line <sup>1/</sup>	shore - 200 fm line <sup>1/</sup>	shore - 150 fm line <sup>1/</sup>		shore - 200 fm line <sup>1/</sup>	shore - modified <sup>2/</sup> 200 fm line <sup>1/</sup>
2 48°10' N. lat. - 45°46' N. lat.	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>					
3 45° 46' N. lat. - 40°10' N. lat.	100 fm line <sup>1/</sup> - modified <sup>2/</sup> 200 fm line <sup>1/</sup>	100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>				100 fm line <sup>1/</sup> - modified <sup>2/</sup> 200 fm line <sup>1/</sup>
<p>Selective flatfish trawl gear is required shoreward of the RCA; all bottom trawl gear (large footrope, selective flatfish trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope and small footrope trawl gears (except for selective flatfish trawl gear) are prohibited shoreward of the RCA. Midwater trawl gear is permitted only for vessels participating in the primary whiting season. <b>Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry groundfish trawl fishery landing allowances in this table, regardless of the type of fishing gear used. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry fixed gear non-trawl RCA, as described in Tables 1 (North) and 1 (South) to Part 660, Subpart E.</b></p> <p>See § 660.60, § 660.130, and § 660.140 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p> <p>State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.</p>						
4 <b>Minor nearshore rockfish &amp; Black rockfish</b>	300 lb/ month					
5 <b>Whiting</b>						
6 midwater trawl	Before the primary whiting season: CLOSED. -- During the primary season: mid-water trawl permitted in the RCA. See §660.131 for season and trip limit details. -- After the primary whiting season: CLOSED.					
7 large & small footrope gear	Before the primary whiting season: 20,000 lb/trip. -- During the primary season: 10,000 lb/trip. -- After the primary whiting season: 10,000 lb/trip.					
8 <b>Cabezon</b>						
9 North of 46°16' N. lat.	Unlimited					
10 46°16' N. lat. - 40°10' N. lat.	50 lb/ month					
11 <b>Shortbelly</b>	Unlimited					
12 <b>Spiny dogfish</b>	60,000 lb/ month					
13 <b>Longnose skate</b>	Unlimited					
14 <b>Other Fish<sup>3/</sup></b>	Unlimited					

**TABLE 1 (North)**

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ The "modified" fathom lines are modified to exclude certain petrale sole areas from the RCA.

3/ "Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (except longnose skate), ratfish, morids, grenadiers, and kelp greenling.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

{Table 1 S: revised at 75 FR 82296, 12/30/2010; revised at 76 FR 27508, 05/11/2011; revised at 76 FR 38313, 6/30/2011; revised at 78 FR 580, 01/03/2013}

**Table 1 (South) to Part 660, Subpart D -- Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for non-IFQ Species and Pacific Whiting South of 40°10' N. Lat.**

This table describes Rockfish Conservation Areas for vessels using groundfish trawl gear. This table describes incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species.

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table

01012013

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>						
<sup>1</sup> South of 40°10' N. lat.	100 fm line <sup>1/</sup> - 150 fm line <sup>1/ 2/</sup>					
<p>Small footrope trawl gear is required shoreward of the RCA; all trawl gear (large footrope, selective flatfish trawl, midwater trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope trawl gear and midwater trawl gear are prohibited shoreward of the RCA. <b>Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry groundfish trawl fishery landing allowances in this table, regardless of the type of fishing gear used. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry fixed gear non-trawl RCA, as described in Tables 1 (North) and 1 (South) to Part 660, Subpart E.</b></p> <p>See § 660.60, § 660.130, and § 660.140 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p> <p>State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.</p>						
<sup>2</sup> <b>Longspine thornyhead</b>						
<sup>3</sup> South of 34°27' N. lat.	24,000 lb/ 2 months					
<sup>4</sup> <b>Minor nearshore rockfish &amp; Black rockfish</b>	300 lb/ month					
<sup>5</sup> <b>Whiting</b>						
<sup>6</sup> midwater trawl	Before the primary whiting season: CLOSED. -- During the primary season: mid-water trawl permitted in the RCA. See §660.131 for season and trip limit details. -- After the primary whiting season: CLOSED.					
<sup>7</sup> large & small footrope gear	Before the primary whiting season: 20,000 lb/trip. -- During the primary season: 10,000 lb/trip. -- After the primary whiting season: 10,000 lb/trip.					
<sup>8</sup> <b>Cabazon</b>	50 lb/ month					
<sup>9</sup> <b>Shortbelly</b>	Unlimited					
<sup>10</sup> <b>Spiny dogfish</b>	60,000 lb/ month					
<sup>11</sup> <b>Longnose skate</b>	Unlimited					
<sup>12</sup> <b>California scorpionfish</b>	Unlimited					
<sup>13</sup> <b>Other Fish<sup>3/</sup></b>	Unlimited					

**TABLE 1 (South)**

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ South of 34°27' N. lat., the RCA is 100 fm line - 150 fm line along the mainland coast; shoreline - 150 fm line around islands.

3/ "Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (excluding longnose skate), ratfish, morids, grenadiers, and kelp greenling.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

{Table 2N revised at 75 FR 82296, 12/30/2010; revised at 76 FR 11381, 03/02/2011; revised at 76 FR 27508, 05/11/2011; revised at 76 FR 38313, 6/30/2011; revised at 76 FR 79122, 12/21/2011; revised at 77 FR 24634, 04/25/2012; revised at 77 FR 47322, 08/08/2012; revised at 78 FR 580, 01/03/2013; revised at 78 FR 49190, 08/13/2013; revised at 78 FR 72586, 12/03/2013}

**Table 2 (North) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear North of 40°10' N. lat.**

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

10/20/13 and 20/14

		NOV-DEC 2013	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC							
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>															
1	North of 46°16' N. lat.	shoreline - 100 fm line <sup>1/</sup>													
2	46°16' N. lat. - 42°00' N. lat.	30 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup>													
3	42°00' N. lat. - 40°10' N. lat.	20 fm depth contour - 100 fm line <sup>1/</sup>													
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).															
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.															
4	<b>Minor slope rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b>	4,000 lb/ 2 months													
5	<b>Pacific ocean perch</b>	1,800 lb/ 2 months													
6	<b>Sablefish</b>	1,850 lb/ week, not to exceed 5,500 lb/ 2 months	950 lb/ week, not to exceed 2,850 lb/ 2 months												
7	<b>Longspine thornyhead</b>	10,000 lb/ 2 months													
8	<b>Shortspine thornyhead</b>	2,500 lb/ 2 months	2,000 lb/ 2 months			2,500 lb/ 2 months									
9	<b>Dover sole</b>	South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line, are not subject to the RCAs.													
10	<b>Arrowtooth flounder</b>								5,000 lb/ month						
11	<b>Petrale sole</b>														
12	<b>English sole</b>														
13	<b>Starry flounder</b>														
14	<b>Other flatfish<sup>3/</sup></b>														
15	<b>Whiting</b>	10,000 lb/ trip													
16	<b>Minor shelf rockfish<sup>2/</sup>, Shortbelly, Widow &amp; Yellowtail rockfish</b>	200 lb/ month													
17	<b>Canary rockfish</b>	CLOSED													
18	<b>Yelloweye rockfish</b>	CLOSED													
19	<b>Minor nearshore rockfish &amp; Black</b>														
20	North of 42°00' N. lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish or blue rockfish <sup>4/</sup>													
21	42°00' N. lat. - 40°10' N. lat.	8,500 lb/ 2 months, of which no more than 1,200 lb of which may be species other than black rockfish													
22	<b>Lingcod<sup>5/</sup></b>	400 lb/ month	CLOS ED	CLOSED			800 lb/ 2 months	400 lb/ month	CLOS ED						
23	<b>Pacific cod</b>	1,000 lb/ 2 months													
24	<b>Spiny dogfish</b>	100,000 lb/ 2 months	200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months									
25	<b>Longnose skate</b>	Unlimited													
26	<b>Other fish<sup>6/</sup></b>	Unlimited													

TABLE 2 (North)

- 1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
  - 2/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish.
  - 3/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
  - 4/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
  - 5/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.
  - 6/ "Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (except longnose skates), ratfish, morids, grenadiers, and kelp greenling. Cabezon are included in the trip limits for "other fish."
- To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.**

{Table 2S revised at 75 FR 82296, 12/30/2010; revised at 76 FR 11381, 03/02/2011; revised at 76 FR 27508, 05/11/2011; revised at 76 FR 38313, 6/30/2011; revised at 76 FR 67092, 10/31/2011; revised at 76 FR 79122, 12/21/2011; revised at 77 FR 24634, 04/25/2012; revised at 77 FR 47322, 08/08/2012; revised at 78 FR 580, 01/03/2013; revised at 78 FR 49190, 08/13/2013; revised at 78 FR 72586, 12/03/2013}

**Table 2 (South) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear South of 40°10' N. lat.**

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

10/20/13 and 20/14

	NOV-DEC 2013	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>							
1	40°10' N. lat. - 34°27' N. lat. 30 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>						
2	South of 34°27' N. lat. 60 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup> (also applies around islands)						
<b>See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</b>							
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.							
3	<b>Minor slope rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b> 40,000 lb/ 2 months, of which no more than 1,375 lb may be blackgill rockfish						
4	<b>Splitnose rockfish</b> 40,000 lb/ 2 months						
5	<b>Sablefish</b>						
6	40°10' N. lat. - 36°00' N. lat.	1,850 lb/ week, not to exceed 5,500 lb/ 2 months	950 lb/ week, not to exceed 2,850 lb/ 2 months				
7	South of 36°00' N. lat.	1,880 lb/ week	2,000 lb/ week				
8	<b>Longspine thornyhead</b> 10,000 lb/ 2 months						
9	<b>Shortspine thornyhead</b>						
10	40°10' N. lat. - 34°27' N. lat.	2,500 lb/ 2 months	2,000 lb/ 2 months		2,500 lb/ 2 months		
11	South of 34°27' N. lat.	3,000 lb/ 2 months					
12	<b>Dover sole</b>						
13	<b>Arrowtooth flounder</b>						
14	<b>Petrale sole</b>						
15	<b>English sole</b>						
16	<b>Starry flounder</b>						
17	<b>Other flatfish<sup>3/</sup></b>						
18	<b>Whiting</b> 10,000 lb/ trip						
19	<b>Minor shelf rockfish<sup>2/</sup>, Shortbelly, Widow rockfish (including Bocaccio and Chilipepper between 40°10' - 34°27' N. lat.)</b>						
20	40°10' N. lat. - 34°27' N. lat.	Minor shelf rockfish, shortbelly, widow rockfish, bocaccio & chilipepper: 2,500 lb/ 2 months, of which no more than 500 lb may be any species other than chilipepper.					
21	South of 34°27' N. lat.	4,000 lb/ 2 months	3,000 lb/ 2 months	CLOSED	3,000 lb/ 2 months	4,000 lb/ 2 months	
22	<b>Chilipepper</b>						
23	40°10' N. lat. - 34°27' N. lat.	Chilipepper included under minor shelf rockfish, shortbelly, widow rockfish and bocaccio limits - - See above					
24	South of 34°27' N. lat.	2,000 lb/ 2 months, this opportunity only available seaward of the non-trawl RCA					
25	<b>Canary rockfish</b> CLOSED						
26	<b>Yelloweye rockfish</b> CLOSED						
27	<b>Cowcod</b> CLOSED						
28	<b>Bronzespotted rockfish</b> CLOSED						
29	<b>Bocaccio</b>						
30	40°10' N. lat. - 34°27' N. lat.	Bocaccio included under Minor shelf rockfish, shortbelly, widow rockfish & chilipepper limits - - See above					
31	South of 34°27' N. lat.	500 lb/ 2 months	300 lb/ 2 months	CLOSED	300 lb/ 2 months	500 lb/ 2 months	

TABLE 2 (South)

Table 2 (South). Continued

	NOV-DEC 2013	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>32 Minor nearshore rockfish &amp; Black rockfish</b>							
33 Shallow nearshore	1,000 lb/ 2 months	600 lb/ 2 months	CLOSED	800 lb/ 2 months	900 lb/ 2 months	800 lb/ 2 months	1,000 lb/ 2 months
34 Deeper nearshore							
35 40°10' N. lat. - 34°27' N. lat.	1,000 lb/ 2 months	700 lb/ 2 months	CLOSED	700 lb/ 2 months	900 lb/ 2 months		1,000 lb/ 2 months
36 South of 34°27' N. lat.		500 lb/ 2 months		600 lb/ 2 months			
37 California scorpionfish	1,200 lb/ 2 months	1,200 lb/ 2 months <sup>6/</sup>	CLOSED	1,200 lb/ 2 months	1,200 lb/ 2 months		
38 Lingcod <sup>4/</sup>	400 lb/ month	CLOSED	CLOSED		800 lb/ 2 months		400 lb/ month
39 Pacific cod	1,000 lb/ 2 months						
40 Spiny dogfish	100,000 lb/ 2 months	200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months		
41 Longnose skate	Unlimited						
42 Other fish <sup>5/</sup>	Unlimited						

**TABLE 2 (South)**

- 1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
- 2/ POP is included in the trip limits for minor slope rockfish. Blackgill rockfish have a species specific trip sub-limit within the minor slope rockfish cumulative limit. Yellowtail rockfish are included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.
- 3/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 4/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.
- 5/ "Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (except longnose skates), ratfish, morids, grenadiers, and kelp greenling. Cabezon and longnose skate are included in the trip limits for "other fish."
- To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.**

{Table 3N revised at 75 FR 82296, 12/30/2010; revised at 76 FR 11381, 03/02/2011; revised at 76 FR 27508, 05/11/2011, revised at 76 FR 38313, 6/30/2011; revised at 76 FR 79122, 12/21/2011; revised at 78 FR 580, 01/03/2013; revised at 78 FR 49190, 08/13/2013; revised at 78 FR 72586, 12/03/2013}

**Table 3 (North) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears North of 40°10' N. lat.**

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

10/20/13 and 2014

	NOV-DEC 2013	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>							
1	North of 46°16' N. lat. shoreline - 100 fm line <sup>1/</sup>						
2	46°16' N. lat. - 42°00' N. lat. 30 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup>						
3	42°00' N. lat. - 40°10' N. lat. 20 fm depth contour - 100 fm line <sup>1/</sup>						
See §§660.60, 660.330 and 660.333 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).							
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.							
4	<b>Minor slope rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b> Per trip, no more than 25% of weight of the sablefish landed						
5	<b>Pacific ocean perch</b> 100 lb/ month						
6	<b>Sablefish</b> 300 lb/ day, or 1 landing per week of up to 1,200 lb, not to exceed 2,400 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 800 lb, not to exceed 1,600 lb/ 2 months						
7	<b>Thornyheads</b> CLOSED						
8	<b>Dover sole</b>						
9	<b>Arrowtooth flounder</b>						
10	<b>Petrale sole</b>						
11	<b>English sole</b>						
12	<b>Starry flounder</b>						
13	<b>Other flatfish<sup>3/</sup></b> South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs.						
14	<b>Whiting</b> 300 lb/ month						
15	<b>Minor shelf rockfish<sup>2/</sup>, Shortbelly, Widow &amp; Yellowtail rockfish</b> 200 lb/ month						
16	<b>Canary rockfish</b> CLOSED						
17	<b>Yelloweye rockfish</b> CLOSED						
18	<b>Minor nearshore rockfish &amp; Black rockfish</b>						
19	North of 42°00' N. lat. 5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish						
20	42°00' N. lat. - 40°10' N. lat. 8,500 lb/ 2 months, of which no more than 1,200 lb may be species other than black rockfish						
21	<b>Lingcod<sup>5/</sup></b> 400 lb/ month CLOSED 400 lb/ month CLOSED						
22	<b>Pacific cod</b> 1,000 lb/ 2 months						
23	<b>Spiny dogfish</b> 100,000 lb/ 2 months 200,000 lb/ 2 months 150,000 lb/ 2 months 100,000 lb/ 2 months						
24	<b>Longnose skate</b> Unlimited						
25	<b>Other fish<sup>6/</sup></b> Unlimited						

TABLE 3 (North)

Table 3 (North). Continued

	NOV-DEC 2013	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	<b>TABLE 3 (North) cont'd</b>	
<b>26 SALMON TROLL</b> (subject to RCAs when retaining all species of groundfish, except for yellowtail rockfish and lingcod, as described below)									
27	North	Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and yellowtail rockfish, and not in addition to that limit. Salmon trollers may retain and land up to 1 lingcod per 15 Chinook per trip, plus 1 lingcod per trip, up to a trip limit of 10 lingcod, on a trip where any fishing occurs within the RCA. This limit only applies during times when lingcod retention is allowed, and is not "CLOSED." This limit is within the per month limit for lingcod described in the table above, and not in addition to that limit. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above, unless otherwise stated here.							
<b>28 PINK SHRIMP NON-GROUNDFISH TRAWL</b> (not subject to RCAs)									
29	North	<b>Effective April 1 - October 31:</b> Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.							

- 1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
  - 2/ Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for minor shelf rockfish. Splitnose rockfish is included in the trip limits for minor slope rockfish.
  - 3/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
  - 4/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
  - 5/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.
  - 6/ "Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (except longnose skates), ratfish, morids, grenadiers, and kelp greenling. Cabezon are included in the trip limits for "other fish."
- To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.**



{Table 3S revised at 75 FR 82296, 12/30/2010; revised at 76 FR 27508, 05/11/2011, revised at 76 FR 38313, 6/30/2011; revised at 76 FR 67092, 10/31/2011; revised at 76 FR 79122, 12/21/2011; revised at 77 FR 63758, 10/17/2012, effective 11/1/2012; revised at 78 FR 49190, 08/13/2013; revised at 78 FR 72586, 12/03/2013}

**Table 3 (South) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears South of 40°10' N. lat.**

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

10/20/13 and 2014

		NOV-DEC 2013	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>								
1	40°10' N. lat. - 34°27' N. lat.	30 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>						
2	South of 34°27' N. lat.	60 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup> (also applies around islands)						
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).								
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.								
3	<b>Minor slope rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b>	10,000 lb/ 2 months, of which no more than 475 lb may be blackgill rockfish						
4	<b>Splitnose rockfish</b>	200 lb/ month						
5	<b>Sablefish</b>							
6	40°10' N. lat. - 36°00' N. lat.	300 lb/ day, or 1 landing per week of up to 1,200 lb, not to exceed 2,400 lb/ 2 months	300 lb/ day, or 1 landing per week of up to 800 lb, not to exceed 1,600 lb/ 2 months					
7	South of 36°00' N. lat.	380 lb/ day, or 1 landing per week of up to 1,800 lb, not to exceed 3,800 lb/ 2 months	300 lb/ day, or 1 landing per week of up to 1,600 lb, not to exceed 3,200 lb/ 2 months					
8	<b>Thornyheads</b>							
9	40°10' N. lat. - 34°27' N. lat.	CLOSED						
10	South of 34°27' N. lat.	50 lb/ day, no more than 1,000 lb/ 2 months						
11	<b>Dover sole</b>	3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs.  South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs.						
12	<b>Arrowtooth flounder</b>							
13	<b>Petrals sole</b>							
14	<b>English sole</b>							
15	<b>Starry flounder</b>							
16	<b>Other flatfish<sup>3/</sup></b>							
17	<b>Whiting</b>	300 lb/ month						
18	<b>Minor shelf rockfish<sup>2/</sup>, Shortbelly, Widow rockfish and Chilipepper</b>							
19	40°10' N. lat. - 34°27' N. lat.	300 lb/ 2 months	CLOSED	200 lb/ 2 months		300 lb/ 2 months		
20	South of 34°27' N. lat.	1,000 lb/ 2 months		750 lb/ 2 months	750 lb/ 2 months	1,000 lb/ 2 months		
21	<b>Canary rockfish</b>	CLOSED						
22	<b>Yelloweye rockfish</b>	CLOSED						
23	<b>Cowcod</b>	CLOSED						
24	<b>Bronzespotted rockfish</b>	CLOSED						
25	<b>Bocaccio</b>							
26	40°10' N. lat. - 34°27' N. lat.	200 lb/ 2 months		CLOSED	100 lb/ 2 months		200 lb/ 2 months	
27	South of 34°27' N. lat.	200 lb/ 2 months	100 lb/ 2 months		100 lb/ 2 months	200 lb/ 2 months		

TABLE 3 (South)

Table 3 (South). Continued

	NOV-DEC 2013	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
28	<b>Minor nearshore rockfish &amp; Black rockfish</b>							
29	Shallow nearshore	1,000 lb/ 2 months	600 lb/ 2 months	CLOSED	800 lb/ 2 months	900 lb/ 2 months	800 lb/ 2 months	1,000 lb/ 2 months
30	Deeper nearshore							
31	40°10' N. lat. - 34°27' N. lat.	1,000 lb/ 2 months	700 lb/ 2 months	CLOSED	700 lb/ 2 months	900 lb/ 2 months	1,000 lb/ 2 months	
32	South of 34°27' N. lat.		500 lb/ 2 months		600 lb/ 2 months			
33	California scorpionfish	1,200 lb/ 2 months		CLOSED	1,200 lb/ 2 months			
34	Lingcod <sup>4/</sup>	400 lb/ month	CLOSED	400 lb/ month			CLOSED	
35	Pacific cod							1,000 lb/ 2 months
36	Spiny dogfish	100,000 lb/ 2 months	200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months		
37	Longnose skate							Unlimited
38	Other fish <sup>5/</sup>							Unlimited
39	<b>RIDGEBACK PRAWN AND, SOUTH OF 38°57.50' N. LAT., CA HALIBUT AND SEA CUCUMBER NON-GROUNDFISH TRAWL</b>							
40	<b>NON-GROUNDFISH TRAWL Rockfish Conservation Area (RCA) for CA Halibut, Sea Cucumber &amp; Ridgeback Prawn:</b>							
41	40° 10' N. lat. - 38° 00' N. lat.	100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>		100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>		100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>		
42	38° 00' N. lat. - 34° 27' N. lat.	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>						
43	South of 34° 27' N. lat.	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup> along the mainland coast; shoreline - 150 fm line <sup>1/</sup> around islands						
44	Groundfish: 300 lb/trip. Species-specific limits described in the table above also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38°57.50' N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, starry flounder, rock sole, curfin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 31).							
45	<b>PINK SHRIMP NON-GROUNDFISH TRAWL GEAR (not subject to RCAs)</b>							
46	South	Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/ month (minimum 24 inch size limit); sablefish 2,000 lb/ month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of all groundfish species count toward the per day, per trip or other species-specific sublimits described here and the species-specific limits described in the table above do not apply. The amount of groundfish landed may not exceed the amount of pink shrimp landed.						

TABLE 3 (South) cont'd

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ POP is included in the trip limits for minor slope rockfish. Blackgill rockfish have a species specific trip sub-limit within the minor slope rockfish cumulative limits. Yellowtail rockfish is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.

3/ "Other flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

5/ "Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (except longnose skate), ratfish, morids, grenadiers, and kelp greenling. Cabezon are included in the trip limits for "other fish."

**To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.**