

SALMON TECHNICAL TEAM

***COLLATION
OF PRELIMINARY
SALMON MANAGEMENT OPTIONS
FOR 2010 OCEAN FISHERIES***

March 9, 2010

TABLE 1. Commercial troll management options collated by the STT for non-Indian ocean salmon fisheries, 2010 (Page 1 of 9)			3/9/2010 4:04 PM
A. SEASON OPTION DESCRIPTIONS			
OPTION I	OPTION II	OPTION III	
North of Cape Falcon	North of Cape Falcon	North of Cape Falcon	
Supplemental Management Information	Supplemental Management Information	Supplemental Management Information	
1. Overall non-Indian TAC: 110,000 Chinook and 120,000 coho marked with a healed adipose fin clip (marked). 2. Non-Indian commercial troll TAC: 55,000 Chinook and 19,200 marked coho. 3. Trade: May be considered at the April Council meeting 4. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.	1. Overall non-Indian TAC: 95,000 Chinook and 110,000 coho marked with a healed adipose fin clip (marked). 2. Non-Indian commercial troll TAC: 47,500 Chinook and 17,600 marked coho. 3. Trade: May be considered at the April Council meeting 4. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.	1. Overall non-Indian TAC: 80,000 Chinook and 70,000 coho marked with a healed adipose fin clip (marked). 2. Non-Indian commercial troll TAC: 40,000 Chinook and 11,200 marked coho. 3. Trade: May be considered at the April Council meeting 4. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.	
U.S./Canada Border to Cape Falcon • May 1 through earlier of June 30 or 41,250 Chinook quota. Seven days per week (C.1). All salmon except coho (C.7). Cape Flattery, Mandatory Yelloweye Rockfish Conservation Area, and Columbia Control Zones closed (C.5). See gear restrictions and definitions (C.2, C.3). An inseason conference call will occur when it is projected that 30,000 Chinook have been landed to consider modifying the open period and adding landing and possession limits to extend the fishery through the end of June.	U.S./Canada Border to Cape Falcon • May 1 through earlier of June 30 or 31,825 Chinook quota. Seven days per week (C.1). All salmon except coho (C.7). Cape Flattery, Mandatory Yelloweye Rockfish Conservation Area, and Columbia Control Zones closed (C.5). See gear restrictions and definitions (C.2, C.3).	U.S./Canada Border to Cape Falcon • May 1 through earlier of June 30 or 26,800 Chinook quota. Seven days per week through May 31; June 1-8, then Saturday through Tuesday thereafter (C.1). Beginning June 1, landing and possession limit of 200 Chinook per vessel per open period. All salmon except coho (C.7). Cape Flattery, Mandatory Yelloweye Rockfish Conservation Area, and Columbia Control Zones closed (C.5). See gear restrictions and definitions (C.2, C.3).	
Oregon State regulations require that fishers south of Cape Falcon, OR intending to fish within this area notify Oregon Department of Fish and Wildlife before transiting the Cape Falcon, OR line (45°46'00" N. lat.) at the following number: 541-867-0300 Ext. 271. Vessels must land and deliver their fish within 24 hours of any closure of this fishery. Under state law, vessels must report their catch on a state fish receiving ticket. Vessels fishing or in possession of salmon while fishing north of Leadbetter Point must land and deliver their fish within the area and north of Leadbetter Point. Vessels fishing or in possession of salmon while fishing south of Leadbetter Point must land and deliver their fish within the area and south of Leadbetter Point, except that Oregon permitted vessels may also land their fish in Garibaldi, Oregon. Oregon State regulations require all fishers landing salmon into Oregon from any fishery between Leadbetter Point, Washington and Cape Falcon, Oregon must notify ODFW within one hour of delivery or prior to transport away from the port of landing by calling 541-867-0300 Ext. 271. Notification shall include vessel name and number, number of salmon by species, port of landing and location of delivery, and estimated time of delivery. Inseason actions may modify harvest guidelines in later fisheries to achieve or prevent exceeding the overall allowable troll harvest impacts (C.8).			

TABLE 1. Commercial troll management options collated by the STT for non-Indian ocean salmon fisheries, 2010 (Page 2 of 9) 3/9/2010 4:04 PM

A. SEASON OPTION DESCRIPTIONS		
OPTION I	OPTION II	OPTION III
<p>U.S./Canada Border to Cape Falcon</p> <ul style="list-style-type: none"> July 1 through earlier of September 14 or 13,750 preseason Chinook guideline (C.8) or a 19,200 marked coho quota (C.8.d). <p>Open July 1-6, then Friday through Tuesday through July 27, then Saturday through Tuesday thereafter. Landing and possession limit of 200 Chinook and 50 coho per vessel per open period north of Leadbetter Point or 200 Chinook and 50 coho south of Leadbetter Point through July 27; 100 Chinook and 50 coho per vessel per open period north of Leadbetter Point or 100 Chinook and 50 coho south of Leadbetter Point thereafter (C.1). All Salmon except no chum retention north of Cape Alava, Washington in August and September (C.7). All coho must be marked (C.8.d). See gear restrictions and definitions (C.2, C.3). Cape Flattery, Mandatory Yelloweye Rockfish Conservation Area, and Columbia Control Zones closed (C.5).</p>	<p>U.S./Canada Border to Cape Falcon</p> <ul style="list-style-type: none"> July 1 through earlier of September 14 or 15,675 preseason Chinook guideline (C.8) or a 17,600 marked coho quota (C.8.d). <p>Open July 1-6, then Saturday through Tuesday thereafter. Landing and possession limit of 200 Chinook and 50 coho per vessel per open period north of Leadbetter Point or 200 Chinook and 50 coho south of Leadbetter Point through July 27; 100 Chinook and 50 coho per vessel per open period north of Leadbetter Point or 100 Chinook and 50 coho south of Leadbetter Point thereafter (C.1). All Salmon except no chum retention north of Cape Alava, Washington in August and September (C.7). All coho must be marked (C.8.d). See gear restrictions and definitions (C.2, C.3). Cape Flattery, Mandatory Yelloweye Rockfish Conservation Area, and Columbia Control Zones closed (C.5).</p>	<p>U.S./Canada Border to Cape Falcon</p> <ul style="list-style-type: none"> July 1 through earlier of September 14 or 13,200 preseason Chinook guideline (C.8) or an 11,200 marked coho quota (C.8.d). <p>Open July 1-7, then Saturday through Tuesday thereafter. Landing and possession limit of 150 Chinook and 50 coho per vessel per open period north of Leadbetter Point or 150 Chinook and 50 coho south of Leadbetter Point (C.1). All Salmon except no chum retention north of Cape Alava, Washington in August and September (C.7). All coho must be marked (C.8.d). Gear restricted to plugs 5 inches or longer; see gear restrictions and definitions (C.2, C.3). Cape Flattery, Mandatory Yelloweye Rockfish Conservation Area, and Columbia Control Zones closed (C.5).</p>
<p>Oregon State regulations require that fishers south of Cape Falcon, OR intending to fish within this area notify Oregon Department of Fish and Wildlife before transiting the Cape Falcon, OR line (45°46'00" N. lat.) at the following number: 541-867-0300 Ext. 271. Vessels must land and deliver their fish within 24 hours of any closure of this fishery. Under state law, vessels must report their catch on a state fish receiving ticket. Vessels fishing or in possession of salmon while fishing north of Leadbetter Point must land and deliver their fish within the area and north of Leadbetter Point. Vessels fishing or in possession of salmon while fishing south of Leadbetter Point must land and deliver their fish within the area and south of Leadbetter Point, except that Oregon permitted vessels may also land their fish in Garibaldi, Oregon. Oregon State regulations require all fishers landing salmon into Oregon from any fishery between Leadbetter Point, Washington and Cape Falcon, Oregon must notify ODFW within one hour of delivery or prior to transport away from the port of landing by calling 541-867-0300 Ext. 271. Notification shall include vessel name and number, number of salmon by species, port of landing and location of delivery, and estimated time of delivery. Inseason actions may modify harvest guidelines in later fisheries to achieve or prevent exceeding the overall allowable troll harvest impacts (C.8).</p>		

TABLE 1. Commercial troll management options collated by the STT for non-Indian ocean salmon fisheries, 2010 (Page 3 of 9)			3/9/2010 4:04 PM
A. SEASON OPTION DESCRIPTIONS			
OPTION I	OPTION II	OPTION III	
South of Cape Falcon	South of Cape Falcon	South of Cape Falcon	
Supplemental Management Information	Supplemental Management Information	Supplemental Management Information	
<ol style="list-style-type: none"> 1. Sacramento River Basin recreational fishery catch assumption: 14.1% harvest rate (23,956) adult Sacramento River fall Chinook. 2. Sacramento River fall Chinook spawning escapement of 145,943 adults. 3. Klamath River recreational fishery allocation: 8,795 adult Klamath River fall Chinook. 4. Klamath tribal allocation: 35,194 adult Klamath River fall Chinook. 5. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the California Fish and Game Commission. 	<ol style="list-style-type: none"> 1. Sacramento River Basin recreational fishery catch assumption: 14.1% harvest rate (20,768) adult Sacramento River fall Chinook. 2. Sacramento River fall Chinook spawning escapement of 126,520 adults. 3. Klamath River recreational fishery allocation: 6,877 adult Klamath River fall Chinook. 4. Klamath tribal allocation: 45,845 adult Klamath River fall Chinook. 5. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the California Fish and Game Commission. 	<ol style="list-style-type: none"> 1. Sacramento River Basin recreational fishery catch assumption: closed. 2. Sacramento River fall Chinook spawning escapement of 230,505 adults. 3. Klamath River recreational fishery allocation: 25,424 adult Klamath River fall Chinook. 4. Klamath tribal allocation: 32,218 adult Klamath River fall Chinook. 5. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the California Fish and Game Commission. 	
<p>Cape Falcon to Humbug Mt.</p> <ul style="list-style-type: none"> • April 15-August 29; September 1-30 (C.9). <p>All salmon except coho; landing and possession limit of 100 Chinook per vessel per calendar week in September (C.7). All vessels fishing in the area must land their fish in the State of Oregon. See gear restrictions and definitions (C.2, C.3) and Oregon State regulations for a description of special regulations at the mouth of Tillamook Bay.</p> <p>In 2011, the season will open March 15 for all salmon except coho. This opening could be modified following Council review at its March 2011 meeting.</p>	<p>Cape Falcon to Humbug Mt.</p> <ul style="list-style-type: none"> • May 1-August 25 (C.9). <p>All salmon except coho (C.7). All vessels fishing in the area must land their fish in the State of Oregon. See gear restrictions and definitions (C.2, C.3) and Oregon State regulations for a description of special regulations at the mouth of Tillamook Bay.</p> <ul style="list-style-type: none"> • August 26-September 30 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p> <p>In 2011, same as Option I</p>	<p>Cape Falcon to Humbug Mt.</p> <ul style="list-style-type: none"> • May 1-June 30; August 1-25 (C.9). <p>All salmon except coho (C.7). All vessels fishing in the area must land their fish in the State of Oregon. See gear restrictions and definitions (C.2, C.3) and Oregon State regulations for a description of special regulations at the mouth of Tillamook Bay.</p> <ul style="list-style-type: none"> • July 1-31; August 26-September 30 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p> <p>In 2011, same as Option I</p>	

A. SEASON OPTION DESCRIPTIONS		
OPTION I	OPTION II	OPTION III
<p>Humbug Mt. to OR/CA Border (Oregon KMZ)</p> <ul style="list-style-type: none"> • April 15-May 31; • June 1 through earlier of June 30, or a 1,200 Chinook quota; • July 1 through earlier of July 31, or a 1,200 Chinook quota; • Aug. 1 through earlier of Aug. 31, or a 1,200 Chinook quota (C.9) <p>All salmon except coho (C.7). Chinook 28 inch total length minimum size limit (B). Prior to May 31, landing and possession limit of 100 Chinook per vessel per calendar week; all vessels fishing in the area must land their fish in the area or Port Orford. June 1 through August 31, landing and possession limit of 30 Chinook per vessel per day and 90 Chinook per vessel per calendar week; all vessels fishing in this area must land and deliver all fish within this area or Port Orford, within 24 hours of any closure in this fishery, and prior to fishing outside of this area. Oregon State regulations require all fishers landing salmon from any quota managed season within this area to notify Oregon Dept. of Fish and Wildlife (ODFW) within 1 hour of delivery or prior to transport away from the port of landing by calling (541) 867-0300 ext. 252. Notification shall include vessel name and number, number of salmon by species, port of landing and location of delivery, and estimated time of delivery. See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> • September 1-30 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p> <p>In 2011, the season will open March 15 for all salmon except coho, with a 28 inch Chinook minimum size limit. This opening could be modified following Council review at its March 2011 meeting.</p>	<p>Humbug Mt. to OR/CA Border (Oregon KMZ)</p> <ul style="list-style-type: none"> • May 1-31; • June 1 through earlier of June 30, or a 800 Chinook quota; • July 1 through earlier of July 31, or a 800 Chinook quota; • Aug. 1 through earlier of Aug. 31, or a 800 Chinook quota (C.9) <p>All salmon except coho (C.7). Chinook 28 inch total length minimum size limit (B). Prior to June 1, all fish caught in this area must be landed and delivered in the State of Oregon. June 1 through August 31, landing and possession limit of 30 Chinook per vessel per day and 90 Chinook per vessel per calendar week; all vessels fishing in this area must land and deliver all fish within this area or Port Orford, within 24 hours of any closure in this fishery, and prior to fishing outside of this area. Oregon State regulations require all fishers landing salmon from any quota managed season within this area to notify Oregon Dept. of Fish and Wildlife (ODFW) within 1 hour of delivery or prior to transport away from the port of landing by calling (541) 867-0300 ext. 252. Notification shall include vessel name and number, number of salmon by species, port of landing and location of delivery, and estimated time of delivery. See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> • September 1-30 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p> <p>In 2011, same as Option I</p>	<p>Humbug Mt. to OR/CA Border (Oregon KMZ)</p> <ul style="list-style-type: none"> • June 1 through earlier of June 30, or a 800 Chinook quota; • July 1 through earlier of July 31, or a 800 Chinook quota (C.9) <p>All salmon except coho (C.7). Chinook 28 inch total length minimum size limit (B). Landing and possession limit of 30 Chinook per vessel per day and 90 Chinook per vessel per calendar week; all vessels fishing in this area must land and deliver all fish within this area or Port Orford, within 24 hours of any closure in this fishery, and prior to fishing outside of this area. State regulations require fishers intending to transport and deliver their catch to other locations after first landing in one of these ports notify ODFW prior to transport away from the port of landing by calling 541-867-0300 Ext. 252, with vessel name and number, number of salmon by species, location of delivery, and estimated time of delivery. See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> • May 1-31; August 1 through September 30 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p> <p>In 2011, same as Option I</p>

TABLE 1. Commercial troll management options collated by the STT for non-Indian ocean salmon fisheries, 2010 (Page 4 of 9)

TABLE 1. Commercial troll management options collated by the STT for non-Indian ocean salmon fisheries, 2010 (Page 5 of 9)			3/9/2010 4:04 PM
A. SEASON OPTION DESCRIPTIONS			
OPTION I	OPTION II	OPTION III	
<p>OR/CA Border to Humboldt South Jetty (California KMZ)</p> <ul style="list-style-type: none"> September 15 through earlier of September 30, or 7,500 Chinook quota (C.9). <p>All salmon except coho (C.7). Chinook minimum size limit of 28 inches total length. Landing and possession limit of 30 fish per vessel per day; all fish caught in this area must be landed within the area. See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3). Klamath Control Zone closed (C.5.e). See California State regulations for additional closures adjacent to the Smith and Klamath rivers. When the fishery is closed between the OR/CA border and Humbug Mt. and open to the south, vessels with fish on board caught in the open area off California may seek temporary mooring in Brookings, Oregon prior to landing in California only if such vessels first notify the Chetco River Coast Guard Station via VHF channel 22A between the hours of 0500 and 2200 and provide the vessel name, number of fish on board, and estimated time of arrival.</p> <ul style="list-style-type: none"> May 1 through September 14 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>	<p>OR/CA Border to Humboldt South Jetty (California KMZ)</p> <ul style="list-style-type: none"> September 15 through earlier of September 30, or 3,000 Chinook quota (C.9). <p>All salmon except coho (C.7). Chinook minimum size limit of 28 inches total length. Landing and possession limit of 20 fish per vessel per day; all fish caught in this area must be landed within the area. See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3). Klamath Control Zone closed (C.5.e). See California State regulations for additional closures adjacent to the Smith and Klamath rivers. When the fishery is closed between the OR/CA border and Humbug Mt. and open to the south, vessels with fish on board caught in the open area off California may seek temporary mooring in Brookings, Oregon prior to landing in California only if such vessels first notify the Chetco River Coast Guard Station via VHF channel 22A between the hours of 0500 and 2200 and provide the vessel name, number of fish on board, and estimated time of arrival.</p> <ul style="list-style-type: none"> May 1 through September 14 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>	<p>OR/CA Border to U.S./Mexico Border</p> <ul style="list-style-type: none"> May 1 through September 30 (C.9) <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>	
<p>Humboldt South Jetty to Horse Mt. Closed.</p>	<p>Humboldt South Jetty to Horse Mt. Closed.</p>	<p>Humboldt South Jetty to Horse Mt. Closed.</p>	
<p>Horse Mt. to Point Arena (Fort Bragg)</p> <ul style="list-style-type: none"> July 15 through August 29; September 1-30 (C.9) <p>All salmon except coho (C.7). Chinook minimum size limit of 27 inches total length (B). All vessels fishing in the area must land their fish in the area; all fish must be offloaded within 24 hours of the August 29 closure (C1). See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> May 1 through July 14 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>	<p>Horse Mt. to Point Arena (Fort Bragg)</p> <ul style="list-style-type: none"> July 15 through August 29; September 1-30 (C.9) <p>All salmon except coho (C.7). Chinook minimum size limit of 27 inches total length (B). All vessels fishing in the area after September 14 must land their fish south of Horse Mt.; all fish must be offloaded within 24 hours of the August 29 closure (C1). See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> May 1 through July 14 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>	<p>Horse Mt. to Point Arena (Fort Bragg)</p> <ul style="list-style-type: none"> May 1 through September 30 (C.9) <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>	

TABLE 1. Commercial troll management options collated by the STT for non-Indian ocean salmon fisheries, 2010 (Page 6 of 9)		
A. SEASON OPTION DESCRIPTIONS		
OPTION I	OPTION II	OPTION III
<p>Pt. Arena to Pigeon Pt. (San Francisco)</p> <ul style="list-style-type: none"> July 15 through August 29; September 1-30 (C.9) <p>All salmon except coho (C.7). Chinook minimum size limit of 27 inches total length (B). All fish must be offloaded within 24 hours of the August 29 closure (C.1). See gear restrictions and definitions (C.2, C.3).</p> <p>Pt. Reyes to Pt. San Pedro (Fall Area Target Zone)</p> <ul style="list-style-type: none"> October 4-13. <p>Open Monday through Friday. All salmon except coho (C.1). Chinook minimum size limit of 27 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> May 1 through July 14 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>	<p>Pt. Arena to Pigeon Pt. (San Francisco)</p> <ul style="list-style-type: none"> June 15 through August 29; September 1-30 (C.9) <p>All salmon except coho (C.7). Chinook minimum size limit of 27 inches total length (B). All fish must be offloaded within 24 hours of the August 29 closure (C.1). See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> May 1 through June 14 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>	<p>Pt. Arena to Pigeon Pt. (San Francisco)</p> <ul style="list-style-type: none"> May 1 through September 30 (C.9) <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>
<p>Pigeon Pt. to U.S./Mexico Border (Monterey)</p> <ul style="list-style-type: none"> May 9-31; July 15 through August 29; September 1-30 (C.9) <p>All salmon except coho (C.7). Chinook minimum size limit of 27 inches total length (B). All fish must be offloaded within 24 hours of the August 29 closure (C.1). See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> June 1 through July 14 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>	<p>Pigeon Pt. to U.S./Mexico Border (Monterey)</p> <ul style="list-style-type: none"> May 1-31 (C.9) <p>All salmon except coho (C.7). Chinook minimum size limit of 27 inches total length (B, C.1). See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> June 1 through September 30 <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>	<p>Pigeon Pt. to U.S./Mexico Border (Monterey)</p> <ul style="list-style-type: none"> May 1 through September 30 (C.9) <p>Sufficient impacts to conduct experimental genetic stock identification study. All salmon must be released in good condition after collection of biological samples.</p>

TABLE 1. Commercial troll management options collated by the STT for non-Indian ocean salmon fisheries, 2010 (Page 7 of 9)	3/9/2010 4:04 PM
B. MINIMUM SIZE (Inches) (See C.1)	

Area (when open)	Chinook		Coho		Pink
	Total Length	Head-off	Total Length	Head-off	
North of Cape Falcon	28.0	21.5	16.0	12.0	None
Cape Falcon to Horse Mt.	28.0	21.5	-	-	None
Horse Mt. to U.S./Mexico Border	27.0	20.5	-	-	None

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.1. Compliance with Minimum Size or Other Special Restrictions: All salmon on board a vessel must meet the minimum size, landing/possession limit, or other special requirements for the area being fished and the area in which they are landed if the area is open. Salmon may be landed in an area that has been closed more than 96 hours only if they meet the minimum size, landing/possession limit, or other special requirements for the area in which they were caught. Salmon may be landed in an area that has been closed less than 96 hours only if they meet the minimum size, landing/possession limit, or other special requirements for the areas in which they were caught and landed.

States may require fish landing/receiving tickets be kept on board the vessel for 90 days after landing to account for all previous salmon landings.

C.2. Gear Restrictions:

- a. Salmon may be taken only by hook and line using single point, single shank, barbless hooks.
- b. Cape Falcon, Oregon, to the OR/CA border: No more than 4 spreads are allowed per line.
- c. OR/CA border to U.S./Mexico border: No more than 6 lines are allowed per vessel, and barbless circle hooks are required when fishing with bait by any means other than trolling.

C.3. Gear Definitions:

Trolling defined: Fishing from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.

Troll fishing gear defined: One or more lines that drag hooks behind a moving fishing vessel. In that portion of the fishery management area (FMA) off Oregon and Washington, the line or lines must be affixed to the vessel and must not be intentionally disengaged from the vessel at any time during the fishing operation.

Spread defined: A single leader connected to an individual lure or bait.

Circle hook defined: A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.

C.4. Transit Through Closed Areas with Salmon on Board: It is unlawful for a vessel to have troll or recreational gear in the water while transiting any area closed to fishing for a certain species of salmon, while possessing that species of salmon; however, fishing for species other than salmon is not prohibited if the area is open for such species, and no salmon are in possession.

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS (continued)**C.5. Control Zone Definitions:**

- a. *Cape Flattery Control Zone* - The area from Cape Flattery (48°23'00" N. lat.) to the northern boundary of the U.S. EEZ; and the area from Cape Flattery south to Cape Alava (48°10'00" N. lat.) and east of 125°05'00" W. long.
- b. *Mandatory Yelloweye Rockfish Conservation Area* – The area in Washington Marine Catch Area 3 from 48°00.00' N. lat.; 125°14.00' W. long. to 48°02.00' N. lat.; 125°14.00' W. long. to 48°02.00' N. lat.; 125°16.50' W. long. to 48°00.00' N. lat.; 125°16.50' W. long. and connecting back to 48°00.00' N. lat.; 125°14.00' W. long.
- c. *Columbia Control Zone* - An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09" N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°15'48" N. lat., 124°05'20" W. long.), and then along the north jetty to the point of intersection with the Buoy #10 line; and, on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line.
- d. *Bandon High Spot Control Zone* - The area west of a line between 43°07'00" N. lat.; 124°37'00" W. long. and 42°40'30" N. lat; 124° 52'0" W. long. extending to the western edge of the exclusive economic zone (EEZ).
- e. *Klamath Control Zone* - The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately six nautical miles north of the Klamath River mouth); on the west, by 124°23'00" W. long. (approximately 12 nautical miles off shore); and on the south, by 41°26'48" N. lat. (approximately six nautical miles south of the Klamath River mouth).

C.6. Notification When Unsafe Conditions Prevent Compliance with Regulations: If prevented by unsafe weather conditions or mechanical problems from meeting special management area landing restrictions, vessels must notify the U.S. Coast Guard and receive acknowledgment of such notification prior to leaving the area. This notification shall include the name of the vessel, port where delivery will be made, approximate amount of salmon (by species) on board, and the estimated time of arrival.

C.7. Incidental Halibut Harvest: During authorized periods, the operator of a vessel that has been issued an incidental halibut harvest license may retain Pacific halibut caught incidentally in Area 2A while trolling for salmon. Halibut retained must be no less than 32 inches in total length, measured from the tip of the lower jaw with the mouth closed to the extreme end of the middle of the tail, and must be landed with the head on. License applications for incidental harvest must be obtained from the International Pacific Halibut Commission (phone: 206-634-1838). Applicants must apply prior to April 1 of each year. Incidental harvest is authorized only during May and June troll seasons and after June 30 if quota remains and if announced on the NMFS hotline (phone: 800-662-9825). ODFW and Washington Department of Fish and Wildlife (WDFW) will monitor landings. If the landings are projected to exceed the 25,035 pound preseason allocation or the total Area 2A non-Indian commercial halibut allocation, NMFS will take inseason action to prohibit retention of halibut in the non-Indian salmon troll fishery.

Option I: Beginning May 1, license holders may land no more than one Pacific halibut per each 2 Chinook, except one Pacific halibut may be landed without meeting the ratio requirement, and no more than 35 halibut may be landed per trip. Pacific halibut retained must be no less than 32 inches in total length (with head on).

Options II and III: Beginning May 1, license holders may land no more than one Pacific halibut per each 3 Chinook, except one Pacific halibut may be landed without meeting the ratio requirement, and no more than 35 halibut may be landed per trip. Pacific halibut retained must be no less than 32 inches in total length (with head on).

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS (continued)

A "C-shaped" yelloweye rockfish conservation area is an area to be voluntarily avoided for salmon trolling. NMFS and the Council request salmon trollers voluntarily avoid this area in order to protect yelloweye rockfish. The area is defined in the Pacific Council Halibut Catch Sharing Plan in the North Coast subarea (Washington marine area 3), with the following coordinates in the order listed:

- 48°18' N. lat.; 125°18' W. long.;
- 48°18' N. lat.; 124°59' W. long.;
- 48°11' N. lat.; 124°59' W. long.;
- 48°11' N. lat.; 125°11' W. long.;
- 48°04' N. lat.; 125°11' W. long.;
- 48°04' N. lat.; 124°59' W. long.;
- 48°00' N. lat.; 124°59' W. long.;
- 48°00' N. lat.; 125°18' W. long.;
- and connecting back to 48°18' N. lat.; 125°18' W. long.

C.8. Inseason Management: In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:

- a. Chinook remaining from the May through June non-Indian commercial troll harvest guideline north of Cape Falcon may be transferred to the July through September harvest guideline on a fishery impact equivalent basis.
- b. NMFS may transfer fish between the recreational and commercial fisheries north of Cape Falcon on a fishery impact equivalent basis if there is agreement among the areas' representatives on the Salmon Advisory Subpanel (SAS).
- c. At the March 2011 meeting, the Council will consider inseason recommendations for special regulations for any experimental fisheries (proposals must meet Council protocol and be received in November 2010).
- d. If retention of unmarked coho is permitted by inseason action, the allowable coho quota will be adjusted to ensure preseason projected mortality of critical stocks is not exceeded.
- e. Landing limits may be modified inseason to sustain season length and keep harvest within overall quotas.

C.9. State Waters Fisheries: Consistent with Council management objectives:

- a. The State of Oregon may establish additional late-season fisheries in state waters.
- b. The State of California may establish limited fisheries in selected state waters.

Check state regulations for details.

C.10. For the purposes of California Department of Fish and Game (CDFG) Code, Section 8232.5, the definition of the Klamath Management Zone (KMZ) for the ocean salmon season shall be that area from Humbug Mt., Oregon, to Horse Mt., California.

TABLE 2. Recreational management options collated by the STT for non-Indian ocean salmon fisheries, 2010. (Page 1 of 8)			3/9/2010 4:05 PM
A. SEASON OPTION DESCRIPTIONS			
OPTION I	OPTION II	OPTION III	
North of Cape Falcon	North of Cape Falcon	North of Cape Falcon	
Supplemental Management Information	Supplemental Management Information	Supplemental Management Information	
<p>1. Overall non-Indian TAC: 110,000 Chinook and 120,000 coho marked with a healed adipose fin clip (marked).</p> <p>2. Recreational TAC: 55,000 Chinook and 100,800 marked coho; all retained coho must be marked.</p> <p>3. Trade: May be considered at the April Council meeting.</p> <p>4. No Area 4B add-on fishery.</p> <p>5. Buoy 10 fishery opens Aug. 1 with an expected landed catch of 10,000 marked coho in August and September.</p> <p>6. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p>	<p>1. Overall non-Indian TAC: 95,000 Chinook and 110,000 coho marked with a healed adipose fin clip (marked).</p> <p>2. Recreational TAC: 47,500 Chinook and 92,400 marked coho; all retained coho must be marked.</p> <p>3. Trade: May be considered at the April Council meeting.</p> <p>4. No Area 4B add-on fishery.</p> <p>5. Buoy 10 fishery opens Aug. 1 with an expected landed catch of 15,000 marked coho in August and September.</p> <p>6. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p>	<p>1. Overall non-Indian TAC: 80,000 Chinook and 70,000 coho marked with a healed adipose fin clip (marked).</p> <p>2. Recreational TAC: 40,000 Chinook and 58,800 marked coho; all retained coho must be marked.</p> <p>3. Trade: May be considered at the April Council meeting.</p> <p>4. Area 4B add-on fishery of with a quota of 4,000 marked coho following the closure of the Neah Bay fishery (C.6).</p> <p>5. Buoy 10 fishery opens Aug. 1 with an expected landed catch of 20,000 marked coho in August and September.</p> <p>6. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p>	
<p>U.S./Canada Border to Cape Falcon</p> <ul style="list-style-type: none"> June 12 through earlier of June 30 or a marked Chinook quota of 19,000 (equivalent to an 8,000 non-selective Chinook quota) (C.5). <p>Seven days per week. Two fish per day, all salmon except coho, all Chinook must be marked with a healed adipose fin clip (C.1). Chinook 24-inch total length minimum size limit (B). See gear restrictions (C.2). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>U.S./Canada Border to Cape Falcon</p> <ul style="list-style-type: none"> June 19 through earlier of June 30 (July 1 for Queets River to Leadbetter Point [Westport] Subarea) or a non-selective Chinook quota of 7,000 (C.5). <p>Seven days per week. Two fish per day, all salmon except coho (C.1). Chinook 24-inch total length minimum size limit (B). See gear restrictions (C.2). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>		
<p>U.S./Canada Border to Cape Alava (Neah Bay)</p> <ul style="list-style-type: none"> July 1 through earlier of September 19 or 10,480 marked coho subarea quota with a subarea guideline of 5,200 Chinook (C.5). <p>Seven days per week. All salmon except no chum beginning August 1. Two fish per day, only one of which can be a Chinook; there will be a conference call no later than July 14 to consider removing the one Chinook bag limit restriction. All retained coho must be marked (C.1). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>U.S./Canada Border to Cape Alava (Neah Bay)</p> <ul style="list-style-type: none"> July 1 through earlier of September 12 or 9,610 marked coho subarea quota with a subarea guideline of 4,500 Chinook (C.5). <p>Tuesday through Saturday; there will be a conference call no later than July 14 to consider a seven day per week season. All salmon except no chum beginning August 1. Two fish per day, only one of which can be a Chinook All retained coho must be marked (C.1). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>U.S./Canada Border to Cape Alava (Neah Bay)</p> <ul style="list-style-type: none"> June 29 through earlier of September 19 or 5,370 marked coho subarea quota with a subarea guideline of 4,400 Chinook (C.5). <p>Tuesday through Saturday. All salmon except no chum beginning August 1. Two fish per day. All retained coho must be marked (C.1). See gear restrictions (C.2). Beginning August 1, Chinook non-retention east of the Bonilla-Tatoosh line (C.4.a) during Council managed ocean fishery. Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	

TABLE 2. Recreational management options collated by the STT for non-Indian ocean salmon fisheries, 2010. (Page 2 of 8)			3/9/2010 4:05 PM
A. SEASON OPTION DESCRIPTIONS			
OPTION I	OPTION II	OPTION III	
<p>Cape Alava to Queets River (La Push Subarea)</p> <ul style="list-style-type: none"> July 1 through earlier of September 19 or 2,570 marked coho subarea quota with a subarea guideline of 2,300 Chinook (C.5). September 25 through earlier of October 10 or 50 marked coho quota or 100 Chinook quota (C.5) in the area north of 47°50'00" N. lat. and south of 48°00'00" N. lat. <p>Seven days per week. All salmon, two fish per day, only one of which can be a Chinook; there will be a conference call no later than July 14 to consider removing the one Chinook bag limit restriction. All retained coho must be marked (C.1). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>Cape Alava to Queets River (La Push Subarea)</p> <ul style="list-style-type: none"> July 1 through earlier of September 12 or 2,350 marked coho subarea quota with a subarea guideline of 2,000 Chinook (C.5). <p>Tuesday through Saturday; there will be a conference call no later than July 14 to consider a seven day per week season. All salmon, two fish per day, only one of which can be a Chinook.</p> <ul style="list-style-type: none"> September 18 through earlier of October 3 or 50 marked coho quota or 100 Chinook quota (C.5) in the area north of 47°50'00" N. lat. and south of 48°00'00" N. lat. <p>Seven days per week, all salmon, two fish per day.</p> <p>All retained coho must be marked (C.1). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>Cape Alava to Queets River (La Push Subarea)</p> <ul style="list-style-type: none"> June 29 through earlier of September 19 or 1,580 marked coho subarea quota with a subarea guideline of 1,900 Chinook (C.5). <p>Tuesday through Saturday. All salmon, two fish per day. All retained coho must be marked (C.1). See gear restrictions (C.2). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	
<p>Queets River to Leadbetter Point (Westport Subarea)</p> <ul style="list-style-type: none"> July 1 through earlier of September 19 or 37,300 marked coho subarea quota with a subarea guideline of 26,900 Chinook (C.5). <p>Seven days per week. All salmon, two fish per day, only one of which can be a Chinook; there will be a conference call no later than July 14 to consider removing the one Chinook bag limit restriction. All retained coho must be marked (C.1). See gear restrictions and definitions (C.2, C.3). Grays Harbor Zone closed beginning August 1 (C.4.b). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>Queets River to Leadbetter Point (Westport Subarea)</p> <ul style="list-style-type: none"> July 4 through earlier of September 12 or 34,190 marked coho subarea quota with a subarea guideline of 23,100 Chinook (C.5). <p>Sunday through Thursday through July 29, seven days per week thereafter. All salmon, two fish per day, no more than one of which can be a Chinook. All retained coho must be marked (C.1). See gear restrictions and definitions (C.2, C.3). Grays Harbor Zone closed beginning August 1 (C.4.b). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>Queets River to Leadbetter Point (Westport Subarea)</p> <ul style="list-style-type: none"> June 27 through earlier of September 19 or 22,450 marked coho subarea quota with a subarea guideline of 22,900 Chinook (C.5). <p>Sunday through Thursday. All salmon, two fish per day. All retained coho must be marked (C.1). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	

TABLE 2. Recreational management options collated by the STT for non-Indian ocean salmon fisheries, 2010. (Page 3 of 8)			3/9/2010 4:05 PM
A. SEASON OPTION DESCRIPTIONS			
<p>Leadbetter Point to Cape Falcon (Columbia River Subarea)</p> <ul style="list-style-type: none"> July 1 through earlier of September 30 or 50,400 marked coho subarea quota with a subarea guideline of 12,500 Chinook (C.5). <p>Seven days per week. All salmon, two fish per day, only one of which can be a Chinook; there will be a conference call no later than July 14 to consider removing the one Chinook bag limit restriction. All retained coho must be marked (C.1). See gear restrictions and definitions (C.2, C.3). Columbia Control Zone closed (C.4.c). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>Leadbetter Point to Cape Falcon (Columbia River Subarea)</p> <ul style="list-style-type: none"> July 1 through earlier of September 30 or 46,200 marked coho subarea quota with a subarea guideline of 10,800 Chinook (C.5). <p>Seven days per week. All salmon, two fish per day, only one of which can be a Chinook. All retained coho must be marked (C.1). See gear restrictions and definitions (C.2, C.3). Columbia Control Zone closed (C.4.c). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>Leadbetter Point to Cape Falcon (Columbia River Subarea)</p> <ul style="list-style-type: none"> June 27 through earlier of September 30 or 29,400 marked coho subarea quota with a subarea guideline of 10,700 Chinook (C.5). <p>Seven days per week. All salmon, two fish per day. All retained coho must be marked (C.1). See gear restrictions and definitions (C.2, C.3). Columbia Control Zone closed (C.4.c). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	

TABLE 2. Recreational management options collated by the STT for non-Indian ocean salmon fisheries, 2010. (Page 4 of 8)			3/9/2010 4:05 PM
A. SEASON OPTION DESCRIPTIONS			
South of Cape Falcon	South of Cape Falcon	South of Cape Falcon	
OPTION I	OPTION II	OPTION III	
<ol style="list-style-type: none"> 1. Sacramento River Basin recreational fishery catch assumption: 14.1% harvest rate (23,956) adult Sacramento River fall Chinook. 2. Sacramento River fall Chinook spawning escapement of 145,943 adults. 3. Klamath River recreational fishery allocation: 8,795 adult Klamath River fall Chinook. 4. Klamath tribal allocation: 35,194 adult Klamath River fall Chinook. 5. Overall recreational TAC: 40,000 marked coho. 6. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the California Fish and Game Commission. 	<ol style="list-style-type: none"> 1. Sacramento River Basin recreational fishery catch assumption: 14.1% harvest rate (20,768) adult Sacramento River fall Chinook. 2. Sacramento River fall Chinook spawning escapement of 126,520 adults. 3. Klamath River recreational fishery allocation: 6,877 adult Klamath River fall Chinook. 4. Klamath tribal allocation: 45,845 adult Klamath River fall Chinook. 5. Overall recreational TAC: 40,000 marked coho. 6. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the California Fish and Game Commission. 	<ol style="list-style-type: none"> 1. Sacramento River Basin recreational fishery catch assumption: closed. 2. Sacramento River fall Chinook spawning escapement of 230,505 adults. 3. Klamath River recreational fishery allocation: 25,424 adult Klamath River fall Chinook. 4. Klamath tribal allocation: 32,218 adult Klamath River fall Chinook. 5. Overall recreational TAC: 40,000 marked coho. 6. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the California Fish and Game Commission. 	
<p>Cape Falcon to Humbug Mt.</p> <ul style="list-style-type: none"> • Except as provided below during the all-salmon mark-selective coho fishery, the season will be May 1 through October 31 (C.6). <p>All salmon except coho; two fish per day (C.1). See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> • All-salmon mark-selective coho fishery: Cape Falcon to OR/CA Border: June 26 through earlier of Sept. 6 or a landed catch of 40,000 marked coho. The all salmon except coho season reopens the earlier of September 7 or attainment of the coho quota. <p>Seven days per week. All salmon, two fish per day. All retained coho must be marked (C.1). Fishing in the Stonewall Bank groundfish conservation area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 for specific dates) (C.3.b, C.4.d). Open days may be adjusted inseason to utilize the available quota (C.5).</p> <p>In 2011, the season between Cape Falcon and Humbug Mt. will open March 15 for all salmon except coho, two fish per day (B, C.1, C.2, C.3).</p>	<p>Cape Falcon to Humbug Mt.</p> <ul style="list-style-type: none"> • Except as provided below during the all-salmon mark-selective coho fishery, the season will be May 1 through September 6 (C.6). <p>All salmon except coho; two fish per day (C.1). See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> • All-salmon mark-selective coho fishery: Cape Falcon to OR/CA Border: June 26 through earlier of Sept. 6 or a landed catch of 35,000 marked coho. The all salmon except coho season may reopen upon attainment of the coho quota. <p>Open seven days per week, all salmon, two fish per day. All retained coho must be marked (C.1). Fishing in the Stonewall Bank groundfish conservation area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 for specific dates) (C.3.b, C.4.d). Open days may be adjusted inseason to utilize the available quota (C.5).</p> <p>In 2011, same as Option I</p>	<p>Cape Falcon to Humbug Mt.</p> <ul style="list-style-type: none"> • Except as provided below during the all-salmon mark-selective coho fishery, the season will be June 26 through August 31 (C.6). <p>All salmon except coho; two fish per day (C.1). See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> • All-salmon mark-selective coho fishery: Cape Falcon to OR/CA Border: The season will open June 26 north of Humbug Mt. and July 3 south of Humbug Mt., and continue through the earlier of August 31 or a landed catch of 30,000 marked coho. The all salmon except coho season may reopen upon attainment of the coho quota. <p>Open seven days per week, all salmon, two fish per day. All retained coho must be marked (C.1). Fishing in the Stonewall Bank groundfish conservation area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 for specific dates) (C.3.b, C.4.d). Open days may be adjusted inseason to utilize the available quota (C.5).</p> <ul style="list-style-type: none"> • In 2011, same as Option I 	

TABLE 2. Recreational management options collated by the STT for non-Indian ocean salmon fisheries, 2010. (Page 5 of 8)			3/9/2010 4:05 PM
A. SEASON OPTION DESCRIPTIONS			
OPTION I	OPTION II	OPTION III	
<p>Humbug Mt. to OR/CA Border. (Oregon KMZ)</p> <ul style="list-style-type: none"> Except as provided above during the all-salmon mark-selective coho fishery, the season will be May 22 through September 6 (C.6). <p>All salmon except coho, except as noted above in the all-salmon mark-selective coho fishery. Seven days per week, two fish per day (C.1). See gear restrictions and definitions (C.2, C.3).</p>	<p>Humbug Mt. to OR/CA Border. (Oregon KMZ)</p> <ul style="list-style-type: none"> Except as provided above during the all-salmon mark-selective coho fishery, the season will be June 12 through September 6 (C.6). <p>All salmon except coho, except as noted above in the all-salmon mark-selective coho fishery. Seven days per week, two fish per day (C.1). See gear restrictions and definitions (C.2, C.3).</p>	<p>Humbug Mt. to OR/CA Border. (Oregon KMZ)</p> <ul style="list-style-type: none"> Except as provided above during the all-salmon mark-selective coho fishery, the season will be July 3 through September 6 (C.6). <p>All salmon except coho, except as noted above in the all-salmon mark-selective coho fishery. Seven days per week, two fish per day (C.1). See gear restrictions and definitions (C.2, C.3).</p>	
<p>OR/CA Border to Horse Mt. (California KMZ)</p> <ul style="list-style-type: none"> May 22 through September 6 (C.6). <p>Seven days per week. All salmon except coho. Two fish per day (C.1). See gear restrictions and definitions (C.2, C.3). Klamath Control Zone closed in August (C.4.e).</p>	<p>OR/CA Border to Horse Mt. (California KMZ)</p> <ul style="list-style-type: none"> June 12 through September 6 (C.6). <p>Seven days per week. All salmon except coho. Two fish per day (C.1). See gear restrictions and definitions (C.2, C.3). Klamath Control Zone closed in August (C.4.e).</p>	<p>OR/CA Border to Horse Mt. (California KMZ)</p> <ul style="list-style-type: none"> August 28 September 6 (C.6). <p>Seven days per week. All salmon except coho. Two fish per day (C.1). See gear restrictions and definitions (C.2, C.3). Klamath Control Zone closed in August (C.4.e).</p>	
<p>Horse Mt. to Point Arena (Fort Bragg)</p> <ul style="list-style-type: none"> April 3 through November 14. <p>All salmon except coho. Two fish per day (C.1). Chinook minimum size limit of 20 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2011, season opens February 12 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 20 inches total length (B); and the same gear restrictions as in 2010 (C.2, C.3).</p>	<p>Horse Mt. to Point Arena (Fort Bragg)</p> <p>Same as Option I</p> <p>In 2011, same as Option 1.</p>	<p>Horse Mt. to Point Arena (Fort Bragg)</p> <p>Closed.</p> <p>In 2011, same as Option 1.</p>	
<p>Point Arena to Pigeon Point (San Francisco)</p> <ul style="list-style-type: none"> April 3 through November 14. <p>All salmon except coho. Two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2011, the season will open April 2 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2010 (C.2, C.3).</p>	<p>Point Arena to Pigeon Point (San Francisco)</p> <ul style="list-style-type: none"> April 3-30; July 1 through November 14. <p>All salmon except coho. Two fish per day (C.1). Chinook minimum size limit of 20 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2011, same as Option 1.</p>	<p>Point Arena to Pigeon Point (San Francisco)</p> <p>Closed.</p> <p>In 2011, same as Option 1.</p>	

TABLE 2. Recreational management options collated by the STT for non-Indian ocean salmon fisheries, 2010. (Page 6 of 8) 3/9/2010 4:05 PM

A. SEASON OPTION DESCRIPTIONS		
OPTION I	OPTION II	OPTION III
<p>Pigeon Point to U.S./Mexico Border (Monterey South)</p> <ul style="list-style-type: none"> • April 3 through October 3. <p>All salmon except coho. Two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2011, the season will open April 2 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2010 (C.2, C.3).</p>	<p>Pigeon Point to U.S./Mexico Border (Monterey)</p> <ul style="list-style-type: none"> • April 3-30; July 1 through October 3. <p>All salmon except coho. Two fish per day (C.1). Chinook minimum size limit of 20 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2011, same as Option 1.</p>	<p>Pigeon Point to U.S./Mexico Border (Monterey)</p> <p>Closed.</p> <p>In 2011, same as Option 1.</p>

B. MINIMUM SIZE (Inches) (See C.1)

Area (when open)	Chinook	Coho	Pink
North of Cape Falcon	24.0	16.0	None
Cape Falcon to OR/CA Border	24.0	16.0	None
OR/CA Border to Horse Mountain	24.0	-	24.0
Horse Mt. to Pt. Arena	20.0	-	20.0
Pt. Arena. to U.S./Mexico Border:	Option I	-	24.0
	Option II	-	20.0

a/ Except 20 inches in Option II for Pt. Arena to Pigeon Point.

TABLE 2. Recreational management options collated by the STT for non-Indian ocean salmon fisheries, 2010. (Page 7 of 8)

3/9/2010 4:05 PM

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.1. Compliance with Minimum Size and Other Special Restrictions: All salmon on board a vessel must meet the minimum size or other special requirements for the area being fished and the area in which they are landed if that area is open. Salmon may be landed in an area that is closed only if they meet the minimum size or other special requirements for the area in which they were caught.

Ocean Boat Limits: Off the coast of Washington, Oregon, and California, each fisher aboard a vessel may continue to use angling gear until the combined daily limits of salmon for all licensed and juvenile anglers aboard has been attained (additional state restrictions may apply).

C.2. Gear Restrictions: Salmon may be taken only by hook and line using barbless hooks. All persons fishing for salmon, and all persons fishing from a boat with salmon on board, must meet the gear restrictions listed below for specific areas or seasons.

- a. *U.S./Canada Border to Point Conception, California*: No more than one rod may be used per angler; and no more than two single point, single shank barbless hooks are required for all fishing gear. [Note: ODFW regulations in the state-water fishery off Tillamook Bay may allow the use of barbed hooks to be consistent with inside regulations.]
- b. *Horse Mt., California, to Point Conception, California*: Single point, single shank, barbless circle hooks (see gear definitions below) are required when fishing with bait by any means other than trolling, and no more than two such hooks shall be used. When angling with two hooks, the distance between the hooks must not exceed five inches when measured from the top of the eye of the top hook to the inner base of the curve of the lower hook, and both hooks must be permanently tied in place (hard tied). Circle hooks are not required when artificial lures are used without bait.

C.3. Gear Definitions:

- a. *Recreational fishing gear defined*: Angling tackle consisting of a line with no more than one artificial lure or natural bait attached. Off Oregon and Washington, the line must be attached to a rod and reel held by hand or closely attended; the rod and reel must be held by hand while playing a hooked fish. No person may use more than one rod and line while fishing off Oregon or Washington. Off California, the line must be attached to a rod and reel held by hand or closely attended; weights directly attached to a line may not exceed four pounds (1.8 kg). While fishing off California north of Point Conception, no person fishing for salmon, and no person fishing from a boat with salmon on board, may use more than one rod and line. Fishing includes any activity which can reasonably be expected to result in the catching, taking, or harvesting of fish.
- b. *Trolling defined*: Angling from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.
- c. *Circle hook defined*: A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.

TABLE 2. Recreational management options collated by the STT for non-Indian ocean salmon fisheries, 2010. (Page 8 of 8)

3/9/2010 4:05 PM

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS**C.4. Control Zone Definitions:**

- a. *The Bonilla-Tatoosh Line*: A line running from the western end of Cape Flattery to Tatoosh Island Lighthouse (48°23'30" N. lat., 124°44'12" W. long.) to the buoy adjacent to Duntze Rock (48°28'00" N. lat., 124°45'00" W. long.), then in a straight line to Bonilla Point (48°35'30" N. lat., 124°43'00" W. long.) on Vancouver Island, British Columbia.
- b. *Grays Harbor Control Zone* - The area defined by a line drawn from the Westport Lighthouse (46° 53'18" N. lat., 124° 07'01" W. long.) to Buoy #2 (46° 52'42" N. lat., 124°12'42" W. long.) to Buoy #3 (46° 55'00" N. lat., 124°14'48" W. long.) to the Grays Harbor north jetty (46° 36'00" N. lat., 124°10'51" W. long.).
- c. *Columbia Control Zone*: An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09" N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°15'48" N. lat., 124°05'20" W. long. and then along the north jetty to the point of intersection with the Buoy #10 line; and on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line.
- d. *Stonewall Bank Groundfish Conservation Area*: The area defined by the following coordinates in the order listed:
 44°37.46' N. lat.; 124°24.92' W. long.;
 44°37.46' N. lat.; 124°23.63' W. long.;
 44°28.71' N. lat.; 124°21.80' W. long.;
 44°28.71' N. lat.; 124°24.10' W. long.;
 44°31.42' N. lat.; 124°25.47' W. long.;
 and connecting back to 44°37.46' N. lat.; 124°24.92' W. long.
- e. *Klamath Control Zone*: The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately six nautical miles north of the Klamath River mouth); on the west, by 124°23'00" W. long. (approximately 12 nautical miles off shore); and, on the south, by 41°26'48" N. lat. (approximately 6 nautical miles south of the Klamath River mouth).

C.5. Inseason Management: Regulatory modifications may become necessary inseason to meet preseason management objectives such as quotas, harvest guidelines, and season duration. In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:

- a. Actions could include modifications to bag limits, or days open to fishing, and extensions or reductions in areas open to fishing.
- b. Coho may be transferred inseason among recreational subareas north of Cape Falcon on an fishery impact equivalent basis to help meet the recreational season duration objectives (for each subarea) after conferring with representatives of the affected ports and the Council's SAS recreational representatives north of Cape Falcon.
- c. Chinook and coho may be transferred between the recreational and commercial fisheries north of Cape Falcon on a fishery impact equivalent basis if there is agreement among the representatives of the Salmon Advisory Subpanel (SAS).
- d. If retention of unmarked coho is permitted in the area from the U.S./Canada border to Cape Falcon, Oregon, by inseason action, the allowable coho quota will be adjusted to ensure preseason projected mortality of critical stocks is not exceeded.

C.6. Additional Seasons in State Territorial Waters: Consistent with Council management objectives, the States of Washington, Oregon, and California may establish limited seasons in state waters. Check state regulations for details.

TABLE 3. Treaty Indian troll management options collated by the STT for ocean salmon fisheries, 2010. (Page 1 of 2) 3/9/2010 4:06 PM		
A. SEASON OPTION DESCRIPTIONS		
OPTION I	OPTION II	OPTION III
Supplemental Management Information	Supplemental Management Information	Supplemental Management Information
1. Overall Treaty-Indian TAC: 55,000 Chinook and 50,000 coho. 2. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries	1. Overall Treaty-Indian TAC: 45,000 Chinook and 40,000 coho. 2. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries	1. Overall Treaty-Indian TAC: 35,000 Chinook and 30,000 coho. 2. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries
<ul style="list-style-type: none"> May 1 through the earlier of June 30 or 27,500 Chinook quota. All salmon except coho. If the Chinook quota for the May-June fishery is not fully utilized, the excess fish cannot be transferred into the later all-salmon season. If the Chinook quota is exceeded, the excess will be deducted from the later all-salmon season. See size limit (B) and other restrictions (C).	<ul style="list-style-type: none"> May 1 through the earlier of June 30 or 22,500 Chinook quota. All salmon except coho. If the Chinook quota for the May-June fishery is not fully utilized, the excess fish can be transferred into the later all-salmon season on an impact neutral basis. If the Chinook quota is exceeded, the excess will be deducted from the later all-salmon season. See size limit (B) and other restrictions (C).	<ul style="list-style-type: none"> May 1 through the earlier of June 30 or 17,500 Chinook quota. All salmon except coho. If the Chinook quota for the May-June fishery is not fully utilized, the excess fish cannot be transferred into the later all-salmon season. If the Chinook quota is exceeded, the excess will be deducted from the later all-salmon season. See size limit (B) and other restrictions (C).
<ul style="list-style-type: none"> July 1 through the earlier of September 15, or 27,500 preseason Chinook quota, or 50,000 coho quota. All Salmon. See size limit (B) and other restrictions (C).	<ul style="list-style-type: none"> July 1 through the earlier of September 15, or 22,500 preseason Chinook quota, or 40,000 coho quota. All salmon. See size limit (B) and other restrictions (C).	<ul style="list-style-type: none"> July 1 through the earlier of September 15, or 17,500 preseason Chinook quota, or 30,000 coho quota. All salmon. See size limit (B) and other restrictions (C).

TABLE 3. Treaty Indian troll management options collated by the STT for ocean salmon fisheries, 2010. (Page 2 of 2)

3/9/2010 4:06 PM

B. MINIMUM SIZE (Inches)					
Area (when open)	Chinook		Coho		Pink
	Total Length	Head-off	Total Length	Head-off	
North of Cape Falcon	24.0 (61.0 cm)	18.0 (45.7 cm)	16.0 (40.6 cm)	12.0 (30.5 cm)	None

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.1. Tribe and Area Boundaries. All boundaries may be changed to include such other areas as may hereafter be authorized by a Federal court for that tribe's treaty fishery.

S'KLALLAM - Washington State Statistical Area 4B (All).

MAKAH - Washington State Statistical Area 4B and that portion of the FMA north of 48°02'15" N. lat. (Norwegian Memorial) and east of 125°44'00" W. long.

QUILEUTE - That portion of the FMA between 48°07'36" N. lat. (Sand Pt.) and 47°31'42" N. lat. (Queets River) and east of 125°44'00" W. long.

HOH - That portion of the FMA between 47°54'18" N. lat. (Quillayute River) and 47°21'00" N. lat. (Quinault River) and east of 125°44'00" W. long.

QUINAULT - That portion of the FMA between 47°40'06" N. lat. (Destruction Island) and 46°53'18"N. lat. (Point Chehalis) and east of 125°44'00" W. long.

C.2. Gear restrictions

- a. Single point, single shank, barbless hooks are required in all fisheries.
- b. No more than eight fixed lines per boat.
- c. No more than four hand held lines per person in the Makah area fishery (Washington State Statistical Area 4B and that portion of the FMA north of 48°02'15" N. lat. (Norwegian Memorial) and east of 125°44'00" W. long.)

C.3. Quotas

- a. The quotas include troll catches by the S'Klallam and Makah tribes in Washington State Statistical Area 4B from May 1 through September 15.
- b. The Quileute Tribe will continue a ceremonial and subsistence fishery during the time frame of September 15 through October 15 in the same manner as in 2004-2008. Fish taken during this fishery are to be counted against treaty troll quotas established for the 2009 season (estimated harvest during the October ceremonial and subsistence fishery: 100 Chinook; 200 coho).

C.4. Area Closures

- a. The area within a six nautical mile radius of the mouths of the Queets River (47°31'42" N. lat.) and the Hoh River (47°45'12" N. lat.) will be closed to commercial fishing.
- b. A closure within two nautical miles of the mouth of the Quinault River (47°21'00" N. lat.) may be enacted by the Quinault Nation and/or the State of Washington and will not adversely affect the Secretary of Commerce's management regime.

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2010 ocean fishery options analyzed by the STT.^{aj} (Page 1 of 3)

Key Stock/Criteria	Projected Ocean Escapement ^{aj} or other Criteria (Council Area impacts in parens)			Spawner Objective or Other Comparative Standard as Noted
	Option I	Option II	Option III	
CHINOOK				
Columbia Upriver Brights	319.6	320.1	320.5	88.2 Minimum ocean escapement to attain 60.0 adults over McNary Dam, with normal distribution and no mainstem harvest.
Mid-Columbia Brights	74.7	74.9	75.0	13.2 Minimum ocean escapement to attain 4.7 adults for Bonneville Hatchery and 2.0 for Little White Salmon Hatchery egg-take, assuming average conversion and no mainstem harvest.
Columbia Lower River Hatchery Tules	84.0	87.2	89.3	25.5 Minimum ocean escapement to attain 12.0 adults for hatchery egg-take, with average conversion and no lower river mainstem or tributary harvest.
Columbia Lower River Natural Tules (threatened)	38.4%	36.3%	34.2%	≤ 38.0% ESA guidance met by a total adult equivalent fishery exploitation rate on Coweeman tules (NMFS ESA consultation standard).
Columbia Lower River Wild ^{aj} (threatened)	10.0	10.0	10.0	6.8 Minimum ocean escapement to attain MSY spawner goal of 5.7 for N. Lewis River fall Chinook (NMFS ESA consultation standard).
Spring Creek Hatchery Tules	161.2	170.8	177.7	8.8 Minimum ocean escapement to attain 7.0 adults for Spring Creek Hatchery egg-take, assuming average conversion and no mainstem harvest.
Snake River Fall (threatened) SRFI	51.7%	47.0%	42.6%	≤ 70.0% Of 1988-1993 base period exploitation rate for all ocean fisheries (NMFS ESA consultation standard).
Klamath River Fall	40.7	27.8	40.7	40.7 Minimum number of adult spawners to natural spawning areas. 2008 Council adopted rebuilding objective.
Federally recognized tribal harvest	50.0%	50.0%	50.0%	50.0% Equals 35.2, 45.8, and 32.2 (thousand) adult fish for Yurok and Hoopa tribal fisheries.
Spawner Reduction Rate	52.8%	67.8%	52.8%	≤ 66.7% Equals 45.5, 58.4, and 45.5 (thousand) fewer adult spawners due to fishing.
Adult river mouth return	108.2	98.9	121.6	NA
Age 4 ocean harvest rate	14.1%	21.7%	4.0%	≤ 16.0% NMFS ESA consultation standard for threatened California Coastal Chinook.
KMZ sport fishery share	13.3%	7.5%	16.8%	No Council guidance for 2010.
River recreational fishery share	25.0%	15.0%	79.0%	≥ 15% 2010 Council Guidance. Equals 8.8, 6.9, and 25.4 (thousand) adult fish for recreational inriver fisheries.
Sacramento River Winter (endangered)	Met	Met	Met	Recreational seasons: Point Arena to Pigeon Point between the first Saturday in April and the second Sunday in November; Pigeon Point to the U.S./Mexico Border between the first Saturday in April and the first Sunday in October. Minimum size limit ≥ 20 inches total length. In addition, for 2010, fisheries south of Pt. Arena must have either a minimum size limit ≥ 24 inches total length, or be closed for two consecutive months between May 1 and August 31. Commercial seasons: Point Arena to the U.S./Mexico border between May 1 and September 30, except Point Reyes to Point San Pedro between October 1 and 15. Minimum size limit ≥ 26 inches total length. (NMFS ESA Guidance for 2010).
Sacramento River Fall	145.94	126.520	230.510	122.0-180.0 FMP objective for Sacramento River fall natural and hatchery adult spawners.
Ocean commercial impacts	40.2	71.9	10.7	All options include fall (Sept-Dec) 2009 impacts; equals 0 SRFC.
Ocean recreational impacts	34.0	24.8	1.7	All options include fall 2009 impacts (76 SRFC).
River recreational impacts	24.0	20.8	0.0	Assumes 14.1% inriver harvest rate for Options I and II; zero harvest for Option III.
Hatchery spawner goal	Met	Met	Met	22.0 Aggregate number of adults to achieve egg take goals at Coleman, Feather River, and Nimbus hatcheries.

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2010 ocean fishery options analyzed by the STT.^{ai} (Page 2 of 3)

Key Stock/Criteria	Projected Ocean Escapement ^{br} or other Criteria (Council Area impacts in parens)			Spawner Objective or Other Comparative Standard as Noted
	Option I	Option II	Option III	
				COHO
Interior Fraser (Thompson River)	11.0%(6.9%)	9.7%(5.6%)	8.3%(4.2%)	≤ 10.0% Total exploitation rate for all U.S. fisheries south of the U.S./Canada border based on 2002 PSC coho agreement.
Skagit	41.7%(6.2%)	40.9%(5.1%)	40.0%(3.8%)	≤ 60.0% 2010 total exploitation rate ceiling; FMP matrix
Stillaguamish	39.3%(4.3%)	38.7%(3.6%)	38.0%(2.6%)	≤ 50.0% 2010 total exploitation rate ceiling; FMP matrix
Snohomish	34.5%(4.3%)	33.9%(3.6%)	33.2%(2.7%)	≤ 40.0% 2010 total exploitation rate ceiling; FMP matrix
Hood Canal	51.2%(6.5%)	50.4%(5.4%)	49.5%(4.1%)	≤ 45.0% 2010 total exploitation rate ceiling; FMP matrix
Strait of Juan de Fuca	16.8%(4.9%)	15.9%(4.0%)	14.7%(3.0%)	≤ 20.0% 2010 total exploitation rate ceiling; FMP matrix
Quillayute Fall	20.1	20.3	20.6	6.3-15.8 FMP objective MSY adult spawner range (not annual target). Annual
Hoh	6.1	6.3	6.5	2.0-5.0 management objectives may be different and are subject to agreement between
Queets Wild	17.1	17.5	18.3	5.8-14.5 WDFW and the Washington coastal treaty tribes under U.S. District Court
Grays Harbor	60.1	60.9	62.3	35.4 orders.
Lower Columbia River Natural (threatened)	15.4%	13.7%	9.5%	≤ 15.0% Total marine and mainstem Columbia River fishery exploitation rate (NMFS ESA consultation standard). Value depicted is ocean fishery exploitation rate only.
Upper Columbia ^{ai}	≥ 50%	≥ 50%	≥ 50%	≥ 50% Minimum percentage of the run to Bonneville Dam.
Columbia River Hatchery Early	152.8	156.3	172.7	38.7 Minimum ocean escapement to attain hatchery egg-take goal of 16.0 early adult coho, with average conversion and no mainstem or tributary fisheries.
Columbia River Hatchery Late	79.1	83.6	99.0	15.2 Minimum ocean escapement to attain hatchery egg-take goal of 9.7 late adult coho, with average conversion and no mainstem or tributary fisheries.
Oregon Coastal Natural	16.1%	15.0%	10.6%	≤ 15.0% Marine and freshwater fishery exploitation rate.
Northern California (threatened)	11.7%	11.1%	3.0%	≤ 13.0% Marine fishery exploitation rate for R/K hatchery coho (NMFS ESA consultation standard).

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2010 ocean fishery options analyzed by the STT.^{a/} (Page 3 of 3)

a/ Projections in the table assume a WCVI mortality for coho of the 2008 observed level. Chinook fisheries in Southeast Alaska, North Coast BC, and WCVI troll and outside sport fisheries were assumed to have the same exploitation rates as expected preseason in 2008 as modified by the 2008 annex to the PST. Assumptions for these Chinook fisheries will be changed prior to the April meeting when allowable catch levels for 2009 under the PST are known.

b/ Ocean escapement is the number of salmon escaping ocean fisheries and entering freshwater with the following clarifications. Ocean escapement for Puget Sound stocks is the estimated number of salmon entering Area 4B that are available to U.S. net fisheries in Puget Sound and spawner escapement after impacts from the Canadian, U.S. ocean, and Puget Sound troll and recreational fisheries have been deducted. Numbers in parentheses represent Council area exploitation rates for Puget sound coho stocks. For Columbia River early and late coho stocks, ocean escapement represents the number of coho after the Buoy 10 fishery. Exploitation rates for LCN coho include all marine impacts prior to the Buoy 10 fishery. Exploitation rates for OCN coho include impacts of freshwater fisheries.

c/ Includes minor contributions from East Fork Lewis River and Sandy River.

e/ Annual management objectives may be different than FMP goals, and are subject to agreement between WDFW and the treaty tribes under U.S. District Court orders. Total exploitation rate includes Alaskan, Canadian, Council area, Puget Sound, and freshwater fisheries and is calculated as total fishing mortality divided by total fishing mortality plus spawning escapement. These total exploitation rates reflect the initial base package for inside fisheries developed by state and tribal comanagers. It is anticipated that total exploitation rates will be adjusted by state and tribal comanagers during the preseason planning process to comply with stock specific exploitation rate constraints.

f/ Includes projected impacts of inriver fisheries that have not yet been shaped.

TABLE 7. Expected coastwide lower Columbia Natural (LCN) Oregon coastal natural (OCN) and Rogue/Klamath (RK) coho, and Lower Columbia River (LCR) tule Chinook exploitation rates by fishery for 2010 ocean fisheries management options analyzed by the STT.

Fishery	Exploitation Rate (Percent)											
	LCN Coho			OCN Coho			RK Coho			LCR Tule		
	I	II	III	I	II	III	I	II	III	I	II	III
SOUTHEAST ALASKA	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.6%	2.7%	2.8%
BRITISH COLUMBIA	0.1%	0.1%	0.1%	0.3%	0.3%	0.3%	0.1%	0.1%	0.1%	11.5%	11.6%	11.7%
PUGET SOUND/STRAIT	0.2%	0.2%	0.2%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.3%	0.3%	0.3%
NORTH OF CAPE FALCON												
Treaty Indian Ocean Troll	3.1%	2.5%	1.8%	0.8%	0.7%	0.5%	0.0%	0.0%	0.0%	4.6%	3.8%	3.0%
Recreational	6.2%	5.5%	3.5%	1.2%	1.1%	0.7%	0.1%	0.1%	0.0%	4.0%	3.5%	2.9%
Non-Indian Troll	1.8%	1.9%	1.3%	0.5%	0.5%	0.4%	0.0%	0.0%	0.0%	5.2%	4.5%	3.8%
SOUTH OF CAPE FALCON												
Recreational:	2.9%	2.5%	1.9%							0.1%	0.1%	0.0%
Cape Falcon to Humbug Mt.				3.8%	3.3%	2.8%	0.5%	0.4%	0.4%			
Humbug Mt. OR/CA border (KMZ)				0.5%	0.4%	0.3%	1.1%	0.9%	0.8%			
OR/CA border to Horse Mt. (KMZ)				0.9%	0.8%	0.0%	4.1%	3.8%	0.2%			
Fort Bragg				0.6%	0.6%	0.0%	1.7%	1.7%	0.2%			
South of Pt. Arena				0.5%	0.3%	0.0%	1.3%	1.0%	0.0%			
Troll:	1.3%	1.2%	0.7%							2.1%	1.6%	1.1%
Cape Falcon to Humbug Mt.				1.3%	1.1%	0.7%	0.2%	0.2%	0.1%			
Humbug Mt. OR/CA border (KMZ)				0.0%	0.0%	0.0%	0.1%	0.1%	0.1%			
OR/CA border to Horse Mt. (KMZ)				0.2%	0.2%	0.2%	0.7%	0.7%	0.7%			
Fort Bragg				0.6%	0.6%	0.1%	1.3%	1.3%	0.2%			
South of Pt. Arena				0.4%	0.7%	0.0%	0.3%	0.6%	0.0%			
BUOY 10	1.0%	1.5%	1.8%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	8.0%	8.3%	8.5%
ESTUARY/FRESHWATER	N/A	N/A	N/A	4.3%	4.3%	0.4%	0.2%	0.2%	0.3%			
TOTAL ^{a/}	15.5%	13.8%	9.5%	16.1%	15.0%	10.6%	11.4%	10.9%	2.2%	38.4%	36.3%	34.2%

a/ Totals do not include estuary/freshwater or Buoy 10 for LCN coho and RK coho.

APPENDIX A. Sacramento River fall Chinook ocean impacts by fishery and option. Sacramento River fall Chinook impacts were estimated for the fall of 2009 and projected for each of the proposed 2010 fishing season options. The impacts are displayed for each option by fishery, port area, and month.

Commercial									
Option I									
Port Area	Fall '09		Summer '10					Summer Total	Year Total
	Sept	Oct	Apr	May	Jun	Jul	Aug		
NO	-	-	538	3,054	2,268	1,582	2,482	9,924	9,924
CO	-	-	904	980	1,101	1,003	948	4,935	4,935
KO	-	-	3	35	224	304	179	744	744
KC	-	-	-	42	31	88	34	194	194
FB	-	-	-	126	102	2,449	3,088	5,765	5,766
SF	-	-	-	210	198	3,951	3,039	7,398	7,398
MO	-	-	-	10,126	230	1,713	511	12,580	12,580
Total	-	-	1,444	14,573	4,153	11,090	10,281	41,541	41,541

Recreational												
Option I												
Port Area	Fall '09			Summer '10						Summer Total	Year Total	
	Sep	Oct	Nov	Feb	Mar	Apr	May	Jun	Jul			Aug
NO	-	-	-	-	-	-	5	22	210	172	409	409
CO	-	-	-	-	-	-	6	83	380	193	662	662
KO	-	-	-	-	-	-	53	238	348	187	825	825
KC	76	-	-	-	-	-	238	826	912	433	2,409	2,485
FB	-	-	-	-	-	85	381	1,038	1,383	508	3,394	3,394
SF	-	-	-	-	-	1,944	2,240	3,439	6,941	3,019	17,583	17,583
MO	-	-	-	-	-	3,166	1,210	1,698	2,273	337	8,684	8,684
Total	76	-	-	-	-	5,195	4,132	7,344	12,449	4,847	33,967	34,043

Option II									
Port Area	Fall '09		Summer '10					Summer Total	Year Total
	Sep	Oct	Apr	May	Jun	Jul	Aug		
NO	-	-	-	3,054	2,268	1,582	2,156	9,059	9,059
CO	-	-	-	980	1,101	1,003	829	3,912	3,912
KO	-	-	-	35	149	203	119	506	506
KC	-	-	-	42	31	88	34	194	194
FB	-	-	-	126	102	2,449	3,088	5,765	5,766
SF	-	-	-	210	12,001	20,380	7,057	39,648	39,648
MO	-	-	-	13,648	230	218	239	14,334	14,334
Total	-	-	-	18,095	15,881	25,922	13,522	73,420	73,420

Option II												
Port Area	Fall '09			Summer '10						Summer Total	Year Total	
	Sep	Oct	Nov	Feb	Mar	Apr	May	Jun	Jul			Aug
NO	-	-	-	-	-	-	5	22	210	172	409	409
CO	-	-	-	-	-	-	6	83	380	193	662	662
KO	-	-	-	-	-	-	-	151	348	187	686	686
KC	76	-	-	-	-	-	-	523	912	433	1,868	1,945
FB	-	-	-	-	-	85	381	1,038	1,383	508	3,394	3,394
SF	-	-	-	-	-	1,944	-	-	6,941	3,019	11,904	11,904
MO	-	-	-	-	-	3,166	-	-	2,273	337	5,776	5,776
Total	76	-	-	-	-	5,195	391	1,817	12,449	4,847	24,699	24,775

Option III									
Port Area	Fall '09		Summer '10					Summer Total	Year Total
	Sep	Oct	Apr	May	Jun	Jul	Aug		
NO	-	-	-	3,054	2,268	74	2,156	7,551	7,551
CO	-	-	-	980	1,101	63	829	2,972	2,972
KO	-	-	-	52	149	203	37	441	441
KC	-	-	-	42	31	88	34	194	194
FB	-	-	-	126	102	93	100	421	421
SF	-	-	-	210	198	200	220	827	827
MO	-	-	-	230	230	218	239	916	916
Total	-	-	-	4,695	4,078	937	3,613	13,323	13,323

Option III												
Port Area	Fall '09			Summer '10						Summer Total	Year Total	
	Sep	Oct	Nov	Feb	Mar	Apr	May	Jun	Jul			Aug
NO	-	-	-	-	-	-	-	18	210	172	400	400
CO	-	-	-	-	-	-	-	51	380	193	624	624
KO	-	-	-	-	-	-	-	-	326	187	513	513
KC	76	-	-	-	-	-	-	-	-	42	42	118
FB	-	-	-	-	-	-	-	-	-	-	0	0
SF	-	-	-	-	-	-	-	-	-	-	0	0
MO	-	-	-	-	-	-	-	-	-	-	0	0
Total	76	-	-	-	-	-	-	69	917	593	1,579	1,655