

Status quo 2014 harvest specifications and final preferred overfishing limits (OFLs in mt), acceptable biological catches (ABCs in mt), ecosystem component species, and preliminary preferred alternative (PPA) annual catch limits (ACLs in mt) for west coast groundfish stocks and stock complexes in 2015 and 2016 (stocks with new assessments in bold).

Stock	2014			2015			2016		
	OFL	ABC	ACL	OFL	ABC	ACL	OFL	ABC	ACL
<b>OVERFISHED STOCKS</b>									
<b>BOCACCIO S. of 40°10'</b>	<b>881</b>	<b>842</b>	<b>337</b>	<b>1,444</b>	<b>1,380</b>	<b>349</b>	<b>1,351</b>	<b>1,291</b>	<b>362</b>
CANARY	741	709	119	733	701	122	729	697	125
<b>COWCOD S. of 40°10'</b>	<b>12</b>	<b>9</b>	<b>3</b>	<b>NA</b>	<b>NA</b>	<b>3 - 16 (16 PPA)</b>	<b>NA</b>	<b>NA</b>	<b>3 - 16 (16 PPA)</b>
<b>DARKBLOTCHED</b>	<b>553</b>	<b>529</b>	<b>330</b>	<b>588</b>	<b>562</b>	<b>338</b>	<b>595</b>	<b>569</b>	<b>346</b>
PACIFIC OCEAN PERCH	838	801	153	842	805	158	850	813	164
<b>PETRALE SOLE</b>	<b>2,774</b>	<b>2,652</b>	<b>2,652</b>	<b>2,946</b>	<b>2,816</b>	<b>2,816</b>	<b>3,044</b>	<b>2,910</b>	<b>2,910</b>
YELLOWEYE	51	43	18	52	47	18	52	47	19
<b>NON-OVERFISHED STOCKS</b>									
Arrowtooth Flounder	6,912	5,758	5,758	6,599	5,497	5,497	6,396	5,328	5,328
Black Rockfish (OR-CA)	1,166	1,115	1,000	1,176	1,124	1,000	1,183	1,131	1,000
Black Rockfish (WA)	428	409	409	421	402	402	423	404	404
Cabazon (CA)	165	158	158	161	154	154	158	151	151
Cabazon (OR)	49	47	47	49	47	47	49	47	47
California scorpionfish	122	117	117	119	114	114	117	111	111
Chilipepper S. of 40°10'	1,722	1,647	1,647	1,703	1,628	1,628	1,694	1,619	1,619
Dover Sole	77,774	74,352	25,000	66,871	63,929	25,000 - 50,000	59,221	56,615	25,000 - 50,000
<b>English Sole</b>	<b>5,906</b>	<b>5,646</b>	<b>5,646</b>	<b>12,092</b>	<b>11,040</b>	<b>11,040</b>	<b>8,493</b>	<b>7,754</b>	<b>7,754</b>
Lingcod N. of 40°10'	3,162	2,878	2,635	3,010	2,830	2,830	2,891	2,719	2,719
Lingcod S. of 40°10'	1,276	1,063	1,063	1,205	1,004	1,004	1,136	946	946
Longnose skate	2,816	2,692	2,000	2,449	2,341	2,000	2,405	2,299	2,000

Stock	2014			2015			2016		
	OFL	ABC	ACL	OFL	ABC	ACL	OFL	ABC	ACL
<b>Longspine Thornyhead (coastwide)</b>	<b>3,304</b>	<b>2,752</b>	<b>NA</b>	<b>5,007</b>	<b>4,171</b>	<b>NA</b>	<b>4,763</b>	<b>3,968</b>	<b>NA</b>
<b>Longspine Thornyhead N. of 34°27'</b>	<b>NA</b>	<b>NA</b>	<b>1,958</b>	<b>NA</b>	<b>NA</b>	<b>3,170</b>	<b>NA</b>	<b>NA</b>	<b>3,015</b>
<b>Longspine Thornyhead S. of 34°27'</b>	<b>NA</b>	<b>NA</b>	<b>347</b>	<b>NA</b>	<b>NA</b>	<b>1,001</b>	<b>NA</b>	<b>NA</b>	<b>952</b>
Pacific Cod	3,200	2,221	1,600	3,200	2,221	1,600	3,200	2,221	1,600
Sablefish (coastwide)	7,158	6,535	NA	7,857	7,173	NA	8,526	7,784	NA
Sablefish N. of 36°	NA	NA	4,349	NA	NA	4,793	NA	NA	5,241
Sablefish S. of 36°	NA	NA	1,560	NA	NA	1,719	NA	NA	1,880
Shortbelly	6,950	5,789	50	6,950	5,789	50	6,950	5,789	50
<b>Shortspine Thornyhead (coastwide)</b>	<b>2,310</b>	<b>2,208</b>	<b>NA</b>	<b>3,203</b>	<b>2,668</b>	<b>NA</b>	<b>3,169</b>	<b>2,640</b>	<b>NA</b>
<b>Shortspine Thornyhead N. of 34°27'</b>	<b>NA</b>	<b>NA</b>	<b>1,525</b>	<b>NA</b>	<b>NA</b>	<b>1,745</b>	<b>NA</b>	<b>NA</b>	<b>1,726</b>
<b>Shortspine Thornyhead S. of 34°27'</b>	<b>NA</b>	<b>NA</b>	<b>393</b>	<b>NA</b>	<b>NA</b>	<b>923</b>	<b>NA</b>	<b>NA</b>	<b>913</b>
Spiny dogfish	2,950	2,024	NA	2,523	1,912	1,912	2,503	1,897	1,897
Splitnose S. of 40°10'	1,747	1,670	1,670	1,794	1,715	1,715	1,826	1,746	1,746
Starry Flounder	1,834	1,528	1,528	1,841	1,534	1,534	1,847	1,539	1,539
Widow	4,435	4,212	1,500	4,137	3,929	1,500 - 3,000	3,990	3,790	1,500 - 3,000
<b>Yellowtail N. of 40°10'</b>	<b>4,584</b>	<b>4,382</b>	<b>4,382</b>	<b>12,281</b>	<b>11,213</b>	<b>11,213</b>	<b>11,647</b>	<b>10,634</b>	<b>10,634</b>
<b>STOCK COMPLEXES</b>									
Minor Nearshore Rockfish North	110	94	94	86	75	75	86	75	75
Minor Shelf Rockfish North	2,195	1,932	968	2,207	1,943	1,943	2,217	1,952	1,952
Minor Slope Rockfish North a/	1,553	1,414	1,160	1,804	1,669	1,669	1,818	1,683	1,683
Minor Nearshore Rockfish South	1,160	1,001	990	1,312	1,168	1,168	1,321	1,166	1,166
Minor Shelf Rockfish South	1,913	1,620	714	1,914	1,621	1,621	1,915	1,622	1,622
Minor Slope Rockfish South a/	685	622	622	806	698	698	807	699	699
Other Flatfish	10,060	6,982	4,884	11,298	8,620	8,620	9,948	7,496	7,496
Other Fish	6,802	4,697	4,697	This complex no longer exists					
<i>Cabezon (WA) b/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>
<i>Kelp greenling (CA) b/</i>	<i>118.9</i>	<i>82.5</i>	<i>NA</i>	<i>118.9</i>	<i>99.2</i>	<i>99.2</i>	<i>118.9</i>	<i>99.2</i>	<i>99.2</i>
<i>Kelp greenling (OR) b/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>
<i>Kelp greenling (WA) b/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>	<i>c/</i>
<i>Leopard shark b/</i>	<i>167.1</i>	<i>139.4</i>	<i>139.4</i>	<i>167.1</i>	<i>139.4</i>	<i>139.4</i>	<i>167.1</i>	<i>139.4</i>	<i>139.4</i>

Stock	2014			2015			2016		
	OFL	ABC	ACL	OFL	ABC	ACL	OFL	ABC	ACL
<b>ECOSYSTEM COMPONENT SPECIES</b>									
Big skate	458.0	317.9	NA	No harvest specifications for an EC species					
California skate	86.0	59.7	NA	No harvest specifications for an EC species					
Aleutian skate	d/	d/	d/	No harvest specifications for an EC species					
Roughtail/black skate	d/	d/	d/	No harvest specifications for an EC species					
Bering/sandpaper skate	d/	d/	d/	No harvest specifications for an EC species					
All other skates	d/	d/	d/	No harvest specifications for an EC species					
Pacific grenadier	1,519.0	1,054.2	NA	No harvest specifications for an EC species					
Giant grenadier	d/	d/	d/	No harvest specifications for an EC species					
All other grenadiers	d/	d/	d/	No harvest specifications for an EC species					
Ratfish	1,441.0	1,000.1	NA	No harvest specifications for an EC species					
Soupin shark	61.6	42.8	NA	No harvest specifications for an EC species					
Finescale codling	c/	c/	c/	No harvest specifications for an EC species					

a/ 2015 and 2016 harvest specifications assume the status quo stock complex structure. See "Slope RF" worksheet for stock complex alternatives.

b/ These stocks have been managed in the Other Fish complex and are contemplated for individual stock management or in a new shallow roundfish stock complex in 2015-2016.

c/ No OFL or ABC contribution for these stocks given the lack of an approved method.

d/ No harvest specifications adopted since these species are not currently managed in the FMP.