

Table 2-1f. Specified 2010 ABCs (mt), 2011 and 2012 OFLs (mt), and preliminary 2011 and 2012 ABCs. (Overfished stocks in CAPS; Stocks with new assessments in bold).

Stock	No Action Alternative	Action Alternatives		Council-Preferred Alternatives				Comments
	2010 ABC	2011 OFL	2012 OFL	2011 ABC	2012 ABC	2011 ACL	2012 ACL	
Lingcod N. of 42° N latitude (OR & WA)		2,438	2,251	2,330	2,151			
Lingcod S. of 42° N latitude (CA)		2,523	2,597	2,102	2,164			
Pacific Cod	3,200	3,200	3,200	2,222	2,222			
Sablefish - coastwide	9,217	8,808	8,623	8,418	8,242	NA	NA	Consider 40-10 control rule option, coastwide apportionment, and scientific uncertainty adj. in south
Sablefish N. of 36° N latitude				NA	NA			
Sablefish S. of 36° N latitude				NA	NA			
PACIFIC OCEAN PERCH	1,173	1,026	1,007	981	962			Set ACLs under I.4 and I.6
WIDOW	6,937	5,097	4,923	4,872	4,705			Set ACLs under I.4 and I.6
CANARY	940	614	622	586	594			Set ACLs under I.4 and I.6
Chilipepper (Coastwide)	2,576	2,229	2,013	2,130	1,924			Assumes chilipepper removed from north shelf complex
Chilipepper S. of 40°10' N latitude		2,073	1,872	1,981	1,789			
BOCACCIO S. of 40°10' N latitude	793	737	732	704	700			Set ACLs under I.4 and I.6
Splitnose (coastwide)	NA	2,381	2,507	2,276	2,396			Assumes management outside the slope complexes
Splitnose S. of 40°10' N latitude e/	615	1,529	1,610	1,461	1,538			Assumes the N substock managed in the north slope complex
Yellowtail N. of 40°10' N latitude	4,562	4,566	4,573	4,364	4,371			
Shortspine Thornyhead - coastwide	2,411	2,384	2,358	2,279	2,254	NA	NA	Use 66/34 N/S apportionment and consider scientific uncertainty adj. in south
Shortspine Thornyhead - N. of 34°27' N latitude				NA	NA			
Shortspine Thornyhead - S. of 34°27' N latitude				NA	NA			
Longspine Thornyhead - coastwide	3,671	3,577	3,483	2,981	2,902	NA	NA	Use 79/21 N/S apportionment and consider scientific uncertainty adj. in south
Longspine Thornyhead - N. of 34°27' N latitude				NA	NA			
Longspine Thornyhead - S. of 34°27' N latitude				NA	NA			
COWCOD S. of 40°10' N latitude	14	13	13	10	10			Set ACLs under I.4 and I.6
DARKBLOTCHED	440	508	497	485	475			Set ACLs under I.4 and I.6
YELLOWEYE	32	48	48	46	46			Set ACLs under I.4 and I.6
Black Rockfish (WA)	464	445	435	426	415			
Black Rockfish (OR-CA)	1,317	1,217	1,169	1,163	1,117			
Greenstriped f/	NA -	1,429	1,458	1,191	1,215			Assumes greenstriped removed from the shelf complexes
Minor Rockfish North	3,678	3,767	3,821	2,615	2,653			
Minor Nearshore Rockfish North	NA	NA	NA	NA	NA			
Minor Shelf Rockfish North	NA	NA	NA	NA	NA			Assumes greenstriped and chilipepper managed in the complex
Minor Slope Rockfish North	NA	NA	NA	NA	NA			Assumes splitnose managed in complex
Minor Rockfish South	3,382	4,302	4,291	2,987	2,979			
Minor Nearshore Rockfish South	NA	NA	NA	NA	NA			
Minor Shelf Rockfish South	NA	NA	NA	NA	NA			Assumes greenstriped managed in complex
Minor Slope Rockfish South	NA	NA	NA	NA	NA			
California scorpionfish	155	141	132	135	126			
Cabezon (CA)	111	187	176	179	168			
Cabezon (OR)		52	50	50	48			Assumes cabezon (OR) removed from Other Fish complex
Dover Sole	28,582	44,400	44,826	42,436	42,843			
English Sole	9,745	20,675	10,620	19,761	10,150			
PETRALE SOLE	2,751	1,021	1,279	976	1,222			Assumes winter fishery; set ACLs under I.4 and I.6
PETRALE SOLE (no winter fishery)	2,751	1,170	1,369	1,118	1,308			Assumes no winter fishery; set ACLs under I.4 and I.6
Arrowtooth Flounder	10,112	18,211	14,460	15,174	12,049			
Starry Flounder	1,578	1,802	1,813	1,502	1,511			
Longnose skate	3,269	3,128	3,006	2,990	2,873			
Other Flatfish	6,731	10,146	10,146	7,044	7,044			
Other Fish	11,200	11,150	11,150	7,742	7,742			Assumes cabezon (OR) removed from complex