

Jim Hastie  
9-13-02; 12:34P

Exhibit C.4.f  
Supplemental GMT Report on Inseason Adjustments  
September 2002

Table 3. Trip Limits<sup>1</sup> and Gear Requirements<sup>2</sup> for Limited Entry Trawl Gear

Other Limits and Requirements Apply -- Read Sections IV. A. and B. NMFS Actions before using this table

line	Species/groups	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
**NOTE FOR NORTH OF 40°10' N. LAT.: ALL BOTTOM TRAWLING WITH GROUND FISH GEAR IS PROHIBITED WITHIN THE DBCA 11/, ALL TRAWLING IS PROHIBITED SHOREWARD OF THE DBCA DURING SEPTEMBER, SMALL FOOTROPE GEARS/ IS REQUIRED SHOREWARD OF THE DBCA OCT - DEC, AND LARGE FOOTROPE GEAR IS PERMITTED SEAWARD OF THE DBCA SEPT - DEC.								
**NOTE FOR SOUTH OF 40°10' N. LAT.: ALL TRAWLING FOR GROUND FISH IS PROHIBITED EXCEPT FOR DTS COMPLEX, SLOPE ROCK FISH SPECIES, SPECIFIED FLATFISH, WIDOW ROCK FISH, AND GRENADIERS.								
1	Minor slope rockfish	1,800 lb/ 2 months			800 lb / 2 months		1,800 lb / 2 months	
2	North	1,800 lb/ 2 months			800 lb / 2 months		1,800 lb / 2 months	
3	South	1,800 lb/ 2 months			800 lb / 2 months		1,800 lb / 2 months	
4	40°10' - 36° N. lat.	50,000 lb/ 2 months	5,000 lb/ 2 months		25,000 lb/ 2 months		40,000 lb/ 2 months	
5	South of 36° N. lat.	50,000 lb/ 2 months			25,000 lb/ 2 months		40,000 lb/ 2 months	
6	Splitnose - South	5,000 lb/ 2 months			1,800 lb / 2 months			
7	40°10' - 36° N. lat.	25,000 lb/ 2 months	5,000 lb/ 2 months		25,000 lb/ 2 months		40,000 lb/ 2 months	
8	South of 36° N. lat.	25,000 lb/ 2 months			25,000 lb/ 2 months		40,000 lb/ 2 months	
9	Pacific ocean perch - North <sup>1</sup>	2,000 lb/ month	4,000 lb/ month	4,000 lb/ 2 months		2,000 lb / month		
10	Chillpepper - South <sup>1</sup>	25,000 lb/ 2 months			CLOSED <sup>2</sup>			
11	mid-water trawl	25,000 lb/ 2 months			CLOSED <sup>2</sup>			
12	small footrope trawl	7,500 lb/ 2 months	4,000 lb/ 2 months		CLOSED <sup>2</sup>			
13	large footrope trawl	500 lb/ trip, not to exceed small footrope cumulative 2-month limits at any time during the year			CLOSED <sup>2</sup>			
14	DTS complex - North <sup>1</sup>							
15	Sablefish	6,000 lb/ 2 months	3,500 lb/ 2 months	3,000 lb/ 2 months	In times and areas where open - 3,500 lb/ 2 months		2,600 lb/ 2 months	
16	Longspine thornyhead	10,000 lb/ 2 months	6,000 lb/ 2 months	1,500 lb/ 2 months	In times and areas where open - 10,000 lb/ 2 months		8,000 lb/ 2 months	
17	Shortspine thornyhead	2,600 lb/ 2 months	2,000 lb/ 2 months	1,500 lb/ 2 months	In times and areas where open - 2,600 lb/ 2 months		2,200 lb/ 2 months	
18	Dover sole	30,000 lb/ 2 months	28,000 lb/ 2 months	14,000 lb/ 2 months		In times and areas where open - 20,000 lb/ 2 months	22,000 lb/ 2 months providing that only large footrope or midwater trawl gear is used to land any groundfish species during entire limit period, if small footrope bottom trawl is used at any time then constrained to lower limit of 12,000 lb/ 2 months.	
19	DTS complex - South							
20	Sablefish <sup>1</sup>				4,500 lb/ 2 months			
21	Longspine thornyhead				10,000 lb/ 2 months			
22	Shortspine thornyhead				2,600 lb/ 2 months			
23	Dover sole				22,000 lb/ 2 months			
24	Flatfish - North <sup>1</sup>							
25	All other flatfish <sup>2</sup>	LARGE FOOTROPE: 1,000 lb/trip, not to exceed small footrope cumulative monthly limits, includes arrowtooth flounder.	LARGE FOOTROPE: 1,000 lb/trip, not to exceed small footrope cumulative monthly limits. Retention of petrale and rex sole prohibited if large footrope gear is onboard.		SMALL FOOTROPE REQUIRED: 40,000 lb/ month, no more than 15,000 of which may be petrale sole	In times and areas where open - 25,000 lb/ month, no more than 10,000 of which may be petrale sole.	50,000 lb/ month, no more than 20,000 lb month of which may be petrale	
26	Petrale sole	SMALL FOOTROPE: 15,000 lb/ month   35,000 lb/ month		SMALL FOOTROPE: 30,000 lb/ month, no more than 10,000 of which may be petrale sole				
27	Rex sole	Not limited, large footrope allowed						
28	Arrowtooth flounder	LARGE FOOTROPE: included in "all other flatfish" limit.		SMALL FOOTROPE: 30,000 lb/ trip		SMALL FOOTROPE REQUIRED: 7,500 lb/ trip, no more than 30,000 lb/ month; large footrope prohibited	In times and areas where open - 3,500 lb/ trip, no more than 15,000 lb/ month.	30,000 lb/ trip
29	Flatfish - South							
30	All other flatfish <sup>2</sup>	LARGE FOOTROPE: 1,000 lb/trip, not to exceed small footrope cumulative monthly limits, includes arrowtooth flounder.	LARGE FOOTROPE: 1,000 lb/trip, not to exceed small footrope cumulative monthly limits. Retention of petrale and rex sole prohibited if large footrope gear is onboard.		CLOSED <sup>2</sup>		CLOSED <sup>2</sup> With the following exceptions: Petrale sole 30,000 lb/2 months; Rex sole 2,000 lb/ trip; and 1,000 lb/ trip of English sole and arrowtooth flounder combined when landed with DTS complex or Petrale sole. The amount of per trip flatfish landings (Rex sole, English sole, and arrowtooth flounder) must not exceed the amount of DTS and Petrale sole landed. Landings can be made with small or large footrope gear.	
31	Petrale sole	SMALL FOOTROPE: 70,000 lb/ month, no more than 40,000 lb of which may be species other than Pacific sanddabs.		SMALL FOOTROPE: 70,000 lb/ month, no more than 40,000 lb of which may be species other than Pacific sanddabs. Of the species other than Pacific sanddabs, no more than 15,000 lb may be petrale sole.		CLOSED <sup>2</sup>		
32	Rex sole	Not limited, large footrope allowed				With the exception of 1,000 lb/ trip of rex sole, petrale sole, English sole, and arrowtooth flounder combined when landed with DTS complex. The amount of per trip flatfish landings must not exceed the amount of DTS landed. Landings can be made with small or large footrope gear.		
33	Arrowtooth flounder	LARGE FOOTROPE: included in "all other flatfish" limit.		SMALL FOOTROPE: 30,000 lb/ trip		SMALL FOOTROPE REQUIRED: 7,500 lb/ trip, no more than 30,000 lb/ month; large footrope prohibited		
35	Whiting <sup>1</sup>	20,000 lb/ trip		Primary Season		CLOSED <sup>2</sup>		

Table 3. (CONTINUED) Trip Limits<sup>1/</sup> and Gear Requirements<sup>2/</sup> for Limited Entry Trawl Gear

Other Limits and Requirements Apply -- Read Sections IV. A. and B. NMFS Actions before using this table

line	Species/groups	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<p><b>**NOTE FOR NORTH OF 40°10' N. LAT: ALL BOTTOM TRAWLING WITH GROUND FISH GEAR IS PROHIBITED WITHIN THE DBCA11/, ALL TRAWLING IS PROHIBITED SHOREWARD OF THE DBCA DURING SEPTEMBER, SMALL FOOTROPE GEARS/ IS REQUIRED SHOREWARD OF THE DBCA OCT - DEC, AND LARGE FOOTROPE GEAR IS PERMITTED SEAWARD OF THE DBCA SEPT - DEC .</b></p>							
<p><b>**NOTE FOR SOUTH OF 40°10' N. LAT: ALL TRAWLING FOR GROUND FISH IS PROHIBITED EXCEPT FOR DTS COMPLEX, SLOPE ROCKFISH SPECIES, SPECIFIED FLATFISH, WIDOW ROCKFISH, AND GRENADIERS.</b></p>							
37	Minor shelf rockfish						
38	North	300 lb/ month		1,000 lb/ month, no more than 300 lb of which may be yelloweye rockfish		CLOSED <sup>7/</sup>	300 lb / month
39	South	500 lb/ month		1,000 lb/ month, no more than 300 lb of which may be yelloweye rockfish		CLOSED <sup>7/</sup>	
40	Canary rockfish						
	North	200 lb/ 2 months	600 lb/ 2months	600 lb/ 2 months	CLOSED <sup>7/</sup>	CLOSED <sup>7/</sup>	200 lb / month
	South						
	Widow rockfish						
41	North						
42	mid-water trawl	CLOSED <sup>7/</sup>		During primary whiting season, in trips of at least 10,000 lb of whiting: combined widow and yellowtail limit of 500 lb/ trip, cumulative widow limit of 1,500 lb/ month		CLOSED <sup>7/</sup>	<b>12,000 lb/ 2 months; restricted to no more than 2 landings per vessel per 2 month period</b>
43	small footrope trawl			1,000 lb/ month		CLOSED <sup>7/</sup>	
	South						
	mid-water trawl	CLOSED <sup>7/</sup>		During primary whiting season, in trips of at least 10,000 lb of whiting: combined widow and yellowtail limit of 500 lb/ trip, cumulative widow limit of 1,500 lb/ month		CLOSED <sup>7/</sup>	<b>12,000 lb/ 2 months</b>
	small footrope trawl			1,000 lb/ month		CLOSED <sup>7/</sup>	
44	Yellowtail - North <sup>6/</sup>						
45	mid-water trawl	CLOSED <sup>7/</sup>		During primary whiting season, in trips of at least 10,000 lb of whiting: combined widow and yellowtail limit of 500 lb/ trip, cumulative yellowtail limit of 2,000 lb/ month		CLOSED <sup>7/</sup>	<b>18,000 lb/ 2 months; restricted to no more than 2 landings per vessel per 2 month period</b>
46	small footrope trawl			In landings without flatfish, 1,000 lb/ month. As flatfish bycatch, per trip limit is the sum of 33% (by weight) of all flatfish except arrowtooth flounder, plus 10% (by weight) of arrowtooth flounder. Combined with and without flatfish, not to exceed 30,000 lb/ 2 months.		CLOSED <sup>7/</sup>	As flatfish bycatch, per trip limit is the sum of 33% (by weight) of all flatfish except arrowtooth flounder, plus 10% (by weight) of arrowtooth flounder not to exceed 4,500 lb/ month.
47	Bocaccio - South <sup>6/</sup>	600 lb/ 2 months		1,000 lb/ 2 months		CLOSED <sup>7/</sup>	
48	Cowcod					CLOSED <sup>7/</sup>	
49	Minor nearshore rockfish						
50	North			300 lb/ month		CLOSED <sup>7/</sup>	
51	South			300 lb/ month		CLOSED <sup>7/</sup>	
52	Lingcod <sup>8/</sup>						
53	North			1,000 lb/ 2 months		500 lb / month	
54	South	800 lb/ 2 months		1,000 lb/ 2 months		CLOSED <sup>7/</sup>	
55	Other Fish <sup>10/</sup>						
56	North						<b>Not limited, except spiny dogfish prohibited with large footrope gear.</b>
57	South		Not limited		Grenadier retention permitted		<b>CLOSED<sup>7/</sup>, except grenadier permitted.</b>

1/ Trip limits apply coastwide unless otherwise specified. "North" means 40°10' N. lat. to the U.S.-Canada border. "South" means 40°10' N. lat. to the U.S.-Mexico border. 40°10' N. lat. is about 20 nm south of Cape Mendocino, CA.

2/ Gear requirements and prohibitions are explained above. See IV.A.(14).

3/ "Other" flatfish means all flatfish at 50 CFR 660.302 except those in this Table 3 with species specific management measures, including trip limits.

4/ The whiting "per trip" limit in the Eureka area shoreward 100 fm is 10,000 lb/ trip from January 1 - August 31, 2002. From September 1 - December 31, 2002, the whiting fishery is closed.

5/ Small footrope trawl means a bottom trawl net with a footrope no larger than 8 inches (20 cm) in diameter. In areas where trawl gear is restricted, only one type of trawl gear is allowed on board at any one time. See above.

6/ Yellowtail rockfish in the south and bocaccio and chilipepper rockfishes in the north are included in the trip limits for minor shelf rockfish

in the appropriate area. POP in the south and splinose rockfish in the north are included in the trip limits for minor slope rockfish in the appropriate area.

7/ Closed means that it is prohibited to take and retain, possess, or land the designated species in the time or area indicated. See IV.A.(7).

8/ The minimum size limit for lingcod is 24 inches (61 cm) total length.

9/ The minimum size requirement for sablefish is 20 inches (XX cm) total length and no more than 500 lb of undersized sablefish may be landed per trip.

10/ Other fish are defined at 50 CFR 660.302, as those groundfish species or species groups for which there is no trip limit, size limit, quota, or harvest guideline.

11/ All bottom trawling is prohibited within the DBCA; bottom trawl gear must be covered and stowed when transiting through the area. See IV.A.(22).

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

**Table 4. Trip Limits<sup>1/</sup> for Limited Entry Fixed Gear**  
**Other Limits and Requirements Apply – Read Sections IV. A. and B. NMFS Actions before using this table**

line	Species/groups	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
<b>**NOTE FOR FISHING SOUTH OF 40°10': ALL GROUND FISH FISHING IS CLOSED SEAWARD OF THE 20 FATHOM DEPTH CONTOUR, EXCEPT FOR SABLEFISH, THORNYHEADS, GRENADIERS AND SLOPE ROCKFISH.</b>									
1	Minor slope rockfish								
2	North	1,000 lb/ month		5,000 lb/ 2 months			2,000 lb/ 2 months		
3	South								
4	40°10' - 36° N. lat.	25,000 lb/ 2 months		5,000 lb/ 2 months		1,800 lb/ 2 months			
5	South of 36° N. lat.	25,000 lb/ 2 months				<b>25,000 lb/2 months</b>			
6	Splitnose - South								
7	40°10' - 36° N. lat.	25,000 lb/ 2 months		5,000 lb/ 2 months		1,800 lb/ 2 months			
8	South of 36° N. lat.	25,000 lb/ 2 months				<b>25,000 lb/2 months</b>			
9	Pacific ocean perch - North <sup>5/</sup>	2,000 lb/ month		4,000 lb/ month		4,000 lb/ 2 months			
10	Sablefish								
11	North of 36° N. lat. <sup>8/</sup>	300 lb/ day, or 1 landing per week of up to 800 lb, not to exceed 2,400 lb/ 2 months					<b>300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 2,700 lb/ 2 months</b>		
12	South of 36° N. lat.	350 lb/ day, or 1 landing per week of up to 1,050 lb		300 lb/ day, or 1 landing per week of up to 900 lb					
13	Longspine thornyhead	9,000 lb/ 2 months							
14	Shortspine thornyhead	2,000 lb/ 2 months							
15	Dover sole	5,000 lb/ month (all flatfish)						North of 40°10': 5,000 lb/ month (all flatfish). South of 40°10': Shoreward of 20 fth depth, 5,000 lb/month, otherwise CLOSED <sup>4/</sup>	
16	Arrowtooth flounder								
17	Petrale sole								
18	Rex sole								
19	All other flatfish <sup>2/</sup>								
20	Whiting <sup>3/</sup>	20,000 lb/ trip					CLOSED <sup>4/</sup>		
21	Shelf rockfish, including minor shelf rockfish, widow and yellowtail rockfish								
22	North	200 lb/ month							
23	South								
24	40°10' - 34°27' N. lat.	200 lb/ month	CLOSED <sup>4/</sup>	Shoreward of 20 fth depth, 200 lb/ month, otherwise CLOSED <sup>4/</sup>		CLOSED <sup>4/</sup>			
25	South of 34°27' N. lat.	CLOSED <sup>4/</sup>	1,000 lb/ month						
26	Canary rockfish	CLOSED <sup>4/</sup>							
27	Yelloweye rockfish	CLOSED <sup>4/</sup>							
28	Cowcod	CLOSED <sup>4/</sup>							
29	Bocaccio - South <sup>1/</sup>								
30	40°10' - 34°27' N. lat.	200 lb/ month	CLOSED <sup>4/</sup>		CLOSED <sup>4/</sup>				
31	South of 34°27' N. lat.	CLOSED <sup>4/</sup>	200 lb/ month						
32	Chillipepper - South <sup>1/</sup>								
33	40°10' - 34°27' N. lat.	500 lb/ month	CLOSED <sup>4/</sup>		CLOSED <sup>4/</sup>				
34	South of 34°27' N. lat.	CLOSED <sup>4/</sup>	2,500 lb/ month						
35	Minor nearshore rockfish								
36	North	5,000 lb/ month, no more than 2,000 lb of which may be species other than black or blue rockfish <sup>6/</sup>		6,000 lb/ 2 months, no more than 3,000 lb of which may be species other than black or blue rockfish <sup>6/</sup>		<b>7,000 lb/ 2 months no more than 3,000 lb of which may be species other than black or blue rockfish<sup>6/</sup></b>			
37	South								
38	40°10' - 34°27' N. lat.	1,600 lb/ 2 months	CLOSED <sup>4/</sup>	Shoreward of 20 fth depth, 1,600 lb/ 2 months, otherwise CLOSED <sup>4/</sup>					
39	South of 34°27' N. lat.	CLOSED <sup>4/</sup>	2,000 lb/ 2 months		Shoreward of 20 fth depth, 2,000 lb/ 2 months, otherwise CLOSED <sup>4/</sup>		CLOSED <sup>4/</sup>		
40	Lingcod <sup>7/</sup>								
41	North	CLOSED <sup>4/</sup>			400 lb/ month		CLOSED <sup>4/</sup>		
42	South								
43	40°10' - 34°27' N. lat.	CLOSED <sup>4/</sup>		Shoreward of 20 fth depth, 400 lb/ month, otherwise CLOSED <sup>4/</sup>		Shoreward of 20 fth depth, 400 lb/ month, otherwise CLOSED <sup>4/</sup>			
44	South of 34°27' N. lat.			400 lb/ month		<b>CLOSED<sup>4/</sup></b>			
45	Other Fish <sup>9/</sup>								
46	North	Not limited				Grenadier retention permitted		<b>Not limited, except spiny dogfish prohibited.</b>	
47	South							<b>CLOSED<sup>4/</sup>, except grenadier permitted.</b>	

1/ Trip limits apply coastwide unless otherwise specified. "North" means 40°10' N. lat. to the U.S.-Canada border. "South" means 40°10' N. lat. to the U.S.-Mexico border. 40°10' N. lat. is about 20 nm south of Cape Mendocino, CA.

2/ "Other flatfish" means all flatfish at 50 CFR 660.302 except those in this Table 4 with species specific management measures, including trip limits.

3/ The whiting "per trip" limit in the Eureka area inside 100 fm is 10,000 lb/ trip. Outside Eureka area, the 20,000 lb/ trip limit applies. From September 1 - December 31, 2002, the whiting fishery is closed.

4/ Closed means that it is prohibited to take and retain, possess, or land the designated species in the time or area indicated. See IV.A.(7).

5/ Yellowtail rockfish and widow rockfish coastwide and bocaccio and chillipepper rockfishes in the north are included in the trip limits for shelf rockfish in the appropriate area. POP in the south and splitnose rockfish in the north are included in the trip limits for minor slope rockfish in the appropriate area.

6/ For black rockfish north of Cape Alava (48°09'30" N.lat.), and between Destruction Island (47°40'00" N.lat.) and Leadbetter Point (46°38'10" N.lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

7/ The minimum size limit for lingcod is 24 inches (61 cm) total length.

8/ The minimum size requirement for sablefish is 20 inches (XX cm) total length between 40°10' N. lat. and 36° N. lat.

9/ Other fish are defined at 50 CFR 660.302, as those groundfish species or species groups for which there is no trip limit, size limit, quota, or harvest guideline.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

**Table 5. Trip Limits<sup>1/</sup> for Open Access Gears**  
**Other Limits and Requirements Apply -- Read Sections IV. A. and C. NMFS Actions before using this table**  
**Exceptions for exempted gears at Section IV.C.**

line	Species/groups	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
<b>**NOTE FOR FISHING SOUTH OF 40°10': ALL GROUND FISH FISHING IS CLOSED SEAWARD OF THE 20 FATHOM DEPTH CONTOUR, EXCEPT SABLEFISH, THORNYHEADS, GRENADIERS AND SLOPE ROCKFISH.</b>								
1	Minor slope rockfish							
2	North	Per trip, no more than 25% of weight of the sablefish landed						
3	South							
4	40°10' - 36° N. lat.	10,000 lb/ 2 months		5,000 lb/ 2 months		1,800 lb/ 2 months		
5	South of 36° N. lat.			10,000 lb/ 2 months				
6	Splitnose - South	200 lb/ month						
7	Pacific ocean perch - North <sup>4/</sup>	100 lb/ month						
8	Sablefish							
9	North of 36° N. lat. <sup>7/</sup>	300 lb/ day, or 1 landing per week of up to 800 lb, not to exceed 2,400 lb/ 2 months					<b>300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 2,700 lb/ 2 months</b>	
10	South of 36° N. lat.	350 lb/ day, or 1 landing per week of up to 1,050 lb		300 lb/ day, or 1 landing per week of up to 900 lb				
11	Thornyheads							
12	North of 34° 27' N. lat.	CLOSED <sup>3/</sup>						
13	South of 34° 27' N. lat.	50 lb/ day, no more than 2,000 lb/ 2 months						
14	Dover sole							
15	Arrowtooth flounder	3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs			North of 40°10': 3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs.			
16	Petrale sole				South of 40°10': Shoreward of 20 fth, 3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs, otherwise CLOSED <sup>3/</sup>			
17	Rex sole							
18	All other flatfish <sup>2/</sup>							
19	Whiting	300 lb/ month			CLOSED <sup>3/</sup>			
20	Shelf rockfish, including minor shelf rockfish, widow and yellowtail rockfish <sup>4/</sup>							
21	North	200 lb/ month						
22	South							
23	40°10' - 34°27' N. lat.	200 lb/ month	CLOSED <sup>3/</sup>	Shoreward of 20 fth depth, 200 lb/ month, otherwise CLOSED <sup>3/</sup>	CLOSED <sup>3/</sup>			
24	South of 34°27' N. lat.	CLOSED <sup>3/</sup>	500 lb/ month					
25	Canary rockfish	CLOSED <sup>3/</sup>						
26	Yelloweye rockfish	CLOSED <sup>3/</sup>						
27	Cowcod	CLOSED <sup>3/</sup>						
28	Bocaccio - South <sup>4/</sup>							
29	40°10' - 34°27' N. lat.	200 lb/ month	CLOSED <sup>3/</sup>		CLOSED <sup>3/</sup>			
30	South of 34°27' N. lat.	CLOSED <sup>3/</sup>	200 lb/ month					
31	Chilipepper - South <sup>4/</sup>							
32	40°10' - 34°27' N. lat.	500 lb/ month	CLOSED <sup>3/</sup>		CLOSED <sup>3/</sup>			
33	South of 34°27' N. lat.	CLOSED <sup>3/</sup>	2,500 lb/ month					
34	Minor nearshore rockfish							
35	North	3,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish <sup>5/</sup>		6,000 lb/ 2 months, no more than 3,000 lb of which may be species other than black or blue rockfish <sup>5/</sup>		<b>7,000 lb/ 2 months no more than 3,000 lb of which may be species other than black or blue rockfish<sup>6/</sup></b>		
36	South							
37	40°10' - 34°27' N. lat.	1,200 lb/ 2 months	CLOSED <sup>3/</sup>	Shoreward of 20 fth depth, 1,200 lb/ 2 months, otherwise CLOSED <sup>3/</sup>	Shoreward of 20 fth depth, 1,200 lb/ 2 months, otherwise CLOSED <sup>3/</sup>	CLOSED <sup>3/</sup>		
38	South of 34°27' N. lat.	CLOSED <sup>3/</sup>	1,200 lb/ 2 months					
39	Lingcod <sup>6/</sup>							
40	North	CLOSED <sup>3/</sup>			300 lb/ month		CLOSED <sup>3/</sup>	
41	South							
42	40°10' - 34°27' N. lat.	CLOSED <sup>3/</sup>		Shoreward of 20 fth depth, 300 lb/ month, otherwise CLOSED <sup>3/</sup>	Shoreward of 20 fth depth, 300 lb/ month, otherwise CLOSED <sup>3/</sup>	CLOSED <sup>3/</sup>		
43	South of 34°27' N. lat.			300 lb/ month				
44	Other Fish <sup>8/</sup>							
45	North	Not limited			Grenadier retention permitted		Not limited, except spiny dogfish prohibited.	
46	South						CLOSED <sup>3/</sup> , except grenadier permitted.	
47	<b>PINK SHRIMP EXEMPTED TRAWL GEAR</b>							
48	North	<b>Effective October 1 - 31, 2002: groundfish 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits apply: canary rockfish 200 lb/month, lingcod 400 lb/month (minimum 24 inch size limit), sablefish 2,000 lb/month.</b>						
49	South	CLOSED <sup>3/</sup>						

1/ Trip limits apply coastwide unless otherwise specified. "North" means 40°0' N. lat. To the U.S.-Canada border. "South" means 40°10' N. lat. To the U.S.-Mexico border. 40°10' N. lat. is about 20 nm south of Cape Mendocino, CA.

2/ "Other flatfish" means all flatfish at 50 CFR 660.302 except those in this Table 5 with species specific management measures, including trip limits.

3/ Closed means that it is prohibited to take and retain, possess, or land the designated species in the time or area indicated. See IV.A.(7).

4/ Yellowtail rockfish in the south and bocaccio and chilipepper rockfishes in the north are included in the trip limits for minor shelf rockfish in the appropriate area. Pop in the south and splitnose rockfish in the north are included in the trip limits for minor slope rockfish in the appropriate area.

5/ For black rockfish north of Cape Alava (48°09'30" N.lat.), and between Destruction Island (47°40'00" N.lat.) and Leadbetter Point (46°38'10" N.lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

6/ The size limit for lingcod is 24 inches (61 cm) total length.

7/ The minimum size requirement for sablefish is 20 inches (XX cm) total length between 40°0' N. lat. and 36° N. lat.

8/ Other fish are defined at 50 CFR 660.302, as those groundfish species or species groups for which there is no trip limit, size limit, quota, or harvest guideline.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.