

**2005 PACIFIC WHITING FISHERY
FOR NON-TRIBAL MOTHERSHIPS AND CATCHER/PROCESSORS**

(Based on NorPac Observer Data)

TABLE 1. SUMMARY - CUMULATIVE NON-TRIBAL CATCH OF ALL SPECIES

Groundfish	Retention (mt)	Discard (mt)	Total (mt)
Pacific whiting	126,685.63	775.17	127,460.80
Rockfish	120.07	115.66	235.73
Flatfish	3.67	1.22	4.89
All other groundfish	39.53	71.64	111.18
TOTAL	126,848.91	963.69	127,812.60
Prohibited Species		Number of fish	
Halibut		140	
Salmon		4,114	

TABLE 2. NON-TRIBAL ROCKFISH CATCH AND RATIO BY AREA (in metric tons)

ROCKFISH	VANCOUVER - 670			COLUMBIA - 710			EUREKA - 720			TOTAL WOC		
	Ret	Dis	Tot	Ret	Dis	Tot	Ret	Dis	Tot	Ret	Dis	Tot
Bocaccio	0.20	0.03	0.23	0.02	0.02	0.05	0.00	0.00	0.00	0.22	0.05	0.28
Other rockfish	24.51	1.66	26.17	26.23	6.59	32.82	0.21	0.02	0.23	50.95	8.27	59.22
POP	0.30	0.05	0.35	1.09	0.17	1.26	0.02	0.00	0.03	1.41	0.22	1.64
Thornyhead	0.00	0.00	0.00	6.56	0.47	7.04	0.05	0.00	0.05	6.61	0.47	7.09
Canary	0.25	0.13	0.38	0.34	0.31	0.65	0.00	0.01	0.01	0.59	0.45	1.04
Yellowtail	18.79	43.03	61.82	5.84	5.12	10.96	0.09	0.09	0.18	24.72	48.24	72.96
Widow	4.19	18.51	22.70	19.02	32.87	51.89	1.69	2.37	4.06	24.91	53.74	78.65
Chilipepper	0.00	0.00	0.00	0.69	0.44	1.13	0.01	0.01	0.02	0.70	0.45	1.15
Shortbelly	0.00	0.00	0.00	2.68	0.01	2.69	0.00	0.00	0.00	2.68	0.01	2.69
Darkblotched	0.09	0.00	0.10	6.50	2.15	8.65	0.69	1.59	2.27	7.28	3.74	11.02
TOTAL ROCKFISH	48.33	63.42	111.75	68.98	48.15	117.13	2.76	4.09	6.85	120.07	115.66	235.73
TOTAL WHITING	15,472	114	15,587	105,733	634	106,367	5,480	27	5,508	126,686	775	127,461
Rockfish /Whiting (mt/mt)	0.0072			0.0011			0.0012			0.0018		

Slight discrepancies occur due to rounding.

January 25, 2006

TABLE 3. NON-TRIBAL SALMON CATCH AND RATIO BY AREA

	VANCOUVER - 670	COLUMBIA - 710	EUREKA - 720*	TOTAL
Chinook (no.)	123	3,315	522	3,960
Other salmon (no.)	91	63	0	154
TOTAL salmon (no.)	214	3,378	522	4,114
Whiting (mt)	15,587	106,367	5,508	127,461
No. chinook/mt whiting	0.0079	0.0312	0.0948	0.0311

* Monterey area north of 39° rate was 0.03 salmon per mt whiting.

TABLE 4. CATCH BY NON-TRIBAL MOTHERSHIPS AND CATCHER/PROCESSORS

SPECIES	MOTHERSHIP					CATCHER/PROCESSOR					TOTAL WOC
	RETAIN (mt) (%)		DISCARD (mt) (%)		TOTAL (mt)	RETAIN (mt) (%)		DISCARD (mt) (%)		TOTAL (mt)	
Whiting	48,436	100	135	0	48,571	78,249	99	640	1	78,890	127,461
Rockfish	62.47	69	28.47	31	90.94	57.60	40	87.19	60	144.79	235.73
Flatfish	0.89	49	0.91	51	1.81	2.78	90	0.31	10	3.09	4.89
All other groundfish	16.44	41	23.60	59	40.04	23.09	32	48.04	68	71.13	111.18
TOTAL	48,516	100	188	0	48,704	78,333	99	776	1	79,109	127,813
SALMON				%	No.				%	No.	
Chinook				96	2206				97	1754	3960
Other				4	94				3	60	154
Total					2300					1814	4114
No.chinook/mt whiting					0.0456					0.0224	0.0311

Slight discrepancies occur due to rounding.

Table 5. CATCH OF ROCKFISH BY NON-TRIBAL MOTHERSHIPS AND CATCHER/PROCESSORS

ROCKFISH SPECIES	MOTHERSHIP	CATCHER/PROCESSOR	TOTAL
Bocaccio	0.16	0.11	0.28
POP	0.86	0.78	1.64
Thornyheads	0.74	6.34	7.09
Canary rockfish	0.70	0.34	1.04
Yellowtail rockfish	25.52	47.44	72.96
Widow rockfish	35.50	43.14	78.65
Chilipepper rockfish	0.89	0.26	1.15
Shortbelly rockfish	2.68	0.01	2.69
Darkblotched rockfish	5.08	5.95	11.02
Other rockfish	18.81	40.42	59.22
TOTAL ROCKFISH	90.94	144.79	235.73
Mt whiting	48,571.23	78,889.57	127,460.80
Mt rockfish/mt whiting	0.0019	0.0018	0.0018

January 25, 2006

Table 6. 1998-2005 PACIFIC WHITING NON-TRIBAL AT-SEAS PROCESSING VESSELS

GROUND FISH	WEIGHT (mt)							
	1998	1999	2000	2001	2002	2003	2004	2005
Pacific whiting	120,452	115,259	114,655	94,451	62,935	67,236	97,277	127,461
Pacific cod	0.00	0.04	0.19	0.00	0.00	0.25	0.02	0.01
Lingcod	0.11	0.06	0.41	0.66	0.27	0.49	1.18	2.42
Sablefish	27.83	2.10	47.13	21.50	21.02	16.95	28.71	15.13
Arrowtooth	1.04	3.21	8.61	3.76	2.17	2.86	1.12	1.26
Dover sole	0.01	0.00	0.27	1.53	0.65	0.85	0.14	0.38
English sole	0.00	0.02	0.22	0.10	0.11	0.02	0.02	0.06
Petrals sole	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Rex sole	0.36	0.02	5.54	18.32	11.51	6.71	1.89	3.18
Rock sole	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Starry flounder	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
All other flatfish spp	0.01	0.01	1.32	7.05	0.15	0.18	0.02	0.01
Bocaccio	1.21	0.32	2.65	0.29	0.19	0.06	0.16	0.28
Canary	2.72	1.22	1.42	1.61	2.41	0.26	4.60	1.04
Chilipepper	0.01	0.54	4.83	3.57	4.90	1.26	1.97	1.15
Darkblotched				12.07	3.13	4.31	7.38	11.02
POP	21.28	14.15	9.61	19.74	3.62	5.16	1.05	1.64
Shortbelly	0.02	0.00	0.86	27.33	0.60	0.51	0.02	2.69
Thornyhead	2.51	0.02	19.07	15.21	11.91	15.65	5.64	7.09
Widow rockfish	292.76	148.95	220.62	168.91	135.60	12.25	19.80	78.65
Yellowtail	376.98	684.13	555.56	124.99	14.28	2.32	18.49	72.96
Yelloweye					0.00	0.00	0.00	0.00
Other rockfish spp	62.36	33.15	120.34	66.15	20.54	24.74	25.83	59.22
Other groundfish	218.07	254.05	92.46	89.18	38.82	14.33	349.89	94.81
TOTAL GROUND FISH	121,689	116,401	115,746	95,033	63,207	67,345	97,738	127,813
CPS SPECIES								
Pacific mackerel	458.78	1.47	15.52	47.29	0.04	0.00	0.00	0.03
Jack mackerel	229.14	53.84	52.98	107.43	6.85	12.38	58.07	4.44
Pacific sardine	1.94	0.18	0.06	0.23	0.01	0.00	0.00	0.04
PROHIBITED SPECIES								
	Number							
	1998	1999	2000	2001	2002	2003	2004	2005
Chinook Salmon	1,477	4,391	6,260	2,568	1,679	2,648	805	3,960
Other Salmon	27	802	115	770	173	224	56	154
TOTAL SALMON	1,504	5,193	6,375	3,338	1,852	2,872	861	4,114
Percent chinook salmon	98.2	84.6	98.2	76.9	90.7	92.2	93.5	96.3
Chinook/mt whiting	0.0123	0.0381	0.0546	0.0272	0.0267	0.0394	0.0083	0.0311
Pacific Halibut	7	47	211	74	59	199	72	140

1/ Defined as sharks, skates, kelp greenling, cabezon, ratfish, morids, and grenadiers.
 2/ Non-groundfish species that are incidental to the whiting fishery, but which are not prohibited.
 Slight discrepancies occur due to rounding.

2004 PACIFIC WHITING FISHERY SUMMARY, ALL SECTORS

SPECIES	TRIBAL						NON-TRIBAL		CATCHER/ PROCESSORS		SHORE-BASED PROCESSORS			TOTAL WOC	
	MOTHERSHIP mt Rate		SHORE BASED mt Rate		ALL TRIBAL mt Rate		mt	Rate	mt	Rate	EFP only mt Rate		non-EFP mt	mt	Rate
Whiting Allocation					35,000		55,696		78,903		97,469			267,069	
WHITING	23,419		10,938		34,357		48,571		78,890		97,378		3	259,199	
Yellowtail Rockfish	39.19	0.0017	16.09	0.0015	55.28	0.0016	25.52	0.0005	47.44	0.0006	170.43	0.0018		298.97	0.0012
Widow Rockfish	1.39	0.0001	0.52	0.0000	1.91	0.0001	35.50	0.0007	43.14	0.0005	77.15	0.0008		157.70	0.0006
Canary Rockfish	0.41	0.0000	0.20	0.0000	0.61	0.0000	0.70	0.0000	0.34	0.0000	2.22	0.0000		3.87	0.0000
Darkblotched Rockfish	0.02	0.0000	0.00	0.0000	0.02	0.0000	5.08	0.0001	5.95	0.0001	5.34	0.0001		16.39	0.0001
POP	0.06	0.0000	0.00	0.0000	0.06	0.0000	0.86	0.0000	0.78	0.0000	0.52	0.0000		2.22	0.0000
Lingcod	0.99	0.0000	0.02	0.0000	1.01	0.0000	2.02	0.0000	0.39	0.0000	5.87	0.0001		9.29	0.0000
Yelloweye	0.00		0.00		0.00		0.00		0.00		0.01	0.0000		0.01	
All other groundfish	286.48		3.17		289.65		63.32		120.96		148.21			622.14	
TOTAL GROUND FISH	23,748		10,958		34,706		48,704		79,109		97,481		3	260,307	
<i>Percent over/under Whiting Allocation</i>					- 1.8%		- 12.8%		0.0%		-0.1%			- 2.9%	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate		Number	Rate
Chinook	3,862	0.1649	76	0.0069	3,938	0.1146	2206	0.0454	1754	0.0222	4,018	0.0413		11,916	0.0460
Non-Chinook (including salmon unident.)	737		40		777		94		60		92				

Data sources: All data is total catch (retained plus discarded catch). The at-sea Catcher/processor and mothership data is from the NorPac data base. Shore-based data is from Oregon Department of Fish and Wildlife 2004 shore-based sampling summary, and the tribal shore-based catch was provided by the Makah fisheries office
a/ Does not include Pacific cod, flatfish, skates or sharks other than spiny dogfish

January 25, 2006