

TABLE 2-1a. DRAFT GMT-recommended alternatives for acceptable biological catches (ABCs) and total catch optimum yields (OYs) (mt) for 2009 and 2010. (Overfished stocks in CAPS; Stocks with new assessments in bold).

Stock	No Action Alternative			2009 and 2010 Action Alternatives (ave. 2009-10 OYs)						
	2007 ABC a/	2008 ABC a/	2007-08 OY a/	2009 ABC	2010 ABC	Alt 1 OY	Alt 2 OY	Alt 3 OY	Alt 4 OY	Alt 5 OY
Lingcod - coastwide b/	6,706	5,853		5,278	4,829					
N of 42° (OR & WA)			5,558			4,383	4,383			
S of 42° (CA)			612			612	671			
Pacific Cod	3,200	3,200	1,600	3,200	3,200	1,600				
Pacific Whiting (U.S.)	612,068 (2007 U.S. & Can.)	To be determined in March 2008	242,591 (2007)	To be determined in March 2009	To be determined in March 2010	121,296	242,591	363,887		
Sablefish (Coastwide)	6,210	6,058	5,934	9,914	9,217	9,392				
N of 36° (Monterey north)			5,723			9,063				
S of 36° (Conception area)			210			329				
PACIFIC OCEAN PERCH	900	911	150	1,160	1,173	0	134	169	195	982
Shortbelly Rockfish	13,900	13,900	13,900	6,950	6,950	3,475	6,950	13,900		
WIDOW ROCKFISH	5,334	5,144	368	7,728	6,937	0	367	516	4,195	
CANARY ROCKFISH	172	179	44	937	940	0	55	95	155	630
Chilipepper Rockfish	2,700	2,700	2,000	3,037	2,576	2,000	2,099	2,807		
BOCACCIO	602	618	218	793	793	0	223	295	475	
Splitnose Rockfish	615	615	461	615	615	461				
Yellowtail Rockfish	4,585	4,510	4,548	4,562	4,562	4,562				
Shortspine Thornyhead - coastwide	2,488	2,463		2,437	2,411					
Shortspine Thornyhead - N of 34°27'			1,634			1,600				
Shortspine Thornyhead - S of 34°27'			421			412				
Longspine Thornyhead - coastwide	3,953	3,860		3,766	3,671					
Longspine Thornyhead - N of 34°27'			2,220			2,203				
Longspine Thornyhead - S of 34°27'			476			390				
COWCOD	36	36	4	13	14	0	2	4	8	
DARKBLOTCHED	456	487	290 (2007) 330 (2008)	437	440	0	162	303	321	388
YELLOWEYE	47	47	Ramp-down c/	31	32	0	13	Ramp-down c/	15	
Black Rockfish (WA)	540	540	540	505	478	125	492			
Black Rockfish (OR-CA)	725	719	722	1,454	1,303	870	1,379			
Blue Rockfish (CA)	Managed under the Minor Nearshore Rockfish South complex			TBD d/	TBD d/	TBD d/				
Minor Rockfish North	3,680	3,680	2,270	3,680	3,680	2,270				
Nearshore Species			142			142				
Shelf Species			968			968				
Slope Species			1,160			1,160				
Minor Rockfish South	3,403	3,403	1,904	TBD d/	TBD d/	TBD d/				
Nearshore Species			564			TBD d/				
Shelf Species			714			714				
Slope Species			626			626				
California scorpionfish	374	319	175	277	249	101	175			
Cabezon (off CA only)	94	94	69			69	74			
Dover Sole	28,522	28,442	16,500	29,453	28,582	16,500				
English Sole	6,773	5,701	6,237	14,326	9,745	12,036				
Petrale Sole (coastwide) b/	2,917	2,919	2,499	2,811	2,751	2,413				
Longnose Skate	Managed under the Other Fish complex			3,428	3,269	902	1,349	3,349		
Arrowtooth Flounder	5,800	5,800	5,800	11,267	10,112	5,245	10,690			
Starry Flounder	1,221	1,221	890	1,509	1,578	1,040				
Other Flatfish	6,731	6,731	4,884	6,731	6,731	4,884				
Other Fish	14,600	14,600	7,300	TBD d/	TBD d/	TBD d/				
Kelp Greenling HG (OR)			OR HG			OR HG				

a/ The Council elected to average OY projections for 2007 and 2008. ABCs are year-specific.

b/ Area OYs/HGs are stratified according to the assessment areas and alternatively adjusted by management areas for lingcod and petrale sole.

c/ The yelloweye ramp-down strategy ramps the harvest rate down from the status quo harvest rate and resumes a constant harvest rate strategy in 2011. The 2007-2010 OYs are 23 mt, 20 mt, 17 mt, and 14 mt, respectively under the ramp-down strategy.

d/ TBD = to be determined. ABCs are decided by the SSC and OYs are decided by the Council

TABLE 2-1b. DRAFT GMT-recommended alternatives for acceptable biological catches (ABCs) and total catch optimum yields (OYs) (mt) for 2009. (Overfished stocks in CAPS; Stocks with new assessments in bold).

Stock	No Action Alternative			2009 Action Alternatives						
	2007 ABC a/	2008 ABC a/	2007-08 OY a/	2009 ABC	2010 ABC	Alt 1 OY	Alt 2 OY	Alt 3 OY	Alt 4 OY	Alt 5 OY
Lingcod - coastwide b/	6,706	5,853		5,278	4,829					
N of 42° (OR & WA)			5,558			4,593	4,593			
S of 42° (CA)			612			612	685			
Pacific Cod	3,200	3,200	1,600							
Pacific Whiting (U.S.)	612,068 (2007 U.S. & Can.)	To be determined in March 2008	242,591 (2007)	To be determined in March 2009	To be determined in March 2010	121,296	242,591	363,887		
Sablefish (Coastwide)	6,210	6,058	5,934	9,914	9,217	9,795				
N of 36° (Monterey north)			5,723			9,452				
S of 36° (Conception area)			210			343				
PACIFIC OCEAN PERCH	900	911	150	1,160	1,173	0	130	164	189	971
Shortbelly Rockfish	13,900	13,900	13,900	6,950	6,950	3,475	6,950	13,900		
WIDOW ROCKFISH	5,334	5,144	368	7,728	6,937	0	371	522	4,338	
CANARY ROCKFISH	172	179	44	937	940	0	55	95	155	637
Chilipepper Rockfish	2,700	2,700	2,000	3,037	2,576	2,000	2,099	3,037		
BOCACCIO	602	618	218	793	793	0	218	288	468	
Splitnose Rockfish	615	615	461	615	615	461				
Yellowtail Rockfish	4,585	4,510	4,548							
Shortspine Thornyhead - coastwide	2,488	2,463		2,437	2,411					
Shortspine Thornyhead - N of 34°27'			1,634			1,608				
Shortspine Thornyhead - S of 34°27'			421			414				
Longspine Thornyhead - coastwide	3,953	3,860		3,766	3,671					
Longspine Thornyhead - N of 34°27'			2,220			2,231				
Longspine Thornyhead - S of 34°27'			476			395				
COWCOD	36	36	4	13	14	0	2	4	8	
S of 36° (Conception area)	17	17								
N of 36° (Monterey area)	19	19								
DARKBLOTCHED	456	487	290 (2007) 330 (2008)	437	440	0	159	300	318	385
YELLOWEYE	47	47	Ramp-down c/	31	32	0	13	17	15	
Black Rockfish (WA)	540	540	540	505	478	118	505			
Black Rockfish (OR-CA)	725	719	722	1,454	1,303	909	1,454			
Blue Rockfish (CA)	Managed under the Minor Nearshore Rockfish South complex			TBD d/	TBD d/	TBD d/				
Minor Rockfish North	3,680	3,680	2,270	3,680	3,680	2,270				
Nearshore Species			142			142				
Shelf Species			968			968				
Slope Species			1,160			1,160				
Minor Rockfish South	3,403		1,904	TBD d/	TBD d/	TBD d/				
Nearshore Species			564			TBD d/				
Shelf Species			714			714				
Slope Species			626			626				
California scorpionfish	374	319	175	277	249					
Cabezon (off CA only)	94	94	69							
Dover Sole	28,522	28,442	16,500							
English Sole	6,773	5,701	6,237	14,326	9,745	14,326				
Petrale Sole (coastwide) b/	2,917	2,919	2,499	2,811	2,751	2,433				
Longnose Skate	Managed under the Other Fish complex			3,428	3,269	901	1,349	3,428		
Arrowtooth Flounder	5,800	5,800	5,800	11,267	10,112	5,245	11,267			
Starry Flounder	1,221	1,221	890	0	1,578	0				
Other Flatfish	6,731	6,731	4,884	6,731	6,731	4,884				
Other Fish	14,600	14,600	7,300	TBD d/	TBD d/	TBD d/				
Kelp Greenling HG (OR)			OR HG			OR HG				

a/ The Council elected to average OY projections for 2007 and 2008. ABCs are year-specific.

b/ Area OYs/HGs are stratified according to the assessment areas and alternatively adjusted by management areas for lingcod and petrale sole.

c/ The yelloweye ramp-down strategy ramps the harvest rate down from the status quo harvest rate and resumes a constant harvest rate strategy in 2011. The 2007-2010 OYs are 23 mt, 20 mt, 17 mt, and 14 mt, respectively under the ramp-down strategy.

d/ TBD = to be determined. ABCs are decided by the SSC and OYs are decided by the Council

TABLE 2-1c. DRAFT GMT-recommended alternatives for acceptable biological catches (ABCs) and total catch optimum yields (OYs) (mt) for 2010. (Overfished stocks in CAPS; Stocks with new assessments in bold).

Stock	No Action Alternative			2010 Action Alternatives						
	2007 ABC a/	2008 ABC a/	2007-08 OY a/	2009 ABC	2010 ABC	Alt 1 OY	Alt 2 OY	Alt 3 OY	Alt 4 OY	Alt 5 OY
Lingcod - coastwide b/	6,706	5,853		5,278	4,829					
N of 42° (OR & WA)			5,558			4,173	4,173			
S of 42° (CA)			612			612	656			
Pacific Cod	3,200	3,200	1,600							
Pacific Whiting (U.S.)	612,068 (2007 U.S. & Can.)	To be determined in March 2008	242,591 (2007)	To be determined in March 2009	To be determined in March 2010	121,296	242,591	363,887		
Sablefish (Coastwide)	6,210	6,058	5,934	9,914	9,217	8,988				
N of 36° (Monterey north)			5,723			8,673				
S of 36° (Conception area)			210			315				
PACIFIC OCEAN PERCH	900	911	150	1,160	1,173	0	137	173	200	992
Shortbelly Rockfish	13,900	13,900	13,900	6,950	6,950	3,475	6,950	13,900		
WIDOW ROCKFISH	5,334	5,144	368	7,728	6,937	0	362	509	4,051	
CANARY ROCKFISH	172	179	44	937	940	0	55	95	155	623
Chilipepper Rockfish	2,700	2,700	2,000	3,037	2,576	2,000	2,099	2,576		
BOCACCIO	602	618	218	793	793	0	227	302	482	
Splitnose Rockfish	615	615	461	615	615	461				
Yellowtail Rockfish	4,585	4,510	4,548							
Shortspine Thornyhead - coastwide	2,488	2,463		2,437	2,411					
Shortspine Thornyhead - N of 34°27'			1,634			1,591				
Shortspine Thornyhead - S of 34°27'			421			410				
Longspine Thornyhead - coastwide	3,953	3,860		3,766	3,671					
Longspine Thornyhead - N of 34°27'			2,220			2,175				
Longspine Thornyhead - S of 34°27'			476			385				
COWCOD	36	36	4	13	14	0	2	4	8	
S of 36° (Conception area)	17	17								
N of 36° (Monterey area)	19	19								
DARKBLOTCHED	456	487	290 (2007) 330 (2008)	437	440	0	165	306	323	390
YELLOWEYE	47	47	Ramp-down c/	31	32	0	14	14	15	
Black Rockfish (WA)	540	540	540	505	478	132	478			
Black Rockfish (OR-CA)	725	719	722	1,454	1,303	831	1,303			
Blue Rockfish (CA)	Managed under the Minor Nearshore Rockfish South complex			TBD d/	TBD d/	TBD d/				
Minor Rockfish North	3,680		2,270							
Nearshore Species			142							
Shelf Species			968							
Slope Species			1,160							
Minor Rockfish South	3,403		1,904	TBD d/	TBD d/	TBD d/				
Nearshore Species			564			TBD d/				
Shelf Species			714			714				
Slope Species			626			626				
California scorpionfish	374	319	175	277	249					
Cabezon (off CA only)	94	94	69							
Dover Sole	28,522	28,442	16,500							
English Sole	6,773	5,701	6,237	14,326	9,745	9,745				
Petrale Sole (coastwide) b/	2,917	2,919	2,499	2,811	2,751	2,393				
Longnose Skate	Managed under the Other Fish complex			3,428	3,269	902	1,349	3,269		
Arrowtooth Flounder	5,800	5,800	5,800	11,267	10,112	5,245	10,112			
Starry Flounder	1,221	1,221	890	1,509	0	0				
Other Flatfish	6,731	6,731	4,884	6,731	6,731	4,884				
Other Fish	14,600	14,600	7,300							
Kelp Greenling HG (OR)										

a/ The Council elected to average OY projections for 2007 and 2008. ABCs are year-specific.

b/ Area OYs/HGs are stratified according to the assessment areas and alternatively adjusted by management areas for lingcod and petrale sole.

c/ The yelloweye ramp-down strategy ramps the harvest rate down from the status quo harvest rate and resumes a constant harvest rate strategy in 2011. The 2007-2010 OYs are 23 mt, 20 mt, 17 mt, and 14 mt, respectively under the ramp-down strategy.

d/ TBD = to be determined. ABCs are decided by the SSC and OYs are decided by the Council