

Expected Data Sources for the 2005 West Coast Groundfish Stock Assessments
Northwest Fisheries Science Center
January 21, 2005

This is a summary of the data sources stock assessment authors are expecting and/or are considering to use in the 2005 groundfish assessments. It was compiled by Stacey Miller (NWFSC). Data sources and data type are abbreviated in the summary to keep the document at a reasonable length. Please see the abbreviation key below. This information is provided for your convenience and is subject to change. If you have any questions regarding data that will be used in a particular stock assessment, please contact either the stock assessment author or Ms. Stacey Miller (Stacey.Miller@noaa.gov).

Abbreviation Key

Biomass index - bio indx
Lengths or length composition - len
Ages or age composition - age
Maturity - mat
Individual weights - indiv wt
Spawning biomass index - spwn bio indx
Landings - land
Logbook - lgbk
Observer Data - Obsvr
Washington's Ocean Sampling Program - WA OSP
Oregon's Ocean Recreation Boat Survey - OR ORBS
California Commercial Passenger Fishing Vessel Observer or Logbook Data - CA CPFV

<u>SPECIES</u>	<u>DATA SOURCES (<i>data elements</i>)</u>
Blackgill rockfish	AFSC Tri-Shelf Survey (<i>bio idx, len, ages</i>), NWFSC Slope/Shelf Survey '03-04 (<i>bio idx, len, sex</i>), Submersible/ROV Obs. (<i>abund habitat-based</i>), PacFIN (<i>land, logbk, len</i>), CalCOM (<i>land ,len, sex</i>)
Bocaccio rockfish	AFSC Tri-Shelf Survey (<i>bio idx, len, sex</i>), CalCOFI (<i>spawn bio idx</i>), PacFIN (<i>land</i>), CalCOM (<i>land, len, age, sex, mat</i>), NWFSC Obsvr. (<i>discard rate, discard indiv len</i>), MRFSS (<i>land, effort, cpue, len, indv wts, discard rate</i>), CA CPFV Obsvr (<i>cpue, len</i>)
Cabezon	CalCOFI (<i>spawn bio. idx</i>), CalCOM (<i>land, len</i>), MRFSS (<i>land, effort, cpue, len</i>), WA OSP (<i>land, effort, cpue, len</i>), ORBS (<i>land, effort, cpue, len</i>), CA CPFV Obsvr. (<i>cpue, len</i>), CA CPFV Logbook (<i>cpue</i>), AFSC Larval survey (<i>larval idx</i>), Power-Plant Impingement (<i>recruit. idx</i>), CA Spearfishing tournament (<i>catch, len</i>), TENERA surveys (<i>cpue</i>), Monterey adult fish survey (<i>cpue</i>), REEF (<i>cpue</i>).
Cal Scorpionfish	CalCOFI (<i>spawn bio. idx</i>), PacFIN (<i>land, len</i>), CalCOM (<i>land, len</i>), MRFSS (<i>land, len</i>), CDFG-Commercial Fishery Information System (CFIS): CMASTR (Commercial Master File for DFG) (<i>land</i>), CA CPFV Logbook (<i>cpue</i>), CA CPFV Obsvr (<i>cpue, len</i>), Power-Plant Impingement (<i>recruit. idx</i>), Sanitation Department LA (<i>bio idx</i>), Sanitation Department San Diego (<i>bio idx</i>)
Canary rockfish	AFSC Tri-Shelf Survey (<i>bio idx, len, age, sex</i>), NWFSC Slope/Shelf 2003-04 (<i>bio idx, len, age, mat, ave wt., sex</i>), CA Midwater Juv. Rockfish Survey (<i>recruit index</i>), Submersible Observation (<i>abund</i>), PacFIN (<i>land, len & age comps, sex</i>), Pikitch Obsvr data (<i>discard rate</i>), NWFSC Obsvr data (<i>discard rate</i>), NORPAC at-sea Obsvr. (<i>bycatch data</i>), MRFSS (<i>land, len</i>), CA CPFV Obsvr. (<i>cpue, len</i>)

SPECIES	DATA SOURCES (<i>data elements</i>)
Cowcod	CalCOFI (<i>spawn bio. idx</i>), Habitat data (<i>bottom type</i>), Submersible Obs. (<i>abund</i>), PacFIN (<i>len, & age comps, sex</i>), CalCOM (<i>land, len, age, sex, mat</i>), NWFSC Obsvr (<i>discard rate, indiv len</i>), MRFSS (<i>land, effort, cpue, len, wt, discard rate</i>), CA CPFV Obsvr (<i>cpue, len</i>), CA CPFV Logbook (<i>cpue</i>), Power-Plant Impingement (<i>recruit. idx</i>), Sanitation Department (S. Calif Bight).
Darkblotched rockfish	AFSC Tri-Shelf Survey (<i>bio idx, len, ages, ind wts, sex</i>), AFSC Slope Survey (<i>bio idx, len, ages, ind wts., sex</i>), NWFSC Slope Survey '98-02 (<i>bio idxs, len, ages, sex</i>), NWFSC Slope/Shelf Survey '03-04 (<i>bio idx, len, ages, indiv. wts, sex</i>), PacFIN (<i>land, logbk, len & age comps, sex</i>), CalCOM (<i>len comps and sex</i>), Pikitch Obsvr. Data (<i>discard rate, discarded ind len</i>), AFSC POP Survey (<i>bio idx, len</i>), Rogers 2003 (<i>foreign catch</i>), Barss and Niska 1978 (<i>domestic landings in OR</i>), Lenarz 1993 (<i>domestic landings Con-UVan</i>), Fraidenburg et al. 1977 (<i>domestic landings in Monterey and Eureka INPFC areas</i>).
Dover sole	Brodziak et al. 1997 (<i>cpue, Humboldt State discard rate, land</i>), Brodziak & Mikus 2000 (<i>len-wt curve, , mat-len curve</i>), Hermann & Harry 1963 (<i>discard rate</i>) Barss & Demory 1985 (<i>discard rate</i>), AFSC Tri-Shelf Survey (<i>bio idx, len, age, indiv wt, sex</i>), AFSC Slope Survey (<i>bio idx, len, age, sex</i>), NWFSC Slope Survey '98-02 (<i>bio idx, len, age, mat, sex</i>), NWFSC Slope/Shelf '03-04 (<i>bio idx, len, age, mat, sex</i>), PacFIN (<i>land, len, age, sex</i>), Pikitch Obsvr Data (<i>discard rate</i>), EDCP Obsvr Data (<i>discard rate</i>), NWFSC Obsvr Data (<i>discard rate</i>).
English sole	Sampson 1993 (<i>land</i>), Jow 1969 (<i>land</i>), OR Fish Commission 1967 (<i>land</i>), CDFG Fish Bulletins (<i>land</i>), Smith 1956 (<i>land</i>), Cleaver 1951 (<i>land</i>), Heimann and Carlisle 1970 (<i>land</i>), Demory & Bailey 1967 (<i>len/age freq</i>), AFSC Shelf Survey Special Project by Sampson and Al-Jufaily 1995 (<i>mat., age-at-len</i>), Palmen 1956 (<i>ageing methods</i>), AFSC Tri-Shelf Survey (<i>bio idx, len, indiv wt, sex</i>), PacFIN (<i>land, len, age, sex</i>), CalCOM (<i>len, age, sex</i>), Pikitch Obsvr Data (<i>discard rate</i>), EDCP Obsvr Data (<i>discard rate</i>), NWFSC Obsvr Data (<i>discard rate</i>), Herrman and Harry 1963 (<i>discard rate</i>).
Gopher rockfish	PacFIN (<i>land</i>), CalCOM (<i>land, len, age, sex, mat</i>), MRFSS (<i>land, effort, cpue, len, indiv wt, discard rates</i>), CA CPFV Obsvr (<i>cpue, len</i>), CA CPFV Logbook (<i>cpue</i>).

SPECIES	DATA SOURCES (<i>data elements</i>)
Kelp Greenling	CA Spearfishing Tournament (<i>catch, len</i>), TENERA Surveys (<i>cpue</i>), Monterey Adult Fish Survey (<i>cpue</i>), REEF (<i>cpue</i>), CalCOFI Data (<i>spawn bio idx</i>), CalCOM (<i>land, len</i>), MRFSS (<i>land, effort, cpue len, discard rate</i>), WA OSP (<i>land, effort, cpue, len</i>), OR RBS (<i>land, effort, cpue, len</i>), CA CPFV Obsvr(<i>cpue, len</i>), CA CPFV Logbook (<i>cpue, descript, summary</i>), AFSC&Soviet PRI Larval Study (<i>larval idx</i>), Power Plant Impingement (<i>recruitment idx</i>).
Lingcod (North)	WDFW Lingcod Tagging (<i>abund idx, len, ages</i>), AFSC Tri Shelf Survey (<i>bio idx, len, age</i>), NWFSC Slope/Shelf Survey 2003-04 (<i>bio idx</i>), PacFIN (<i>land, lgbk, len, age</i>), WA OSP (<i>land, len, age</i>), OR RBS (<i>land, cpue</i>).
Lingcod (South)	AFSC Tri Shelf Survey (<i>bio idx, age</i>), NWFSC Slope Survey 1998-02 (<i>bio idx</i>), PacFIN (<i>land, lgbk, age</i>), MRFSS (<i>land, age</i>), OR RBS (<i>land, cpue</i>), CA CPFV Logbook (<i>cpue</i>).
Longspine Thornyhead	AFSC Slope Survey (<i>bio idx, len</i>), NWFSC Slope Survey 1998-02 (<i>bio idx, len</i>), NWFSC Slope/Shelf Survey 2003-04 (<i>bio idx, len</i>), PacFIN (<i>land, len</i>), CalCOM (<i>land, len</i>), Pikitch Obsvr (<i>discard rate</i>), EDCP Obsvr (<i>discard rate</i>), NWFSC Obsvr (<i>discard rate</i>).
Petrale sole	HAL Database (<i>land</i>), AFSC Tri Shelf Survey (<i>bio idx, len, age</i>), NWFSC Slope/Shelf 2003-04 (<i>bio idx, len</i>), PacFIN (<i>land, lgbk, len, age, sex</i>), Pikitch Obsvr(<i>discard rate</i>), EDCP Obsvr (<i>discard rate</i>), NWFSC Obsvr (<i>discard rate</i>).
Pacific ocean perch	AFSC POP Survey (<i>bio idx, len, age</i>), AFSC Tri Shelf Survey (<i>bio idx, len, age</i>), AFSC Slope Survey (<i>bio idx, len</i>), NWFSC Slope Survey '98-02 (<i>bio idx, ages</i>), NWFSC Slope/Shelf 2003-04 (<i>bio idx, ages</i>), PacFIN (<i>land, lgbk, len, age</i>), Pikitch Obsvr(<i>discard rate</i>), EDCP Obsvr (<i>discard rate</i>), NWFSC Obsvr (<i>discard rate</i>).

SPECIES	DATA SOURCES (<i>data elements</i>)
Sablefish	Pac.Fish.Env.Lab (<i>environmental data</i>), AFSC Pot Survey (<i>bio idx, len, age</i>), AFSC Tri Shelf Survey (<i>bio idx, len, age, sex</i>), AFSC Slope Survey (<i>bio idx, len, age, sex</i>), NWFSC Slope Survey 1998-02 (<i>bio idx, len, age, sex</i>) NWFSC Slope/Shelf Survey 2003-04 (<i>bio idx, len, age, ave wt, sex</i>), NWFSC Sablefish Pot Study 2002-03 (<i>CPUE, len, age, distribution</i>), PacFIN (<i>land, lgbk, len, age, sex</i>), EDCP Obsvr (<i>discard rate</i>), NWFSC Obsvr (<i>discard rate, discarded indiv len</i>), P. Whiting Shoreside Obsvr (<i>bycatch, len</i>).
Shortspine thornyhead	AFSC Tri Shelf Survey (<i>bio idx, len, sex</i>), AFSC Slope Survey (<i>bio idx, len, sex</i>), NWFSC Slope Survey 1998-02 (<i>bio idx, len</i>), NWFSC Slope/Shelf 2003-04 (<i>bio idx, len, sex</i>), Habitat Data (<i>bottom type</i>), Submersible/ROV Obs. (<i>abund idx</i>), PacFIN (<i>land, lgbk, len</i>), EDCP Obsvr (<i>discard rate</i>), NWFSC Obsvr (<i>discard rate</i>).
Starry flounder	PacFIN (<i>land, lgbk, len</i>), CalCOM (<i>len</i>), MRFSS (<i>land, effort, cpue, len, discard rate</i>), CA CPFV Logbook 1980-Present (<i>cpue</i>), CA CPFV Logbook 1936-39 & 1947-69 (<i>descriptive summary</i>).
Vermilion rockfish	AFSC Tri Shelf Survey (<i>bio idx, len, age, mat, indiv wt, sex</i>), PacFIN (<i>land, lgbk, len</i>), CalCOM (<i>land, len, age, sex, mat</i>), MRFSS (<i>land, effort, cpue, len, indiv wt, discard rates</i>), CA CPFV Obsvr (<i>cpue lengths</i>), CA CPFV Logbook (<i>cpue</i>)
Widow rockfish	AFSC Tri Shelf Survey (<i>bio idx</i>), CA Midwater Juvenile Rockfish Survey (<i>recruit idx</i>), P. Whiting Prerecruit Survey (<i>recruit idx</i>), Habitat Data (<i>bottom type</i>), PacFIN (<i>land, lgbk, len, age, sex</i>), CalCOM (<i>land, len, age, sex, mat</i>), NWFSC Obsvr (<i>discard rate, discard indiv len</i>), NORPAC At-Sea Obsvr (<i>bycatch</i>).

SPECIES	DATA SOURCES (<i>data elements</i>)
Yelloweye rockfish	IPHC Survey (<i>rockfish bycatch</i>), Submersible/ROV Obs. (<i>abund idx</i>), PacFIN (<i>land</i>), CalCOM (<i>land, len, age, sex, mat</i>), MRFSS (<i>land, effort cpue, len, indiv wt, discard rates</i>), WA OSP (<i>land, effort cpue, len, indiv wt</i>), OR ORBS (<i>land, effort cpue, len, indiv wt</i>), CA CPFV Obsvr (<i>cpue, len</i>), CA CPFV Logbook (<i>cpue</i>).
Yellowtail rockfish	HAL Database (<i>land</i>), AFSC Tri Shelf Survey (<i>bio idx, len, age, mat, indiv wt, sex</i>), NWFSC Slope/Shelf 2003-04 (<i>bio idx, len, age, mat, ave wt, sex</i>), PacFIN (<i>land, lgbk, len, age, sex</i>), Pikitch Obsvr (<i>discard rate</i>), EDCP Obsvr (<i>discard rate</i>), NWFSC Obsvr (<i>discard rate</i>), NORPAC At-Sea Obsvr (<i>bycatch</i>), P. Whiting Shoreside Obsvr (<i>bycatch</i>).