Agenda Item G.7.a Supp NMFS PPT March 2016

1

Electronic Monitoring EFP Update

Pacific Fishery Management Council Meeting


NMFS Report for Agenda Item G.7

March 14, 2016

EFP Activity

	Total # Vessels	Total # Trips
Bottom trawl	4	19
Fixed gear	7	57
Shoreside whiting	17	483
MS/CV	9	25

Year-end 2015



What to do when EM \neq LB?

Principles:

- 1. Compare weights, rather than counts
- 2. Allow for some difference between logbook and EM estimates
- 3. Minimize uncertainty in discard estimates and consider different rules for overfished and non-overfished species
- 4. Be rigorous, but not unattainable

What to do when EM \neq LB?

Business rules

- 1. 10% allowable discrepancy
 - Applied to total weight for whiting (not sorted)
 - Applied to species/group weight for non-whiting (sorted)
 - When >10% difference, use higher of the two
 - No allowable discrepancy for overfished species
- 2. If LB missing, use EM
- 3. If EM missing, use LB

What does this mean for vessel accounts?

	Bottom Trawl	Fixed Gear	Shorebased Whiting	MS/CV
Original discards (Ib)	4,435	19,256	127,190	271,290
Unchanged				
Amount (lb)	3,657	13,172	87,740	178,856
# records	20	86	112	236
% records	28%	47%	33%	52%
EM>0, LB=0				
New amount (lb)	473	127	17,777	14,881
# records	28	14	204	139
% records	34%	8%	59%	30%
EM>LB by 10%				
New amount (lb)	1,324	10,487	129,429	243,344
# records	32	83	28	83
% records	39%	45%	8%	18%
New total discards (lb)	5,454	23,786	234,946	437,081
Difference (lb)	1,018	4,529	107,756	165,790


	Bottom Trawl (lb)			Fixed Gear (lb)		
	Original	New	Difference	Original	New	Difference
Arrowtooth Flounder	63	145	82	60	135	75
Bocaccio Rockfish	-	8	8	-	-	-
Chilipepper Rockfish	-	27	27	-	-	-
Darkblotched Rockfish	-	-	-	2	3	2
Dover Sole	19	35	16	3	8	5
English Sole	420	813	393	-	-	-
Lingcod	4	11	7	160	290	130
Longspine Thornyhead	19	36	17	-	-	-
Minor Shelf Rockfish	3	3	-	-	-	-
Minor Slope Rockfish	49	54	5	13	24	11
Other Flatfish	1	73	72	-	-	-
Pacific Hake	162	299	138	3	12	9
Pacific Halibut	-	12	12	958	1,604	646
Petrale Sole	30	54	24	-	-	-
Sablefish	5	220	215	4,816	8,443	3,627
Shortspine Thornyhead	-	3	3	69	95	26
Splitnose Rockfish	4	4	-	-	-	-
Grand Total	779	1,797	1,018	6,085	10,614	4,529

Year-end 2015

- Updated vessel accounts December 23, 2015
- Some vessels had account deficits, a few large changes
- Working on programming changes to update regularly, and make all EM data visible
- MS/CV data updated in NORPAC January 8, 2016

How well did the EFPs do?

Fixed Gear: Rockfish and Thornyheads Discards



How often could fish not be identified to species?

	Amount Unidentified (lb)	Total Discards (lb)
Thornyhead	44	242
Rockfish	42	164
Flatfish	70	5,285
Unknown fish	49.5	
Grand total	206	

How often was fish removed from camera view?

	# Trips with at	Total # Instances		
	least 1 Instance	on All Trips		
Bottom trawl	0	0		
Fixed gear	9	23		
Shoreside whiting	0	0		
MS/CV	1	1		

How many data gaps were there?

	Total # Vessels			# Trips with Missing Haul	
Bottom trawl	4	19	6	0	0
Fixed gear	7	57	8	0	0
Shoreside whiting	17	483	14	3	1
MS/CV	9	25	3	2	0

How well did the EFPs do?

- Results show the EFPs performed well
 - Mostly small discrepancies, few large ones
 - Few instances of unidentified fish or fish removed from camera view
 - Few instances of data gaps

What does it all mean?

- Whiting \mathbf{V}
- Fixed gear V
 Bottom trawl ?
- Non-whiting midwater trawl **?**

Recommendation

 Given that the current EFPs expire at the end of 2016, we recommend that the Council extend the current EFPs through at least 2017.



- Email: melissa.hooper@noaa.gov
- Phone: 206-526-4357