





February 22, 2017

Dear Pacific Fishery Management Council:

We, the fishermen of the California Groundfish Collective are writing to share our recently published "California Groundfish Collective Annual Report for 2015" with the Pacific Fisheries Management Council. This fifth annual report describes the working components of the California Groundfish Collective (CGC) and provides details of our annual operations and results.

We are the seven vessels represented in this report from Fort Bragg, Half Moon Bay and Morro Bay that have founded and been participating in the CGC since the program implemented in 2011. The CGC is a voluntary cooperative agreement between our port associations that that has been proven successful in maintaining a low utilization rate of overfished species and a high utilization of all target species. This collaboration is invaluable to our operations by allowing our vessels more time on the water and access to historical grounds that would not be otherwise accessible, which increases our opportunities for economic success.

We work together to develop regional fishing plans and share real-time catch information to reduce our interactions with overfished species and maximize our opportunities to harvest target species. This work requires additional effort on our part and involves sacrifice and extra cost, but we have all made a choice to adapt the way we fish and communicate, for the betterment of our communities and environment that aim to bring about the short and long-term success of our individual businesses.

Many challenges remain in the West Coast Groundfish fishery. Most notably the costs of participation in the program are far too high. The CGC has not only improved our fishing opportunities at sea, but has also created opportunities for us to work with our association directors in Half Moon Bay and Fort Bragg, and technical and scientific advisors at The Nature Conservancy to productively engage the Council in the fishery management process.

One example of this is our participation in collaborative fisheries research in 2015 to implement electronic monitoring instead of human observers using Exempted Fishing Permits. The goal of the project seeks to improve flexibility, increase options, demonstrate cost-effective solutions and inform the development of new standards-based regulatory programs for electronic monitoring. The project is ongoing but has already influenced the development of new federal regulations that will allow fixed gear and whiting vessels to use electronic monitoring systems. The CGC is continuing to document costs and develop best practices in order to inform development of additional regulations for the trawl fleet.

We are proud to say that the CGC is achieving its goal of maximizing conservation and on going efforts to pursue opportunities that return economic value to fishing operations. There is still much work to be

done, and we as the CGC will continue to work together to productively engage in solutions to build a better future for our industry.

We hope the report is a helpful resource for understanding the purpose, goals, and annual operations of the CGC. You may also find additional informational resources on our webpage: www.cagroundfish.org.

Please let us know if you have any questions or if we can provide any additional information.

Sincerely,

Tommy Estes, FV Noyo Dawn

ince Doyle, Verna Jean

Brian Jourdain, FV Blue Pacific

Bernie Norvell, FV Donna J

Geoff Bettencourt, FV Miss Moriah

Bill Blue, FV Britta Michelle

Steve Fitz, FV Mr. Morgan

CALIFORNIA GROUNDFISH COLLECTIVE ANNUAL REPORT 2015



Report prepared by: Kate Kauer* Aliya Rubinstein* and Dwayne Oberhoff†

Fort Bragg Groundfish Association A California Fish Marketing Act Corporation

Half Moon Bay Groundfish Marketing Association A California Fish Marketing Act Corporation

The Nature Conservancy A District of Columbia Non-profit Corporation





est. 2011





*The Nature Conservancy †Ecological Assets Management, LLC Photos © Corey Arnold



Acknowledgements:

The authors of this report wish to acknowledge and thank the contributors whose collaboration, expertise, and commitment to leadership collectively make up and support the California Groundfish Collective's ability to create the results contained within this report. The California Groundfish Collective has benefitted from the input and guidance from many organizations and individuals; in particular this collaboration and the annual report are made possible by the Fort Bragg Groundfish Association and its fishermen members; the Half Moon Bay Groundfish Marketing Association and its members; The Nature Conservancy; Joe Sullivan; Sarah Towne; Sean Matson; Kevin Ford; Dave Colpo; the Pacific Fisheries Management Council; the National Marine Fisheries Service, the California Department of Fish and Wildlife; and the National Fish and Wildlife Foundation.

As of May 2016, the Central California Seafood Marketing Association (CCSMA) dissolved and is no longer a party to the California Groundfish Collective annual agreement. While CCSMA was a party to the California Groundfish Collective agreement during the 2015 calendar year, this report does not include any information from CCSMA.



Suggested Citation:

Kauer, K., Rubinstein, A., and D. Oberhoff. 2016. California Groundfish Collective Annual Report 2015. Report to the Pacific Fisheries Management Council. December 2016.





Background

The U.S. West Coast groundfish fishery is a mixed stock fishery comprised of over 90 species of flatfish, rockfish, roundfish, and others, and operates under an Individual Fishing Quota (IFQ) management system. Under this federal management system, the annual total allowable catch for each managed species is divided into transferable quota shares and allocated among individual fishermen. Quota shares generate an exclusive right to harvest or transfer a certain amount of annual quota pounds based on the scientifically established total allowable catch for each fish species within the fishery.

Many fishery participants face the challenge of a limited supply of quota pounds of federallydeclared overfished species, which constrains the harvest of more abundant species as many of these stocks are caught together and can be difficult to avoid. During the 2015 fishing season, six species (see Table 1) were federally designated overfished species, and therefore only small amounts of quota for these stocks were available to the fishery. Given the limited supply of overfished species quota, fishermen face the risk of exceeding their quota allocations for these species while targeting more abundant stocks. If the harvest of any species exceeds a permit holder's quota allocation, he or she may not take another fishing trip until adequate quota is acquired from another participant to cover the deficit. Because catch of overfished species is not entirely predictable (i.e. these species are generally caught incidentally), a fisherman could unintentionally harvest his or her entire annual quota allocation for one or more of the overfished species during one trip or set, even when taking reasonable measures to avoid those species. If too many overfished species are caught, the entire fishery can be closed by fishery managers.

California Groundfish Collective

This report describes the results of a collaborative effort along the coast of California to pool overfished species quota and reduce the risk of catching these species during the 2015 fishing season. In 2015, the California Groundfish Collective ("the Collective") was formed by an annual contractual agreement entered into by the Fort Bragg Groundfish Association (FBGA), the Central California Seafood Marketing Association (CCSMA) and the Half Moon Bay Groundfish Marketing Association (HMBGMA). The 2015 fishing season marked the fifth year of annual operations of the California Groundfish Collective, formerly known as the California risk pool.

The goals of the California Groundfish Collective are to maximize conservation and economic opportunities and to retain local access to fish. By establishing the California Groundfish Collective, fishermen members of each association agree to pool their entire allocation of overfished species quota pounds and develop regional spatially-explicit fishing plans designed to reduce the risk of catching overfished species across 15 million acres of fishing grounds in California (refer to Figure 1). As parties to the agreement, California Groundfish Collective members who catch overfished species are covered by the pool's quota, in return for adhering to the fishing plans and sharing information on the location of catches of overfished species.







Figure 1. Outline shows the spatial extent of the California Groundfish Collective regional fishing plans.

In 2015, the California Groundfish Collective included seven vessels using various gear types: bottom trawl, longline, pots, and Scottish seine. The California Groundfish Collective was governed by an Advisory Committee made up of one representative from each fishing association.

The Nature Conservancy (TNC) owns quota in the West Coast groundfish fishery and is engaged in the fishery with the goal of working with the industry and local communities to develop and implement best practices for an economically and environmentally sustainable fishery and port communities. TNC served as a scientific advisor, invested overfished species quota into the California Groundfish Collective, and collaborated with FBGA, HMBGMA, and CCSMA to combine the best available science with fishermen knowledge to create regional fishing plans. TNC and the members of the California Groundfish Collective also partner on information sharing through technology and engagement in collaborative fisheries research.



California Groundfish Collective Fishing Plans

Under the California Groundfish Collective agreement, the FBGA, HMBGMA and CCSMA created regional spatial fishing plans intended to reduce the risk of catching overfished species. The objectives of the regional fishing plans are to promote the long term success of the fishery and the supporting port communities by:

- (i) Maximizing the harvest of target species from the fishery;
- (ii) Minimizing the harvest of overfished species from the fishery;
- (iii) Safeguarding sensitive fish habitat; and,
- (iv) Contributing to the rebuilding of overfished stocks.

The spatial fishing plans cover specific regions and combine fishermen's knowledge with the best available science and technology to delineate risk zones (e.g. high, medium and low) as well as allow for voluntary closures of high risk areas. The fishing plans are created collaboratively and are specific to each gear type and region. Fishing plans and specific zones may include fishing prescriptions - such as test tows or reduced tow durations - that are assigned based on the perceived risk of encountering overfished species or the presence of sensitive habitat areas. The fishing plans set out specific precautionary actions that a vessel must take when overfished species are harvested above certain thresholds, including move-on rules and communication to all California Groundfish Collective members in the area over radio or satellite phones.

The spatial fishing plans are adapted throughout the fishing season using information collected and shared among California Groundfish Collective participants. In return for adaptively managing and complying with the fishing plans, fishermen members are covered by the California Groundfish Collective for catches of overfished species that occur. When incidental catches do occur, the California Groundfish Collective agreement ensures that spatial information and details of the catch are shared across the membership. Figure 2 provides an example of the spatial component of a regional fishing plan that identifies risk zones (note this is just an example, not an actual plan for confidentiality purposes).








Figure 2. Example of spatial component of a regional fishing plan in the central coast of California that depicts high, medium and low risk zones as well as existing management closures. Certain fishing prescriptions are assigned to each zone.

The California Groundfish Collective has used an application developed by TNC called eCatch (www.ecatch.org) to capture logbook information and share the location of and other information associated with harvests of overfished species. eCatch is an electronic logbook application that can be used to visualize and query catch data on maps, as well as share spatial data with others. This technology facilitates the sharing of fisheries information that can be used to adapt and inform fishing operations on a trip by trip basis, and it also allows for the manager of the California Groundfish Collective to ensure fishing is occurring in compliance with spatial fishing plans. The private collection and sharing of logbook information using a spatial database has proven useful as a proof-of-concept for electronic reporting, in updating and adapting regional fishing plans, as well as informing other engagements such as pursuing independent ratings and assessments for seafood, like Seafood Watch.

Seafood Watch External Assessment

The California Groundfish Collective worked with the Monterey Bay Aquarium's Seafood Watch Program to conduct an assessment and evaluate the ecological sustainability of a subset of eight species caught by the Collective. This was conducted using Seafood Watch's External Assessment model and involved independent contractors conducting the review in partnership with Seafood Watch staff. The purpose of engaging in the external assessment was to test whether



fishermen-collected spatial data and the specific harvest guidelines of the California Groundfish Collective could inform an assessment that could provide a market distinction for sustainable practices for certain focal groundfish species.

The California Groundfish Collective and TNC gathered and synthesized a high resolution data set from sources including logbooks (stored in eCatch), IFQ vessel accounts, and the West Coast Observer Program. The data were provided to and used by a Seafood Watch contract analyst to evaluate the fishing and management practices of the California Groundfish Collective to rate the sustainability of its seafood. The full external assessment was published in October 2014 by Seafood Watch and resulted in eight species caught by the California Groundfish Collective (using trawl gear or fixed gear) receiving the "Best Choice" (Green) rating¹. The species include Chilipepper Rockfish, Dover Sole, English Sole, Pacific Sanddab, Petrale Sole, Sablefish, and both Shortspine and Longspine Thornyhead Rockfish.

Overfished Species Quota Holdings Summary

Members of the FBGA, HMBGMA, CCSMA, and TNC transferred their 2015 overfished species quota pounds into holding accounts managed by the California Groundfish Collective (e.g. IFQ vessel accounts) following execution of the annual agreement. The Collective's total overfished species quota pound holdings for 2015 are presented in Table 1 and Figure 3 below. In the region where the California Groundfish Collective participants operate, the most constraining overfished species in 2015 were bocaccio (*Sebastes paucispinis*), canary rockfish (*S. pinniger*), cowcod (*S. levis*), darkblotched rockfish (*S. crameri*), and yelloweye rockfish (*S. ruberrimus*).² Pacific Ocean Perch (*S.alutus*) is also an overfished species in the west coast groundfish fishery, however, the California Groundfish Collective did not manage any holdings of this species. Nevertheless, we include Pacific Ocean Perch in the following tables and figures.

¹ California Groundfish Collective Fishery Seafood Watch Report: <u>http://www.seafoodwatch.org/-</u>/m/sfw/pdf/reports/mba_seafoodwatch_california_groundfish_collective_fishery_report.pdf

² The California Risk Pool annual reports for 2011 and 2012 included widow rockfish, as well as Pacific halibut IBQ. Since widow rockfish were delisted in 2012, the data presented in the 2015 report only include the six overfished species listed above in Table 1.



Species	California Groundfish Collective's QP Holdings	IFQ Sector's Total QP Allocation	California Groundfish Collective's QP Holdings as Percentage of IFQ Sector Allocation
Bocaccio rockfish	101,125	180,537	56%
Canary rockfish	8,680	95,372	9%
Cowcod	1,920	3,175	60%
Darkblotched rockfish	28,510	629,662	5%
Pacific Ocean Perch	0	261,138	0%
Yelloweye rockfish	135	2,205	6%
Totals	140,370	1,172,089	12%

Table 1. California Groundfish Collective's quota pound (QP) holdings of overfished species in 2015 compared to the sector allocation for the entire west coast groundfish fleet.

In 2015, approximately 12% of the IFQ's sector-wide overfished species quota pounds were collectively managed and held by the California Groundfish Collective (refer to Table 1, Figure 3).




Figure 3. Breakdown of the California Groundfish Collective 2015 overfished species quota pound holdings.



Fishing Results: Catch and Utilization Rates

Overfished Species

In this report, we use utilization rates as a simple (though not perfect) metric to present the fishing activity of the California Groundfish Collective and provide a measure of comparison to the rest of the fleet. Utilization rates represent the percentage of an annual allocation that has been caught (i.e. pounds caught divided by annual allocation).

The California Groundfish Collective had a lower utilization rate of overfished species than the entire IFQ groundfish fleet. In 2015, the entire groundfish IFQ fleet (including the California Groundfish Collective) used a total of 564,663 pounds of the available 1,172,089 pounds of overfished species quota pounds available, or 48% of the total allowable catch. The California Groundfish Collective collectively managed a total of 140,370 pounds of overfished species quota pounds and collectively caught a total of 40,966 pounds, or 29% of the total California Groundfish Collective holdings (Table 2).

Species	2015 California Groundfish Collective's QP Holdings	2015 California Groundfish Collective's Total Catch	2015 California Groundfish Collective's Utilization
Bocaccio rockfish	101,125	32,741	32%
Canary rockfish	8,680	4,728	54%
Cowcod	1,920	366	19%
Darkblotched rockfish	28,510	3,124	11%
Pacific Ocean Perch	0	0	0%
Yelloweye rockfish	135	7	5%
Totals	140,370	40,966	29%

Table 2. California Groundfish Collective's quota pound holdings, total catch, and utilization rates (total catch as percentage of holdings) in 2015.

From 2011 to 2015 the California Groundfish Collective's overall overfished species utilization has remained below the rest of the groundfish fleet's total utilization of overfished species (Figure 4). In 2015, the California Groundfish Collective's utilization of overfished species was 29%, which is the highest utilization rate for the California Groundfish Collective since the start of the IFQ program, but still well below the fleet's 51% utilization (Figure 4). This increase in 2015 is largely due to an increased usage of bocaccio rockfish and darkblotched rockfish, as well as a slight increase in usage of canary rockfish. Canary rockfish was declared rebuilt in 2016; darkblotched rockfish is expected to be rebuilt by 2017 and according to recent stock assessments, bocaccio rockfish may be rebuilt soon after.




Figure 4. Comparison of overfished species utilization rates for the California Groundfish Collective and the rest of the IFQ groundfish fleet including whiting from 2011 to 2015.

The California Groundfish Collective operates in the non-whiting sector of the groundfish IFQ, thus removing the whiting fleet's catch and allocations for overfished species and comparing to the rest of the non-whiting fleet provides a more relevant utilization comparison. The rest of the non-whiting fleet caught 416,569 pounds of overfished species, or 68% of the non-whiting fleet's total holdings (with the California Groundfish Collective removed) (Table 3, Figure 6). Note, in 2015 there was an unprecedented "lightning strike" harvest of a large number of canary rockfish in the non-whiting fleet that resulted in >100% utilization of canary rockfish overall.

GROUNDFISH



Species	2015 California Groundfish Collective's Utilization	2015 Non-whiting Fleet Utilization (Groundfish Collective removed)	2015 Total IFQ Fleet Utilization (Groundfish Collective removed)
Bocaccio rockfish	32%	77%	66%
Canary rockfish	54%	229%	109%
Cowcod	19%	48%	37%
Darkblotched rockfish	11%	55%	44%
Pacific Ocean Perch	0%	56%	42%
Yelloweye rockfish	5%	5%	3%
Totals	29%	68%	51%

Table 3. 2015 overfished species utilization rates for California Groundfish Collective, rest of the nonwhiting fleet, and the total IFQ fleet (California Groundfish Collective removed).

Information stored in eCatch allows the California Groundfish Collective to map the location and amount of overfished species that were caught by California Groundfish Collective members during the 2015 fishing season. Areas of high catch intensity can indicate higher potential risk of catching overfished species over time (Figure 5), and this information is used by the California Groundfish Collective to adaptively manage the regional fishing plans and update spatial restrictions or rules throughout the year. Data stored in eCatch also makes it possible to evaluate overfished species harvests on a trip by trip or set by set basis. In 2015, the California Groundfish Collective members harvested overfished species in approximately 49% of all sets, which provides a measure of the risk of encounter.






Figure 5. Map created using eCatch data depicting the intensity of overfished species encounters for all California Groundfish Collective vessels during 2015. Intensity is calculated as frequency of fishing sets where overfished species were harvested.

The California Groundfish Collective provides its members with a type of mutual insurance – a secure and reliable source of overfished species quota – so that members may fish and maximize their harvest of target species. In 2015, the California Groundfish Collective manager filled more than 140 overfished species deficits for its members. Requests to fill a deficit were generally processed within minutes to a few hours. This rapid process resulted in no loss of fishing time for the members of the California Groundfish Collective while attempting to acquire overfished species quota pounds, but instead allowed them to concentrate on planning their next fishing trip and manage their overall fishing operations.



Midway through the year, the California Groundfish Collective conducted an assessment of overfished species quota pound holdings and current utilization rates to determine the need to retransfer quota pounds back to contributing members so they may be made available on the open market. In July of 2015, the California Groundfish Collective Advisory Committee determined that it would release darkblotched rockfish quota pounds onto the open market with the objective of securing additional canary rockfish quota pounds for utilization by its members. Additionally, by December 31, 2015, the end of the fishing season, all remaining quota pounds were assessed and retransferred pro-rata back to the original contributing members of the California Groundfish Collective.

Target Species

Since the California Groundfish Collective seeks to maximize conservation and economic opportunities, measures of overfished species utilization must be considered in conjunction with target species utilization. A primary objective of the California Groundfish Collective is to maximize harvest of target species, though this objective is not exclusive of the other objectives to minimize the bycatch of overfished species, safeguard sensitive habitat, contribute to the rebuilding of overfished species stocks and participate in collaborative fisheries research. Target species include all species except for overfished species and Pacific halibut Individual Bycatch Quota (IBQ). Allocations included individual allocations plus any additional quota pounds transferred into California Groundfish Collective member vessel accounts throughout the year.

In 2015, California Groundfish Collective members caught a total of 2,607,164 pounds of target species, or 25% of their collective quota pound holdings of 10,349,841 pounds of target species (excluding overfished species and halibut IBQ).






Figure 6. Comparison of target species and overfished species utilization rates for the California Groundfish Collective and the rest of the *non-whiting* IFQ groundfish fleet in 2015.

In 2015, the total catch of target species (including whiting) for the entire IFQ fleet was 170,278,802 pounds, or 36% of the fleetwide allocation. Whiting contributes a substantial amount of pounds to the total target catch, and when the whiting fleet is removed, the non-whiting groundfish fleet caught 40,960,710 pounds or 18% of the non-whiting target allocation, compared to 25% for the California Groundfish Collective.³

A bycatch ratio is an additional metric that can be used to evaluate fishery performance. A simple bycatch ratio can be determined by dividing the total catch of overfished species by the total catch of target species. When comparing bycatch ratios, a smaller number indicates less overfished species were caught while harvesting target species. The California Groundfish Collective's bycatch ratio was higher than the rest of the non-whiting IFQ fleet for 2015 due to increased harvest of bocaccio (and to a lesser extent an increased harvest of darkblotched and canary rockfish). In 2015, the California Groundfish Collective's utilization of bocaccio was 32%, which is an almost 200% increase compared to the 2014 utilization rate. The average bycatch ratio for

³ Non-whiting data acquired through personal communication with Sarah Towne, NMFS, April 29, 2016.



the California Groundfish Collective for the period from 2011 to 2015 remained lower than the rest of the non-whiting IFQ fleet (Table 4).

Year	California Groundfish Collective	Non-whiting IFQ Fleet (Groundfish Collective removed)
2011	0.20%	0.83%
2012	0.43%	0.81%
2013	0.56%	0.91%
2014	0.39%	0.81%
2015	1.60%	1.08%
Averages	0.64%	0.89%


Table 4. Bycatch ratios for the California Groundfish Collective and the rest of the non-whiting IFQ fleet.

Economic and Social Metrics

Estimated Total Ex-vessel Value

Ex-vessel value is a commonly used to represent the value of the fish at the first landing before any processing is done. The estimated ex-vessel value of the combined total groundfish catch of the California Groundfish Collective members in 2015 was approximately \$2.45 million. The top five species, sablefish north, Petrale sole, Dover sole, longspine thornyhead and chilipepper rockfish, accounted for over 91.0% of the California Groundfish Collective member's estimated ex-vessel value in 2015 (Figure 7). The estimated total ex-vessel value was calculated from California Groundfish Collective members' fish tickets (landing receipts) for each port where landings occurred in 2015. For landings where fish tickets (landing receipts) were not available, PacFIN (http://pacfin.psmfc.org/pacfin_pub/data_rpts_pub/pfmc_rpts_pub/r058Wtwl_p15.txt) data were used to provide the average price per pound for a specific port. It should be noted that more than half of the members of the California Groundfish Collective participate in other west coast fisheries for a portion of each year.





Estimated Total Ex-Vessel Value for Target Species Caught by the California Groundfish Collective Members in 2015.

Figure 7. Estimated total ex-vessel value (dollars) of groundfish, by species, landed by the California Groundfish Collective members in 2015.



Costs of Participating in the West Coast IFQ Groundfish Fishery

Participation in the west coast groundfish IFQ fishery requires significant costs that are incurred by fishing businesses. Costs of participation can be divided into three major categories: operational costs, fixed costs, and IFQ management related costs. Within each of these three categories there are various costs that may or may not pertain to every fishing operation. Operational costs (including crew shares) comprised the majority of costs incurred, followed by fixed costs, then management costs for the California Groundfish Collective members (Table 5).

Table 5. Average costs of participating in the West Coast IFQ Groundfish Fishery for California Groundfish Collective members presented as percentage (%) of gross revenue.

Operation Costs	Average
Captain/Crew Shares	42.2%
Fuel	13.0%
Ice	1.4%
QP Leasing	8.6%
Fixed Costs	
Vessel Insurance	4.4%
Vessel Maintenance/Repairs (i.e. haul-out, new rigging, etc.)	6.1%
Vessel Equipment (i.e. hauler, reel, electronics, etc.)	2.1%
Licenses/Permits (includes renewals)	0.5%
Fishing Supplies (i.e. nets, webbing, longline gear, hooks, etc.)	2.8%
Professional Services (i.e. lawyer, accountant, bookkeeper, etc.)	1.7%
Slip/Mooring Fees	0.8%
Landings Assessments and Membership Dues	1.3%
IFQ Groundfish Management Costs	
Trawl Buyback Fees	5.0%
Cost Recovery*	1.5%
Observers	3.9%
First Receivers/Catch Monitors	0.2%
Miscellaneous Operating Expenses	4.4%
	100.0%

*Cost Recovery - 3% assessment on each landing was implemented in 2014, but is averaged for both years in this table.



Compliance and Monitoring

In 2015, the California Groundfish Collective Manager did not observe any non-compliance events by any member of the California Groundfish Collective. The 2015 annual California Groundfish Collective agreement established the protocol for dealing with non-compliance events or possible violation by one of the associations' vessels of the regional rules in their respective fishing plans. As directed by the California Groundfish Collective Advisory Committee, the California Groundfish Collective Manager was responsible for reviewing all vessel and trip specific data (i.e. spatial data from eCatch, landings, etc.) with incidents of overfished species to ensure compliance with regional fishing plans. In addition, to verify compliance with spatial fishing restrictions, the California Groundfish Collective used eCatch and the Advisory Committee reserved the right to require subsequent audits of Vessel Monitoring Systems (VMS) data from suspected or violating vessels.

Collaborative Research

The California Groundfish Collective has partnered with TNC and the Environmental Defense Fund (EDF) to manage an Exempted Fishing Permit (EFP) project in the west coast groundfish fishery to implement electronic monitoring (EM). The purpose of this project is to implement the use of electronic video monitoring in lieu of human observers for catch compliance purposes and in so doing, inform the development of regulations to facilitate alternative options to ensure catch accountability and potentially increase the cost-effectiveness of monitoring.

The EFP process provides an opportunity to demonstrate the use of EM across multiple gears and determine whether and how it can serve as a key component of a comprehensive catch accountability system. In spring of 2015, the project partners secured approval and implemented an EFP for the remainder of the fishing season to use EM on three fixed gear vessels and two bottom trawl vessels. In 2015, the vessels completed 28 trips and 98 days at sea, and in November 2015, the Collective and partners secured approval from the Council to continue the EFP project in 2016 and to add up to 10 additional vessels. During 2015, the project team collaborated to streamline requirements and improve individual Vessel Monitoring Plans, which are a requirement for using EM.

The on-the-water learning generated by the EFP project has directly informed the development of EM regulations and program standards for fixed gear that will be implemented in 2017. The California Groundfish Collective and partners are continuing with the EFP in 2016 to test new cooperative models for EM and inform pending regulations for trawl gear.

