

SALMON TECHNICAL TEAM

***ANALYSIS  
OF PRELIMINARY  
SALMON MANAGEMENT ALTERNATIVES  
FOR 2017 OCEAN FISHERIES***

March 12, 2017

Page Intentionally Blank

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>   |  |   |
|---|--|---|
| ALTERNATIVE I   | ALTERNATIVE II   | ALTERNATIVE III   |
| North of Cape Falcon  | North of Cape Falcon   | North of Cape Falcon  |
| Supplemental Management Information   | Supplemental Management Information  | Supplemental Management Information   |
| Model #: Coho-1709, Chinook xx17  | Model #: Coho-1710, Chinook xx17   | Model #: Coho-1711, Chinook xx17  |
| <p>1. Overall non-Indian TAC: 104,500 (non-mark-selective equivalent of 100,000 Chinook and 64,400 coho marked with a healed adipose fin clip (marked)).</p> <p>2. Non-Indian commercial troll TAC: 50,000 Chinook and 5,600 marked coho.</p> <p>3. Trade: May be considered during the April council meeting.</p> <p>4. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p>   | <p>1. Overall non-Indian TAC: 90,000 Chinook and 60,000 coho marked with a healed adipose fin clip (marked).</p> <p>2. Non-Indian commercial troll TAC: 45,000 Chinook and 9,600 marked coho.</p> <p>3. Trade:</p> <p>4. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p>  | <p>1. Overall non-Indian TAC: 80,000 Chinook and 18,900 coho marked with a healed adipose fin clip (marked).</p> <p>2. Non-Indian commercial troll TAC: 40,000 Chinook and zero coho.</p> <p>3. Trade:</p> <p>4. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p>   |
| <p><b>U.S./Canada Border to Cape Falcon</b></p> <ul style="list-style-type: none"> <li>May 1 through the earlier of June 30 or 33,300 Chinook, no more than 10,800 of which may be caught in the area between the U.S./Canada border and the Queets River and no more than 11,000 of which may be caught in the area between Leadbetter Pt. and Cape Falcon (C.8).</li> </ul> <p>Seven days per week (C.1). All salmon except coho (C.4, C.7). Chinook minimum size limit of 28 inches total length (B). Vessels in possession of salmon north of the Queets River may not cross the Queets River line without first notifying WDFW at 360-249-1215 with area fished, total Chinook and halibut catch aboard, and destination. Vessels in possession of salmon south of the Queets River may not cross the Queets River line without first notifying WDFW at 360-249-1215 with area fished, total Chinook and halibut catch aboard, and destination. When it is projected that approximately 75% of the overall Chinook guideline has been landed, or approximately 75% of the Chinook subarea guideline has been landed in the area between the U.S./Canada border and the Queets River, or approximately 75% of the Chinook subarea guideline has been landed in the area between Leadbetter Pt. and Cape Falcon, inseason action will be considered to ensure the guideline is not exceeded. See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).</p> | <p><b>U.S./Canada Border to Cape Falcon</b></p> <ul style="list-style-type: none"> <li>May 1 through the earlier of June 30 or 22,500 Chinook, no more than 7,300 of which may be caught in the area between the U.S./Canada border and the Queets River and no more than 7,400 of which may be caught in the area between Leadbetter Pt. and Cape Falcon (C.8). In the area between the U.S./Canada border and the Queets River, a landing and possession limit of 60 Chinook per vessel per calendar week (Monday through Sunday) will be in place.</li> </ul> <p>Same as Alternative 1.</p> | <p><b>U.S./Canada Border to Cape Falcon</b></p> <ul style="list-style-type: none"> <li>May 1 through the earlier of June 27 or 24,000 Chinook, no more than 7,800 of which may be caught in the area between the U.S./Canada border and the Queets River and no more than 7,900 of which may be caught in the area between Leadbetter Pt. and Cape Falcon (C.8).</li> <li>May 1-9;</li> <li>May 12-June 27 five days per week, Friday through Tuesday. In the area between the U.S./Canada border and the Queets River, a landing and possession limit of 40 Chinook per vessel per open period will be in place (C.1, C.6). In the area from Leadbetter Point to Cape Falcon, a landing and possession limit of 50 Chinook per vessel per open period will be in place (C.1, C.6).</li> </ul> <p>All salmon except coho (C.4, C.7). Chinook minimum size limit of 28 inches total length (B). Vessels in possession of salmon north of the Queets River may not cross the Queets River line without first notifying WDFW at 360-249-1215 with area fished, total Chinook and halibut catch aboard, and destination. Vessels in possession of salmon south of the Queets River may not cross the Queets River line without first notifying WDFW at 360-249-1215 with area fished, total Chinook and halibut catch aboard, and destination. When it is projected that approximately 50% of the overall Chinook guideline has been landed, or approximately 50% of the Chinook subarea guideline has been landed in the area between the U.S./Canada border and the Queets River, or approximately 50% of the Chinook subarea guideline has been landed in the area between Leadbetter Pt. and Cape Falcon, inseason action will be considered to ensure the guideline is not exceeded. See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).</p> |

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>   |  |   |
|---|--|---|
| ALTERNATIVE I   | ALTERNATIVE II   | ALTERNATIVE III   |
| <p><b>U.S./Canada Border to Cape Falcon</b></p> <ul style="list-style-type: none"> <li>July 1-September 17 or 16,700 Chinook or 5,600 coho whichever comes first; no more than 6,600 Chinook may be caught in the area between the U.S./Canada border and the Queets River (C.8).</li> </ul> <p>Open seven days a week. Landing and possession limit of 75 Chinook and 35 coho per vessel per calendar week (Monday through Sunday) (C.1). All salmon.</p> <p>Chinook minimum size limit of 28 inches total length. Coho minimum size limit of 16 inches total length (B, C.1). All coho must be marked with a healed adipose fin clip (C.8.d). No chum retention north of Cape Alava, Washington in August and September (C.4, C.7). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3). Vessels in possession of salmon north of the Queets River may not cross the Queets River line without first notifying WDFW at 360-249-1215 with area fished, total Chinook and halibut catch aboard, and destination. Vessels in possession of salmon south of the Queets River may not cross the Queets River line without first notifying WDFW at 360-249-1215 with area fished, total Chinook and halibut catch aboard, and destination. When it is projected that approximately 75% of the overall Chinook guideline has been landed, or approximately 75% of the Chinook subarea guideline has been landed in the area between the U.S./Canada border to the Queets River, inseason action will be considered to ensure the guideline is not exceeded.</p> | <p><b>U.S./Canada Border to Cape Falcon</b></p> <ul style="list-style-type: none"> <li>July 7-September 19 or 22,500 Chinook or 9,600 coho whichever comes first; no more than 8,900 Chinook may be caught in the area between the U.S./Canada border and the Queets River (C.8).</li> </ul> <p>Open five days per week, Friday through Tuesday. Landing and possession limit of 60 Chinook and 50 coho per vessel per open period. (C.1). All salmon.</p> <p>Same as Alternative 1.</p> | <p><b>U.S./Canada Border to Cape Falcon</b></p> <ul style="list-style-type: none"> <li>July 1-4, July 7-September 19 or 16,000 Chinook whichever comes first; no more than 6,300 Chinook may be caught in the area between the U.S./Canada border and the Queets River (C.8).</li> </ul> <p>Open five days per week, Friday through Tuesday. Landing and possession limit of 40 Chinook per vessel per open period. (C.1). All salmon, except coho.</p> <p>Chinook minimum size limit of 28 inches total length (B, C.1). No chum retention north of Cape Alava, Washington in August and September (C.4, C.7). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3). Vessels in possession of salmon north of the Queets River may not cross the Queets River line without first notifying WDFW at 360-249-1215 with area fished, total Chinook and halibut catch aboard, and destination. Vessels in possession of salmon south of the Queets River may not cross the Queets River line without first notifying WDFW at 360-249-1215 with area fished, total Chinook and halibut catch aboard, and destination. When it is projected that approximately 75% of the overall Chinook guideline has been landed, or approximately 75% of the Chinook subarea guideline has been landed in the area between the U.S./Canada border to the Queets River, inseason action will be considered to ensure the guideline is not exceeded.</p> |
| <p>For all commercial troll fisheries north of Cape Falcon: Mandatory Yelloweye Rockfish Conservation Area, Cape Flattery and Columbia Control Zones, and beginning August 14, Grays Harbor Control Zone closed (C.5). Vessels must land and deliver their fish within 24 hours of any closure of this fishery. Vessels fishing or in possession of salmon while fishing north of Leadbetter Point must land and deliver their fish within the area and north of Leadbetter Point. Vessels fishing or in possession of salmon while fishing south of Leadbetter Point must land and deliver their fish within the area and south of Leadbetter Point, except that Oregon permitted vessels may also land their fish in Garibaldi, Oregon. Under state law, vessels must report their catch on a state fish receiving ticket. Oregon State regulations require all fishers landing salmon into Oregon from any fishery between Leadbetter Point, Washington and Cape Falcon, Oregon must notify ODFW within one hour of delivery or prior to transport away from the port of landing by either calling 541-867-0300 ext. 271 or sending notification via e-mail to <a href="mailto:nfalcon.trollreport@state.or.us">nfalcon.trollreport@state.or.us</a>. Notification shall include vessel name and number, number of salmon by species, port of landing and location of delivery, and estimated time of delivery. Inseason actions may modify harvest guidelines in later fisheries to achieve or prevent exceeding the overall allowable troll harvest impacts (C.8).</p>                |  |   |

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>   |   |  |
|---|---|--|
| ALTERNATIVE I   | ALTERNATIVE II  | ALTERNATIVE III  |
| <b>South of Cape Falcon</b>   | <b>South of Cape Falcon</b>   | <b>South of Cape Falcon</b>  |
| <b>Supplemental Management Information</b>  | <b>Supplemental Management Information</b>  | <b>Supplemental Management Information</b>   |
| <ol style="list-style-type: none"> <li>1. Sacramento River fall Chinook spawning escapement of 133,092 hatchery and natural area adults.</li> <li>2. Sacramento Index exploitation rate of 42.3%.</li> <li>3. Klamath River recreational fishery allocation: 124 adult Klamath River fall Chinook.</li> <li>4. Klamath tribal allocation: 829 adult Klamath River fall Chinook.</li> <li>5. CA/OR share of Klamath River fall Chinook commercial ocean harvest: 59%/41%.</li> <li>6. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the California Fish and Game Commission.</li> </ol>   | <ol style="list-style-type: none"> <li>1. Sacramento River fall Chinook spawning escapement of 140,649 hatchery and natural area adults.</li> <li>2. Sacramento Index exploitation rate of 39.0%.</li> <li>3. Klamath River recreational fishery allocation: 119 adult Klamath River fall Chinook.</li> <li>4. Klamath tribal allocation: 795 adult Klamath River fall Chinook.</li> <li>5. CA/OR share of Klamath River fall Chinook commercial ocean harvest: 59%/41%.</li> <li>6. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the California Fish and Game Commission.</li> </ol> | <ol style="list-style-type: none"> <li>1. Sacramento River fall Chinook spawning escapement of 182,309 hatchery and natural area adults.</li> <li>2. Sacramento Index exploitation rate of 21.0%.</li> <li>3. Klamath River recreational fishery allocation: 0 adult Klamath River fall Chinook.</li> <li>4. Klamath tribal allocation: 211 adult Klamath River fall Chinook.</li> <li>5. CA/OR share of Klamath River fall Chinook commercial ocean harvest: NA.</li> <li>6. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the California Fish and Game Commission.</li> </ol> |
| <p><b>Cape Falcon to Florence South Jetty</b></p> <ul style="list-style-type: none"> <li>• April 15-May 31;</li> <li>• June 7-12, June 15-30, July 8-31;</li> <li>• September 1-30; October 1-31 (C.9.a).</li> </ul> <p>Seven days per week. All salmon except coho (C.4, C.7). Chinook minimum size limit of 28 inches total length (B, C.1). All vessels fishing in the area must land their fish in the State of Oregon. See gear restrictions and definitions (C.2, C.3) and Oregon State regulations for a description of special regulations at the mouth of Tillamook Bay.</p> <p>Beginning September 1 no more than 45 Chinook per vessel per landing week (Thurs-Wed); and only open shoreward of the 40 fathom management line.</p> <p>In 2018, the season will open March 15 for all salmon except coho. Chinook minimum size limit of 28 inches total length. Gear restrictions same as in 2017. This opening could be modified following Council review at its March 2018 meeting.</p> | <p><b>Cape Falcon to Florence South Jetty</b></p> <ul style="list-style-type: none"> <li>• April 15-June 6 (C.9a).</li> </ul> <p>Seven days per week. All salmon except coho (C.7). Chinook minimum size limit of 28 inches total length (B, C.1). All vessels fishing in the area must land their fish in the State of Oregon. See gear restrictions and definitions (C.2, C.3) and Oregon State regulations for a description of special regulations at the mouth of Tillamook Bay.</p> <p>In 2018, same as Alternative I.</p>  | <p><b>Cape Falcon to Florence South Jetty</b></p> <ul style="list-style-type: none"> <li>• Closed (C.9a).</li> </ul> <p>In 2018, same as Alternative I.</p>  |

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>   |  |  |
|---|--|--|
| ALTERNATIVE I   | ALTERNATIVE II   | ALTERNATIVE III  |
| <p><b>Florence South Jetty to Humbug Mt.</b></p> <ul style="list-style-type: none"> <li>• Closed (C.9a).</li> </ul> <p>In 2018, the season will open March 15 for all salmon except coho. Chinook minimum size limit of 28 inches total length. Gear restrictions same as in 2017. This opening could be modified following Council review at its March 2018 meeting.</p>   | <p><b>Florence South Jetty to Humbug Mt.</b></p> <ul style="list-style-type: none"> <li>• April 15-June 6 (C.9a).</li> </ul> <p>Seven days per week. All salmon except coho (C.7). Chinook minimum size limit of 28 inches total length (B, C.1). All vessels fishing in the area must land their fish in the State of Oregon. See gear restrictions and definitions (C.2, C.3) and Oregon State regulations for a description of special regulations at the mouth of Tillamook Bay.</p> <p>In 2018, same as Alternative I</p> | <p><b>Florence South Jetty to Humbug Mt.</b></p> <ul style="list-style-type: none"> <li>• Closed (C.9a).</li> </ul> <p>In 2018, same as Alternative I.</p>     |
| <p><b>Humbug Mt. to OR/CA Border (Oregon KMZ)</b></p> <p>Closed (C.9.a).</p> <p>In 2018, the season will open March 15 for all salmon except coho, with a 28 inch Chinook minimum size limit. This opening could be modified following Council review at its March 2018 meeting.</p>  | <p><b>Humbug Mt. to OR/CA Border (Oregon KMZ)</b></p> <p>Closed (C.9.a).</p> <p>In 2018, same as Alternative I.</p>  | <p><b>Humbug Mt. to OR/CA Border (Oregon KMZ)</b></p> <p>Closed (C.9.a).</p> <p>In 2018, same as Alternative I.</p>  |
| <p><b>OR/CA Border to Humboldt South Jetty (California KMZ)</b></p> <ul style="list-style-type: none"> <li>• Closed (C.9.b).</li> </ul>   | <p><b>OR/CA Border to Humboldt South Jetty (California KMZ)</b></p> <ul style="list-style-type: none"> <li>• Closed (C.9.b).</li> </ul>  | <p><b>OR/CA Border to Humboldt South Jetty (California KMZ)</b></p> <ul style="list-style-type: none"> <li>• Closed (C.9.b).</li> </ul>                        |
| <p>When the fishery is closed between the OR/CA border and Humbug Mountain and open to the south, vessels with fish on board caught in the open area off California may seek temporary mooring in Brookings, Oregon prior to landing in California only if such vessels first notify the Chetco River Coast Guard Station via VHF channel 22A between the hours of 0500 and 2200 and provide the vessel name, number of fish on board, and estimated time of arrival (C.6).</p>   |  |  |
| <p><b>Humboldt South Jetty to Horse Mt.</b></p> <p>Closed.</p>  | <p><b>Humboldt South Jetty to Horse Mt.</b></p> <p>Closed.</p>   | <p><b>Humboldt South Jetty to Horse Mt.</b></p> <p>Closed.</p>   |
| <p><b>Horse Mt. to Point Arena (Fort Bragg)</b></p> <ul style="list-style-type: none"> <li>• September 1-30 (C.9.b).</li> </ul> <p>Seven days per week. All salmon except coho (C.4, C.7). Chinook minimum size limit of 27 inches total length (B, C.1).</p> <p>In 2018, the season will open April 16-30 for all salmon except coho, with a 27 inch Chinook minimum size limit and the same gear restrictions as in 2017. All fish caught in the area must be landed in the area. This opening could be modified following Council review at its March 2018 meeting</p> | <p><b>Horse Mt. to Point Arena (Fort Bragg)</b></p> <ul style="list-style-type: none"> <li>• Closed (C.9.b).</li> </ul> <p>In 2018, same as Alternative I.</p>   | <p><b>Horse Mt. to Point Arena (Fort Bragg)</b></p> <ul style="list-style-type: none"> <li>• Closed (C.9.b).</li> </ul> <p>In 2018, same as Alternative I.</p> |
| <p>All fish must be landed in California. All salmon caught in California prior to September 1 must be landed and offloaded no later than 11:59 p.m., August 30 (C.6). When the CA KMZ fishery is open, all fish caught in the area must be landed south of Horse Mountain (C.6). During September, all fish must be landed north of Point Arena (C.6). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).</p>   |  |  |

TABLE 1. Commercial troll management Alternatives collated by the STT for non-Indian ocean salmon fisheries, 2017. (Page 5 of 9)

3/12/2017 3:25 PM

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>   |  |   |
|---|--|---|
| ALTERNATIVE I   | ALTERNATIVE II   | ALTERNATIVE III   |
| <p><b>Pt. Arena to Pigeon Pt. (San Francisco)</b></p> <ul style="list-style-type: none"> <li>• August 1-29;</li> <li>• September 1-30 (C.9.b).</li> </ul> <p>Seven days per week. All salmon except coho (C.4, C.7). Chinook minimum size limit of 27 inches total length prior to September 1, 26 inches thereafter (B, C.1). All fish must be landed in California. All salmon caught in California prior to September 1 must be landed and offloaded no later than 11:59 p.m., August 30 (C.6). During September, all fish must be landed south of Point Arena (C.6). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).</p> <p><b>Point Reyes to Point San Pedro (Fall Area Target Zone)</b></p> <ul style="list-style-type: none"> <li>• October 2-6 and 9-13.</li> </ul> <p>Five days per week, Monday through Friday. All salmon except coho (C.4, C.7). Chinook minimum size limit of 26 inches total length (B, C.1). All fish caught in this area must be landed between Point Arena and Pigeon Point (C.6). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).</p> | <p><b>Pt. Reyes to Pigeon Pt. (San Francisco)</b></p> <ul style="list-style-type: none"> <li>• August 1-29;</li> <li>• September 1-30 (C.9.b).</li> </ul> <p>Closed between Pt. Arena and Pt. Reyes, otherwise the same as Alternative 1.</p> <p><b>Point Reyes to Point San Pedro (Fall Area Target Zone)</b></p> <ul style="list-style-type: none"> <li>• Same as Alternative 1</li> </ul> | <p><b>Pt. Arena to Pigeon Pt. (San Francisco)</b></p> <ul style="list-style-type: none"> <li>• Closed (C.9.b) .</li> </ul>      |
| <p><b>Pigeon Point to U.S./Mexico Border (Monterey)</b></p> <ul style="list-style-type: none"> <li>• May 1-31;</li> <li>• June 1-30 (C.9.b).</li> </ul> <p>Seven days per week. All salmon except coho (C.4, C.7). Chinook minimum size limit of 27 inches total length (B, C.1). All fish must be landed in California. All salmon caught in California prior to September 1 must be landed and offloaded no later than 11:59 p.m., August 30 (C.6). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).</p>   | <p><b>Pigeon Point to U.S./Mexico Border (Monterey)</b></p> <ul style="list-style-type: none"> <li>• May 1-31;</li> <li>• June 1-30 (C.9.b).</li> </ul> <p>Same as Alternative 1.</p>  | <p><b>Pigeon Point to U.S./Mexico Border (Monterey)</b></p> <ul style="list-style-type: none"> <li>• Closed (C.9.b).</li> </ul> |
| <p>California State regulations require all salmon be made available to a CDFW representative for sampling immediately at port of landing. Any person in possession of a salmon with a missing adipose fin, upon request by an authorized agent or employee of the CDFW, shall immediately relinquish the head of the salmon to the state. (California Fish and Game Code §8226)</p>  |  |   |

| <b>B. MINIMUM SIZE (Inches) (See C.1)</b> |              |          |              |          |      |
|---|--------------|----------|--------------|----------|------|
|   | Chinook      |          | Coho         |          | Pink |
|   | Total Length | Head-off | Total Length | Head-off |      |
| Area (when open)                          |              |          |              |          |      |
| North of Cape Falcon                      | 28.0         | 21.5     | 16.0         | 12.0     | None |
| Cape Falcon to Humbug Mt.                 | 28.0         | 21.5     | -            | -        | None |
| Horse Mt. to Pt. Arena                    | 27.0         | 20.5     | -            | -        | None |
| Pt. Arena to Pigeon Pt.                   |              |          |              |          |      |
| < Sept. 1                                 | 27.0         | 20.5     | -            | -        | None |
| ≥ Sept. 1                                 | 26.0         | 19.5     | -            | -        | None |
| Pigeon Pt. to U.S./Mexico Border          | 27.0         | 20.5     | -            | -        | None |

### C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.1. Compliance with Minimum Size or Other Special Restrictions: All salmon on board a vessel must meet the minimum size, landing/possession limit, or other special requirements for the area being fished and the area in which they are landed if the area is open or has been closed less than 48 hours for that species of salmon. Salmon may be landed in an area that has been closed for a species of salmon more than 48 hours only if they meet the minimum size, landing/possession limit, or other special requirements for the area in which they were caught. Salmon may not be filleted prior to landing.

Any person who is required to report a salmon landing by applicable state law must include on the state landing receipt for that landing both the number and weight of salmon landed by species. States may require fish landing/receiving tickets be kept on board the vessel for 90 days or more after landing to account for all previous salmon landings.

C.2. Gear Restrictions:

- a. Salmon may be taken only by hook and line using single point, single shank, barbless hooks.
- b. Cape Falcon, Oregon, to the OR/CA border: No more than 4 spreads are allowed per line.
- c. OR/CA border to U.S./Mexico border: No more than 6 lines are allowed per vessel, and barbless circle hooks are required when fishing with bait by any means other than trolling.

C.3. Gear Definitions:

*Trolling defined:* Fishing from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.

*Troll fishing gear defined:* One or more lines that drag hooks behind a moving fishing vessel. In that portion of the fishery management area off Oregon and Washington, the line or lines must be affixed to the vessel and must not be intentionally disengaged from the vessel at any time during the fishing operation.

*Spread defined:* A single leader connected to an individual lure and/or bait.

*Circle hook defined:* A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.

C.4. Vessel Operation in Closed Areas with Salmon on Board:

- a. Except as provided under C.4.b below, it is unlawful for a vessel to have troll or recreational gear in the water while in any area closed to fishing for a certain species of salmon, while possessing that species of salmon; however, fishing for species other than salmon is not prohibited if the area is open for such species, and no salmon are in possession.
- b. When Genetic Stock Identification (GSI) samples will be collected in an area closed to commercial salmon fishing, the scientific research permit holder shall notify NOAA OLE, USCG, CDFW, WDFW, and OSP at least 24 hours prior to sampling and provide the following information: the vessel name, date, location and time collection activities will be done. Any vessel collecting GSI samples in a closed area shall not possess any salmon other than those from which GSI samples are being collected. Salmon caught for collection of GSI samples must be immediately released in good condition after collection of samples.



**C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS (Continued)**

**C.5. Control Zone Definitions:**

- a. *Cape Flattery Control Zone* - The area from Cape Flattery (48°23'00" N. lat.) to the northern boundary of the U.S. EEZ; and the area from Cape Flattery south to Cape Alava (48°10'00" N. lat.) and east of 125°05'00" W. long.
- b. *Mandatory Yelloweye Rockfish Conservation Area* – The area in Washington Marine Catch Area 3 from 48°00.00' N. lat.; 125°14.00' W. long. to 48°02.00' N. lat.; 125°14.00' W. long. to 48°02.00' N. lat.; 125°16.50' W. long. and connecting back to 48°00.00' N. lat.; 125°14.00' W. long.
- c. *Grays Harbor Control Zone* - The area defined by a line drawn from the Westport Lighthouse (46° 53'18" N. lat., 124° 07'01" W. long.) to Buoy #2 (46° 52'42" N. lat., 124°12'42" W. long.) to Buoy #3 (46° 55'00" N. lat., 124°14'48" W. long.) to the Grays Harbor north jetty (46° 55'36" N. lat., 124°10'51" W. long.).
- d. *Columbia Control Zone* - An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09' N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°15'48" N. lat., 124°05'20" W. long.), and then along the north jetty to the point of intersection with the Buoy #10 line; and, on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line.
- e. *Klamath Control Zone* - The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately 6 nautical miles north of the Klamath River mouth); on the west by 124°23'00" W. long. (approximately 12 nautical miles off shore); and on the south by 41°26'48" N. lat. (approximately 6 nautical miles south of the Klamath River mouth).
- f. Waypoints for the 40 fathom regulatory line from Cape Falcon to Humbug Mt. (50 CFR 660.71 (k) (12)-(70).

|   |   |   |
|---|---|---|
| 45°46.00' N. lat., 124°04.49' W. long.; | 44°42.26' N. lat., 124°13.81' W. long.; | 43°20.83' N. lat., 124°26.63' W. long.; |
| 45°44.34' N. lat., 124°05.09' W. long.; | 44°41.68' N. lat., 124°15.38' W. long.; | 43°17.96' N. lat., 124°28.81' W. long.; |
| 45°40.64' N. lat., 124°04.90' W. long.; | 44°34.87' N. lat., 124°15.80' W. long.; | 43°16.75' N. lat., 124°28.42' W. long.; |
| 45°33.00' N. lat., 124°04.46' W. long.; | 44°33.74' N. lat., 124°14.44' W. long.; | 43°13.97' N. lat., 124°31.99' W. long.; |
| 45°32.27' N. lat., 124°04.74' W. long.; | 44°27.66' N. lat., 124°16.99' W. long.; | 43°13.72' N. lat., 124°33.25' W. long.; |
| 45°29.26' N. lat., 124°04.22' W. long.; | 44°19.13' N. lat., 124°19.22' W. long.; | 43°12.26' N. lat., 124°34.16' W. long.; |
| 45°20.25' N. lat., 124°04.67' W. long.; | 44°15.35' N. lat., 124°17.38' W. long.; | 43°10.96' N. lat., 124°32.33' W. long.; |
| 45°19.99' N. lat., 124°04.62' W. long.; | 44°14.38' N. lat., 124°17.78' W. long.; | 43°05.65' N. lat., 124°31.52' W. long.; |
| 45°17.50' N. lat., 124°04.91' W. long.; | 44°12.80' N. lat., 124°17.18' W. long.; | 42°59.66' N. lat., 124°32.58' W. long.; |
| 45°11.29' N. lat., 124°05.20' W. long.; | 44°09.23' N. lat., 124°15.96' W. long.; | 42°54.97' N. lat., 124°36.99' W. long.; |
| 45°05.80' N. lat., 124°05.40' W. long.; | 44°08.38' N. lat., 124°16.79' W. long.; | 42°53.81' N. lat., 124°38.57' W. long.; |
| 45°05.08' N. lat., 124°05.93' W. long.; | 44°08.30' N. lat., 124°16.75' W. long.; | 42°50.00' N. lat., 124°39.68' W. long.; |
| 45°03.83' N. lat., 124°06.47' W. long.; | 44°01.18' N. lat., 124°15.42' W. long.; | 42°49.13' N. lat., 124°39.70' W. long.; |
| 45°01.70' N. lat., 124°06.53' W. long.; | 43°51.61' N. lat., 124°14.68' W. long.; | 42°46.47' N. lat., 124°38.89' W. long.; |
| 44°58.75' N. lat., 124°07.14' W. long.; | 43°42.66' N. lat., 124°15.46' W. long.; | 42°45.74' N. lat., 124°38.86' W. long.; |
| 44°51.28' N. lat., 124°10.21' W. long.; | 43°40.49' N. lat., 124°15.74' W. long.; | 42°44.79' N. lat., 124°37.96' W. long.; |
| 44°49.49' N. lat., 124°10.90' W. long.; | 43°38.77' N. lat., 124°15.64' W. long.; | 42°45.01' N. lat., 124°36.39' W. long.; |
| 44°44.96' N. lat., 124°14.39' W. long.; | 43°34.52' N. lat., 124°16.73' W. long.; | 42°44.14' N. lat., 124°35.17' W. long.; |
| 44°43.44' N. lat., 124°14.78' W. long.; | 43°28.82' N. lat., 124°19.52' W. long.; | 42°42.14' N. lat., 124°32.82' W. long.; |
|   | 43°23.91' N. lat., 124°24.28' W. long.; | 42°40.50' N. lat., 124°31.98' W. long.; |

- C.6. Notification When Unsafe Conditions Prevent Compliance with Regulations: If prevented by unsafe weather conditions or mechanical problems from meeting special management area landing restrictions, vessels must notify the U.S. Coast Guard and receive acknowledgment of such notification prior to leaving the area. This notification shall include the name of the vessel, port where delivery will be made, approximate amount of salmon (by species) on board, the estimated time of arrival, and the specific reason the vessel is not able to meet special management area landing restrictions.

In addition to contacting the U.S. Coast Guard, vessels fishing south of the Oregon/California border must notify CDFW within one hour of leaving the management area by calling 800-889-8346 and providing the same information as reported to the U.S. Coast Guard. All salmon must be offloaded within 24 hours of reaching port.

- C.7. Incidental Halibut Harvest: During authorized periods, the operator of a vessel that has been issued an incidental halibut harvest license may retain Pacific halibut caught incidentally in Area 2A while trolling for salmon. Halibut retained must be no less than 32 inches in total length, measured from the tip of the lower jaw with the mouth closed to the extreme end of the middle of the tail, and must be landed with the head on. When halibut are caught and landed incidental to commercial salmon fishing by an IPHC license holder, any person who is required to report the salmon landing by applicable state law must include on the state landing receipt for that landing both the number of halibut landed, and the total dressed, head-on weight of halibut landed, in pounds, as well as the number and species of salmon landed.

License applications for incidental harvest must be obtained from the International Pacific Halibut Commission (phone: 206-634-1838). Applicants must apply prior to mid-March 2017 for 2017 permits (*exact date to be set by the IPHC in early 2017*). Incidental harvest is authorized only during April, May, and June of the 2016 troll seasons and after June 30 in 2016 if quota remains and if announced on the NMFS hotline (phone: 800-662-9825 or 206-526-6667). WDFW, ODFW, and CDFW will monitor landings. If the landings are projected to exceed the IPHC's 34,123 pound preseason allocation or the total Area 2A non-Indian commercial halibut allocation, NMFS will take inseason action to prohibit retention of halibut in the non-Indian salmon troll fishery.

**Alternative I** - (Status Quo) May 1, 2017 through December 31, 2017, and April 1-30, 2018, license holders may land or possess no more than one Pacific halibut per each three Chinook, except one Pacific halibut may be possessed or landed without meeting the ratio requirement, and no more than 20 halibut may be possessed or landed per trip. Pacific halibut retained must be no less than 32 inches in total length (with head on).

**Alternative II** - May 1, 2017 through December 31, 2017, and April 1-30, 2018, license holders may land or possess no more than one Pacific halibut per each two Chinook, except one Pacific halibut may be possessed or landed without meeting the ratio requirement, and no more than 30 halibut may be possessed or landed per trip. Pacific halibut retained must be no less than 32 inches in total length (with head on).

**Alternative III** - May 1, 2017 through December 31, 2017, and April 1-30, 2018, license holders may land or possess no more than one Pacific halibut per each two Chinook, except one Pacific halibut may be possessed or landed without meeting the ratio requirement, and no more than 35 halibut may be possessed or landed per trip. Pacific halibut retained must be no less than 32 inches in total length (with head on).

Incidental Pacific halibut catch regulations in the commercial salmon troll fishery adopted for 2017, prior to any 2017 inseason action, will be in effect when incidental Pacific halibut retention opens on April 1, 2018 unless otherwise modified by inseason action at the March 2018 Council meeting.

- a. "C-shaped" yelloweye rockfish conservation area is an area to be voluntarily avoided for salmon trolling. NMFS and the Council request salmon trollers voluntarily avoid this area in order to protect yelloweye rockfish. The area is defined in the Pacific Council Halibut Catch Sharing Plan in the North Coast subarea (Washington marine area 3), with the following coordinates in the order listed:

48°18' N. lat.; 125°18' W. long.;

48°18' N. lat.; 124°59' W. long.;

48°11' N. lat.; 124°59' W. long.;

48°11' N. lat.; 125°11' W. long.;

48°04' N. lat.; 125°11' W. long.;

48°04' N. lat.; 124°59' W. long.;

48°00' N. lat.; 124°59' W. long.;

48°00' N. lat.; 125°18' W. long.;

and connecting back to 48°18' N. lat.; 125°18' W. long.

**C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS (continued)**

- C.8. Inseason Management: In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:
- a. Chinook remaining from the May through June non-Indian commercial troll harvest guideline north of Cape Falcon may be transferred to the July through September harvest guideline if the transfer would not result in exceeding preseason impact expectations on any stocks.
  - b. Chinook remaining from the June non-Indian commercial troll quotas in the Oregon KMZ may be transferred to the Chinook quota for the July open period if the transfer would not result in exceeding preseason impact expectations on any stocks.
  - c. NMFS may transfer fish between the recreational and commercial fisheries north of Cape Falcon if there is agreement among the areas' representatives on the Salmon Advisory Subpanel (SAS), and if the transfer would not result in exceeding preseason impact expectations on any stocks.
  - d. At the March 2018 meeting, the Council will consider inseason recommendations for special regulations for any experimental fisheries (proposals must meet Council protocol and be received in November 2017).
  - e. If retention of unmarked coho is permitted by inseason action, the allowable coho quota will be adjusted to ensure preseason projected impacts on all stocks is not exceeded.
  - f. Landing limits may be modified inseason to sustain season length and keep harvest within overall quotas.
- C.9. State Waters Fisheries: Consistent with Council management objectives:
- a. The State of Oregon may establish additional late-season fisheries in state waters.
  - b. The State of California may establish limited fisheries in selected state waters.  
Check state regulations for details.
- C.10. For the purposes of California Fish and Game Code, Section 8232.5, the definition of the Klamath Management Zone (KMZ) for the ocean salmon season shall be that area from Humbug Mountain, Oregon, to Horse Mountain, California.

TABLE 2. Recreational management Alternatives collated by the STT for non-Indian ocean salmon fisheries, 2017. (Page 1 of 8)

3/12/2017 3:26 PM

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>   |   |   |
|---|---|---|
| ALTERNATIVE I   | ALTERNATIVE II  | ALTERNATIVE III   |
| North of Cape Falcon  | North of Cape Falcon  | North of Cape Falcon  |
| Supplemental Management Information   | Supplemental Management Information   | Supplemental Management Information   |
| <p>1. Overall non-Indian TAC: 104,500 (non-mark-selective equivalent of 100,000) Chinook and 64,400 coho marked with a healed adipose fin clip (marked).</p> <p>2. Recreational TAC: 54,500 (non-mark selective equivalent of 50,000) Chinook and 58,800 marked coho; all retained coho must be marked.</p> <p>3. A trade with commercial troll may be considered in April.</p> <p>4. No Area 4B add-on fishery.</p> <p>5. Buoy 10 fishery opens August 1 with an expected landed catch of 15,000 marked coho in August and September.</p> <p>6. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p> | <p>1. Overall non-Indian TAC: 90,000 Chinook and 60,000 coho marked with a healed adipose fin clip (marked).</p> <p>2. Recreational TAC: 47,500 Chinook and 50,400 marked coho; all retained coho must be marked.</p> <p>4. No Area 4B add-on fishery.</p> <p>5. Buoy 10 fishery opens August 1 with an expected landed catch of 15,000 marked coho in August and September.</p> <p>6. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p> | <p>1. Overall non-Indian TAC: 80,000 Chinook and 18,900 coho marked with a healed adipose fin clip (marked).</p> <p>2. Recreational TAC: 40,000 Chinook and 18,900 marked coho; all retained coho must be marked.</p> <p>4. No Area 4B add-on fishery.</p> <p>5. Buoy 10 fishery opens August 1 with an expected landed catch of 15,000 marked coho in August and September.</p> <p>6. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p> |
| <p><b>Queets Rivers to Leadbetter Point</b></p> <ul style="list-style-type: none"> <li>June 17 through earlier of June 30 or a coastwide marked Chinook quota of 7,500 (C.5).</li> </ul> <p>Seven days per week. Two fish per day, all salmon except coho. All Chinook must be marked with a healed adipose fin clip (C.1). Chinook 24-inch total length minimum size limit (B). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>  | <p><b>Queets Rivers to Leadbetter Point</b></p>   | <p><b>Queets Rivers to Leadbetter Point</b></p>   |

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>  |  |   |
|--|--|---|
| ALTERNATIVE I  | ALTERNATIVE II   | ALTERNATIVE III   |
| <p><b>Leadbetter Point to Cape Falcon</b></p> <ul style="list-style-type: none"> <li>June 17 through earlier of June 30 or a coastwide marked Chinook quota of 7,500 (C.5).</li> </ul> <p>Seven days per week. Two fish per day, all salmon except coho. All Chinook must be marked with a healed adipose fin clip (C.1). Chinook 24-inch total length minimum size limit (B). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>   |  |   |
| <p><b>U.S./Canada Border to Cape Alava (Neah Bay)</b></p> <ul style="list-style-type: none"> <li>June 24 through earlier of September 30 or 6,550 marked coho subarea quota with a subarea guideline of 8,800 Chinook (C.5).</li> </ul> <p>Seven days per week. All salmon, except no chum beginning August 1; two fish per day. All coho must be marked with a healed adipose fin clip (C.1). Beginning August 1, Chinook non-retention east of the Bonilla-Tatoosh line (C.4.a) during Council managed ocean fishery. See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p>  | <p><b>U.S./Canada Border to Cape Alava (Neah Bay)</b></p> <ul style="list-style-type: none"> <li>June 24 through earlier of September 30 or 5,240 marked coho subarea quota with a subarea guideline of 8,400 Chinook (C.5).</li> </ul> <p>Seven days per week. All salmon, except no chum beginning August 1; two fish per day plus one additional pink. All coho must be marked with a healed adipose fin clip (C.1). Beginning August 1, Chinook non-retention east of the Bonilla-Tatoosh line (C.4.a) during Council managed ocean fishery. See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p> | <p><b>U.S./Canada Border to Cape Alava (Neah Bay)</b></p> <ul style="list-style-type: none"> <li>July 1 through earlier of September 17 or a subarea guideline of 7,100 Chinook (C.5).</li> </ul> <p>Seven days per week. All salmon, except coho; no chum beginning August 1; two fish per day (C.1). Beginning August 1, Chinook non-retention east of the Bonilla-Tatoosh line (C.4.a) during Council managed ocean fishery. See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p> |
| <p><b>Cape Alava to Queets River (La Push Subarea)</b></p> <ul style="list-style-type: none"> <li>June 24 through earlier of September 30 or 1,540 marked coho subarea quota with a subarea guideline of 2,700 Chinook (C.5).</li> <li>October 1 through earlier of October 15 or 100 marked coho quota or 100 Chinook quota (C.5) in the area north of 47°50'00 N. lat. and south of 48°00'00" N. lat.</li> </ul> <p>Seven days per week. All salmon, two fish per day. All coho must be marked with a healed adipose fin clip. (see Ocean Boat Limits, C.1). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p> | <p><b>Cape Alava to Queets River (La Push Subarea)</b></p> <ul style="list-style-type: none"> <li>June 24 through earlier of September 30 or 1,210 marked coho subarea quota with a subarea guideline of 2,600 Chinook (C.5).</li> </ul> <p>Seven days per week. All salmon, two fish per day plus one additional pink. All coho must be marked with a healed adipose fin clip (see Ocean Boat Limits, C.1). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p>   | <p><b>Cape Alava to Queets River (La Push Subarea)</b></p> <ul style="list-style-type: none"> <li>July 1 through earlier of September 17 or a subarea guideline of 2,100 Chinook (C.5).</li> <li>October 1 through earlier of October 15 or 100 Chinook quota (C.5) in the area north of 47°50'00 N. lat. and south of 48°00'00" N. lat.</li> </ul> <p>Seven days per week. All salmon, except coho; two fish per day. See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p>          |

TABLE 2. Recreational management Alternatives collated by the STT for non-Indian ocean salmon fisheries, 2017. (Page 3 of 8)

3/12/2017 3:26 PM

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>  |  |   |
|--|--|---|
| ALTERNATIVE I  | ALTERNATIVE II   | ALTERNATIVE III   |
| <p><b>Queets River to Leadbetter Point (Westport Subarea)</b></p> <ul style="list-style-type: none"> <li>July 1 through earlier of September 30 or 23,310 marked coho subarea quota with a subarea guideline of 21,900 Chinook (C.5).</li> </ul> <p>Seven days per week. All salmon; two fish per day, no more than one of which can be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). See gear restrictions and definitions (C.2, C.3). Grays Harbor Control Zone closed beginning August 14 (C.4.b). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p> | <p><b>Queets River to Leadbetter Point (Westport Subarea)</b></p> <ul style="list-style-type: none"> <li>June 24 through earlier of September 17 or 18,650 marked coho subarea quota with a subarea guideline of 22,500 Chinook (C.5).</li> </ul> <p>Same as Alternative 1.</p>      | <p><b>Queets River to Leadbetter Point (Westport Subarea)</b></p> <ul style="list-style-type: none"> <li>July 2 through earlier of September 7 or a subarea guideline of 19,000 Chinook (C.5).</li> </ul> <p>Five days per week (Sunday through Thursday). All salmon, except coho; two fish per day (C.1). See gear restrictions and definitions (C.2, C.3). Grays Harbor Control Zone closed beginning August 14 (C.4.b). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p> |
| <p><b>Leadbetter Point to Cape Falcon (Columbia River Subarea)</b></p> <ul style="list-style-type: none"> <li>July 1 through earlier of September 30 or 31,500 marked coho subarea quota with a subarea guideline of 13,500 Chinook (C.5).</li> </ul> <p>Seven days per week. All salmon; two fish per day, no more than one of which can be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). See gear restrictions and definitions (C.2, C.3). Columbia Control Zone closed (C.4.c). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p>                    | <p><b>Leadbetter Point to Cape Falcon (Columbia River Subarea)</b></p> <ul style="list-style-type: none"> <li>June 24 through earlier of September 30 or 25,200 marked coho subarea quota with a subarea guideline of 13,900 Chinook (C.5).</li> </ul> <p>Same as Alternative 1.</p> | <p><b>Leadbetter Point to Cape Falcon (Columbia River Subarea)</b></p> <ul style="list-style-type: none"> <li>July 1 through earlier of September 16 or 18,900 marked coho subarea quota with a subarea guideline of 11,700 Chinook (C.5).</li> </ul> <p>Same as Alternative 1.</p>   |

TABLE 2. Recreational management Alternatives collated by the STT for non-Indian ocean salmon fisheries, 2017. (Page 4 of 8)

3/12/2017 3:26 PM

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>  |  |  |
|--|--|--|
| <b>South of Cape Falcon</b>  | <b>South of Cape Falcon</b>  | <b>South of Cape Falcon</b>  |
| ALTERNATIVE I  | ALTERNATIVE II   | ALTERNATIVE III  |
| <b>Supplemental Management Information</b>   | <b>Supplemental Management Information</b>   | <b>Supplemental Management Information</b>   |
| <ol style="list-style-type: none"> <li>1. Sacramento River fall Chinook spawning escapement of 133,092 hatchery and natural area adults.</li> <li>2. Sacramento Index exploitation rate of 42.3%.</li> <li>3. Klamath River recreational fishery allocation: 124 adult Klamath River fall Chinook.</li> <li>4. Klamath tribal allocation: 829 adult Klamath River fall Chinook.</li> <li>5. Overall recreational coho TAC: 30,000 coho marked with a healed adipose fin clip (marked), and 10,000 coho in the non-mark-selective coho fishery.</li> <li>6. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the CFGC.</li> </ol>   | <ol style="list-style-type: none"> <li>1. Sacramento River fall Chinook spawning escapement of 140,649 hatchery and natural area adults.</li> <li>2. Sacramento Index exploitation rate of 39.0%.</li> <li>3. Klamath River recreational fishery allocation: 119 adult Klamath River fall Chinook.</li> <li>4. Klamath tribal allocation: 795 adult Klamath River fall Chinook.</li> <li>5. Overall recreational coho TAC: 20,000 coho marked with a healed adipose fin clip (marked).</li> <li>6. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the CFGC.</li> </ol> | <ol style="list-style-type: none"> <li>1. Sacramento River fall Chinook spawning escapement of 182,309 hatchery and natural area adults.</li> <li>2. Sacramento Index exploitation rate of 21.0%.</li> <li>3. Klamath River recreational fishery allocation: 0 adult Klamath River fall Chinook.</li> <li>4. Klamath tribal allocation: 211 adult Klamath River fall Chinook.</li> <li>5. Overall recreational coho TAC: Zero.</li> <li>6. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the CFGC.</li> </ol> |
| <p><b>Cape Falcon to Humbug Mt.</b></p> <ul style="list-style-type: none"> <li>• March 15 through October 31 (C.6), except as provided below during the all-salmon mark-selective and September non-mark-selective coho fisheries.</li> </ul> <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <ul style="list-style-type: none"> <li>• Non-mark-selective coho fishery: September 2 through the earlier of September 30 or a landed catch of 10,000 coho (C.5).</li> </ul> <p>Seven days per week. All salmon, two fish per day (C.1). Chinook minimum size limit of 24 inches total length. Coho minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>The all salmon except coho season reopens the earlier of October 1 or attainment of the coho quota (C.5).</p> <p>In 2018, the season between Cape Falcon and Humbug Mountain will open March 15 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2017 (C.2, C.3).</p> | <p><b>Cape Falcon to Humbug Mt.</b></p> <ul style="list-style-type: none"> <li>• March 15-October 31 (C.6), except as provided below during the all-salmon mark-selective fishery.</li> </ul> <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3). During September and October the fishery is only open shoreward of the 40 fathom management line.</p> <p>In 2018, same as Alternative 1.</p>   | <p><b>Cape Falcon to Humbug Mt.</b></p> <ul style="list-style-type: none"> <li>• March 15 through April 30 (C.6)</li> </ul> <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2018, same as Alternative 1.</p>   |
| <p>Fishing in the Stonewall Bank yelloweye rockfish conservation area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 for specific dates) (C.3.b, C.4.d).</p>  |  |  |

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>  |  |   |
|--|--|---|
| ALTERNATIVE I  | ALTERNATIVE II   | ALTERNATIVE III   |
| <p><b>Cape Falcon to OR/CA Border</b></p> <ul style="list-style-type: none"> <li>All-salmon mark-selective coho fishery: June 24 through the earlier of July 31 or a landed catch of 30,000 marked coho (C.5).</li> <li>From Humbug Mt to OR/CA Border (Oregon KMZ) the selective coho fishery will end the earlier of July 9 or the attainment of the coho quota.</li> </ul> <p>Seven days per week. All salmon, two fish per day. All retained coho must be marked with a healed adipose fin clip (C.1). Chinook minimum size limit of 24 inches total length. Coho minimum size limit of 16 inches total length (B). See gear restrictions and definitions (C.2, C.3). Any remainder of the mark selective quota may be transferred on an impact neutral basis to the September non-selective quota from Cape Falcon to Humbug Mountain. The all salmon except coho season reopens the earlier of August 1 or attainment of the coho quota (C.5.e).</p> <p>Fishing in the Stonewall Bank Yelloweye Rockfish Conservation Area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 for specific dates) (C.3.b, C.4.d).</p> | <p><b>Cape Falcon to Humbug Mt.</b></p> <ul style="list-style-type: none"> <li>All-salmon mark-selective coho fishery June 24 through the earlier of August 17 or a landed catch of 20,000 marked coho (C.5).</li> </ul> <p>Seven days per week. All salmon, two fish per day. All retained coho must be marked with a healed adipose fin clip (C.1). Chinook minimum size limit of 24 inches total length. Coho minimum size limit of 16 inches total length (B). See gear restrictions and definitions (C.2, C.3). The all salmon except coho season reopens the earlier of August 18 or attainment of the coho quota.</p> <p>Fishing in the Stonewall Bank Yelloweye Rockfish Conservation Area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 for specific dates) (C.3.b, C.4.d).</p> | <p><b>Cape Falcon to OR/CA Border</b></p> <ul style="list-style-type: none"> <li>Closed.</li> </ul> <p>Fishing in the Stonewall Bank Yelloweye Rockfish Conservation Area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 for specific dates) (C.3.b, C.4.d).</p> |
| <p><b>Humbug Mt. to OR/CA Border. (Oregon KMZ)</b></p> <ul style="list-style-type: none"> <li>May 27-July 9 and September 2-4; except as provided above during the all-salmon mark-selective coho fishery (C.6).</li> </ul> <p>Seven days per week. All salmon except coho, except as noted above in the all-salmon mark-selective coho fishery; two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p>   | <p><b>Humbug Mt. to OR/CA Border. (Oregon KMZ)</b></p> <ul style="list-style-type: none"> <li>May 27-31;</li> <li>June 1-30; four days per week, Wednesday-Saturday</li> <li>July 1-4, (C.6).</li> </ul> <p>All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p>  | <p><b>Humbug Mt. to OR/CA Border. (Oregon KMZ)</b></p> <ul style="list-style-type: none"> <li>Closed (C.6).</li> </ul>  |
| <p><b>OR/CA Border to Horse Mt. (California KMZ)</b></p> <ul style="list-style-type: none"> <li>Closed (C.6).</li> </ul>   | <p><b>OR/CA Border to Horse Mt. (California KMZ)</b></p> <ul style="list-style-type: none"> <li>Closed (C.6).</li> </ul>   | <p><b>OR/CA Border to Horse Mt. (California KMZ)</b></p> <ul style="list-style-type: none"> <li>Closed (C.6).</li> </ul>  |



TABLE 2. Recreational management Alternatives collated by the STT for non-Indian ocean salmon fisheries, 2017. (Page 6 of 8)

3/12/2017 3:26 PM

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>   |  |  |
|---|--|--|
| ALTERNATIVE I   | ALTERNATIVE II   | ALTERNATIVE III  |
| <p><b>Horse Mt. to Point Arena (Fort Bragg)</b></p> <ul style="list-style-type: none"> <li>• April 1-May 31;</li> <li>• August 15-November 12 (C.6).</li> </ul> <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 20 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2018, season opens April 7 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 20 inches total length (B); and the same gear restrictions as in 2017 (C.2, C.3).</p>                                      | <p><b>Horse Mt. to Point Arena (Fort Bragg)</b></p> <ul style="list-style-type: none"> <li>• April 1-May 31;</li> <li>• September 1-November 12 (C.6).</li> </ul> <p>Same as Alternative 1.</p> <p>In 2018, same as Alternative 1.</p> | <p><b>Horse Mt. to Point Arena (Fort Bragg)</b></p> <ul style="list-style-type: none"> <li>• April 1-30 (C.6).</li> </ul> <p>Same as Alternative 1.</p> <p>In 2018, same as Alternative 1.</p>   |
| <p><b>Point Arena to Pigeon Point (San Francisco)</b></p> <ul style="list-style-type: none"> <li>• April 1-30;</li> <li>• May 15-October 31 (C.6).</li> </ul> <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length through April 30, 20 inches thereafter (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2018, season opens April 7 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2017 (C.2, C.3).</p> | <p><b>Point Arena to Pigeon Point (San Francisco)</b></p> <ul style="list-style-type: none"> <li>• April 1-30;</li> <li>• June 15-October 31 (C.6).</li> </ul> <p>Same as Alternative 1.</p> <p>In 2018, same as Alternative 1.</p>    | <p><b>Point Arena to Pigeon Point (San Francisco)</b></p> <ul style="list-style-type: none"> <li>• April 1-30 (C.6).</li> </ul> <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2018, same as Alternative 1.</p> |
| <p><b>Pigeon Point to Point Sur (Monterey North)</b></p> <ul style="list-style-type: none"> <li>• April 1-July 15 (C.6).</li> </ul> <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2018, season opens April 7 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2017 (C.2, C.3).</p>  | <p><b>Pigeon Point to Point Sur (Monterey North)</b></p> <ul style="list-style-type: none"> <li>• April 1-May 31 (C.6).</li> </ul> <p>Same as Alternative 1.</p> <p>In 2018, same as Alternative 1.</p>                                | <p><b>Pigeon Point to Point Sur (Monterey North)</b></p> <ul style="list-style-type: none"> <li>• April 1-30 (C.6).</li> </ul> <p>Same as Alternative 1.</p> <p>In 2018, same as Alternative 1.</p>  |
| <p><b>Point Sur to U.S./Mexico Border (Monterey South)</b></p> <ul style="list-style-type: none"> <li>• April 1-May 31 (C.6).</li> </ul> <p>Seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).</p> <p>In 2018, season opens April 7 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2017 (C.2, C.3).</p>   | <p><b>Point Sur to U.S./Mexico Border (Monterey South)</b></p> <ul style="list-style-type: none"> <li>• April 1-May 31 (C.6).</li> </ul> <p>Same as Alternative 1.</p> <p>In 2018, same as Alternative 1.</p>                          | <p><b>Point Sur to U.S./Mexico Border (Monterey South)</b></p> <ul style="list-style-type: none"> <li>• April 1-30 (C.6).</li> </ul> <p>Same as Alternative 1.</p> <p>In 2018, same as Alternative 1.</p>  |
| <p>California State regulations require all salmon be made available to a CDFW representative for sampling immediately at port of landing. Any person in possession of a salmon with a missing adipose fin, upon request by an authorized agent or employee of the CDFW, shall immediately relinquish the head of the salmon to the state. (California Code of Regulations Title 14 Section 1.73)</p>   |  |  |

**B. MINIMUM SIZE (Inches) (See C.1)**

| Area (when open)                                | Chinook          | Coho | Pink |
|---|------------------|------|------|
| North of Cape Falcon                            | 24.0             | 16.0 | None |
| Cape Falcon to Humbug Mt.                       | 24.0             | 16.0 | None |
| Cape Falcon to Humbug Mt. (Alt. 1 in September) | 24.0             | 24.0 | None |
| Humbug Mt. to OR/CA Border                      | 24.0             | 16.0 | None |
| OR/CA Border to Horse Mt.                       | -                | -    | -    |
| Horse Mt. to Pt. Arena                          | 20.0             | -    | 20.0 |
| Pt. Arena to Pigeon Pt.                         | Through April 30 | -    | 24.0 |
|   | After April 30   | 20.0 | 20.0 |
| Pigeon Pt. to Pt. Sur                           | 24.0             | -    | 24.0 |
| Pt. Sur to U.S./Mexico Border                   | 24.0             | -    | 24.0 |

**C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS**

C.1. Compliance with Minimum Size and Other Special Restrictions: All salmon on board a vessel must meet the minimum size or other special requirements for the area being fished and the area in which they are landed if that area is open. Salmon may be landed in an area that is closed only if they meet the minimum size or other special requirements for the area in which they were caught. Salmon may not be filleted prior to landing.

*Ocean Boat Limits*: Off the coast of Washington, Oregon, and California, each fisher aboard a vessel may continue to use angling gear until the combined daily limits of Chinook and coho salmon for all licensed and juvenile anglers aboard have been attained (additional state restrictions may apply).

C.2. Gear Restrictions: Salmon may be taken only by hook and line using barbless hooks. All persons fishing for salmon, and all persons fishing from a boat with salmon on board, must meet the gear restrictions listed below for specific areas or seasons.

a. *U.S./Canada Border to Pt. Conception, California*: No more than one rod may be used per angler; and no more than two single point, single shank barbless hooks are required for all fishing gear. [Note: ODFW regulations in the state-water fishery off Tillamook Bay may allow the use of barbed hooks to be consistent with inside regulations.]

b. *Horse Mt., California, to Pt. Conception, California*: Single point, single shank, barbless circle hooks (see gear definitions below) are required when fishing with bait by any means other than trolling, and no more than two such hooks shall be used. When angling with two hooks, the distance between the hooks must not exceed five inches when measured from the top of the eye of the top hook to the inner base of the curve of the lower hook, and both hooks must be permanently tied in place (hard tied). Circle hooks are not required when artificial lures are used without bait.

**C.3. Gear Definitions:**

- a. *Recreational fishing gear defined:* Off Oregon and Washington, angling tackle consists of a single line that must be attached to a rod and reel held by hand or closely attended; the rod and reel must be held by hand while playing a hooked fish. No person may use more than one rod and line while fishing off Oregon or Washington. Off California, the line must be attached to a rod and reel held by hand or closely attended; weights directly attached to a line may not exceed four pounds (1.8 kg). While fishing off California north of Pt. Conception, no person fishing for salmon, and no person fishing from a boat with salmon on board, may use more than one rod and line. Fishing includes any activity which can reasonably be expected to result in the catching, taking, or harvesting of fish.
- b. *Trolling defined:* Angling from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.
- c. *Circle hook defined:* A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.

**C.4. Control Zone Definitions:**

- a. *The Bonilla-Tatoosh Line:* A line running from the western end of Cape Flattery to Tatoosh Island Lighthouse (48°23'30" N. lat., 124°44'12" W. long.) to the buoy adjacent to Duntze Rock (48°24'37" N. lat., 124°44'37" W. long.), then in a straight line to Bonilla Pt. (48°35'39" N. lat., 124°42'58" W. long.) on Vancouver Island, British Columbia.
- b. *Grays Harbor Control Zone* - The area defined by a line drawn from the Westport Lighthouse (46° 53'18" N. lat., 124° 07'01" W. long.) to Buoy #2 (46° 52'42" N. lat., 124° 12'42" W. long.) to Buoy #3 (46° 55'00" N. lat., 124°14'48" W. long.) to the Grays Harbor north jetty (46° 55'36" N. lat., 124°10'51" W. long.).
- c. *Columbia Control Zone:* An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09" N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°15'48" N. lat., 124°05'20" W. long. and then along the north jetty to the point of intersection with the Buoy #10 line; and on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line.
- d. *Stonewall Bank Yelloweye Rockfish Conservation Area:* The area defined by the following coordinates in the order listed:  
 44°37.46' N. lat.; 124°24.92' W. long.  
 44°37.46' N. lat.; 124°23.63' W. long.  
 44°28.71' N. lat.; 124°21.80' W. long.  
 44°28.71' N. lat.; 124°24.10' W. long.  
 44°31.42' N. lat.; 124°25.47' W. long.  
 and connecting back to 44°37.46' N. lat.; 124°24.92' W. long.
- e. *Klamath Control Zone:* The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately 6 nautical miles north of the Klamath River mouth); on the west by 124°23'00" W. long. (approximately 12 nautical miles off shore); and, on the south by 41°26'48" N. lat. (approximately 6 nautical miles south of the Klamath River mouth).

**C.5. Inseason Management:** Regulatory modifications may become necessary inseason to meet preseason management objectives such as quotas, harvest guidelines, and season duration. In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:

- a. Actions could include modifications to bag limits, or days open to fishing, and extensions or reductions in areas open to fishing.
- b. Coho may be transferred inseason among recreational subareas north of Cape Falcon to help meet the recreational season duration objectives (for each subarea) after conferring with representatives of the affected ports and the Council's SAS recreational representatives north of Cape Falcon, and if the transfer would not result in exceeding preseason impact expectations on any stocks.
- c. Chinook and coho may be transferred between the recreational and commercial fisheries north of Cape Falcon if there is agreement among the representatives of the SAS, and if the transfer would not result in exceeding preseason impact expectations on any stocks.
- d. Fishery managers may consider inseason action modifying regulations restricting retention of unmarked coho. To remain consistent with preseason expectations, any inseason action shall consider, if significant, the difference between observed and preseason forecasted mark rates. Such a consideration may also include a change in bag limit of two salmon, no more than one of which may be a coho.
- e. Marked coho remaining from the Cape Falcon to OR/CA border recreational mark-selective coho quota may be transferred inseason to the Cape Falcon to Humbug Mt. non-mark-selective recreational fishery if the transfer would not result in exceeding preseason impact expectations on any stocks.

**C.6. Additional Seasons in State Territorial Waters:** Consistent with Council management objectives, the States of Washington, Oregon, and California may establish limited seasons in state waters. Check state regulations for details.

TABLE 3. Treaty Indian troll management Alternatives collated by the STT for ocean salmon fisheries, 2017. (Page 1 of 2)

| <b>A. SEASON ALTERNATIVE DESCRIPTIONS</b>  |  |   |
|--|--|---|
| ALTERNATIVE I  | ALTERNATIVE II   | ALTERNATIVE III   |
| <b>Supplemental Management Information</b>   | <b>Supplemental Management Information</b>   | <b>Supplemental Management Information</b>  |
| <p>1. Overall Treaty-Indian TAC: 50,000 Chinook and 40,000 coho.</p> <p>2. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p>  | <p>1. Overall Treaty-Indian TAC: 40,000 Chinook and 22,000 coho.</p> <p>2. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p>  | <p>1. Overall Treaty-Indian TAC: 30,000 Chinook and 12,500 coho.</p> <p>2. Overall Chinook and/or coho TAC may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p>  |
| <ul style="list-style-type: none"> <li>• May 1 through the earlier of June 30 or 25,000 Chinook quota.</li> </ul> <p>All salmon except coho. If the Chinook quota is exceeded, the excess will be deducted from the later all-salmon season (C.5). See size limit (B) and other restrictions (C).</p> <ul style="list-style-type: none"> <li>• July 1 through the earlier of September 15, or 25,000 Chinook quota, or 40,000 coho quota.</li> </ul> <p>All Salmon. See size limit (B) and other restrictions (C).</p> | <ul style="list-style-type: none"> <li>• May 1 through the earlier of June 30 or 20,000 Chinook quota.</li> </ul> <p>All salmon except coho. If the Chinook quota is exceeded, the excess will be deducted from the later all-salmon season. See size limit (B) and other restrictions (C).</p> <ul style="list-style-type: none"> <li>• July 1 through the earlier of September 15, or 20,000 Chinook quota or 22,000 coho quota</li> </ul> <p>All salmon. See size limit (B) and other restrictions (C).</p> | <ul style="list-style-type: none"> <li>• May 1 through the earlier of June 30 or 15,000 Chinook quota.</li> </ul> <p>All salmon except coho. If the Chinook quota is exceeded, the excess will be deducted from the later all-salmon season. See size limit (B) and other restrictions (C).</p> <ul style="list-style-type: none"> <li>• July 1 through the earlier of September 15, or 15,000 Chinook quota or 12,500 coho quota.</li> </ul> <p>All salmon. See size limit (B) and other restrictions (C).</p> |

TABLE 3. Treaty Indian troll management Alternatives collated by the STT for ocean salmon fisheries, 2017. (Page 2 of 2)

**B. MINIMUM SIZE (Inches)**

| Area (when open)     | Chinook        |                | Coho           |                | Pink |
|----------------------|----------------|----------------|----------------|----------------|------|
|                      | Total Length   | Head-off       | Total Length   | Head-off       |      |
| North of Cape Falcon | 24.0 (61.0 cm) | 18.0 (45.7 cm) | 16.0 (40.6 cm) | 12.0 (30.5 cm) | None |

**C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS**

C.1. Tribe and Area Boundaries. All boundaries may be changed to include such other areas as may hereafter be authorized by a Federal court for that tribe's treaty fishery.

S'KLALLAM - Washington State Statistical Area 4B (All).

MAKAH - Washington State Statistical Area 4B and that portion of the FMA north of 48°02'15" N. lat. (Norwegian Memorial) and east of 125°44'00" W. long.

QUILEUTE - That portion of the FMA between 48°10'00" N. lat. (Cape Alava.) and 47°3'70" N. lat. (Queets River) and east of 125°44'00" W. long.

HOH - That portion of the FMA between 47°54'18" N. lat. (Quillayute River) and 47°21'00" N. lat. (Quinault River) and east of 125°44'00" W. long.

QUINAULT - That portion of the FMA between 47°40'06" N. lat. (Destruction Island) and 46°53'18"N. lat. (Point Chehalis) and east of 125°08'30" W. long.

C.2. Gear restrictions

- a. Single point, single shank, barbless hooks are required in all fisheries.
- b. No more than eight fixed lines per boat.
- c. No more than four hand held lines per person in the Makah area fishery (Washington State Statistical Area 4B and that portion of the FMA north of 48°02'15" N. lat. (Norwegian Memorial) and east of 125°44'00" W. long.)

C.3. Quotas

- a. The quotas include troll catches by the S'Klallam and Makah tribes in Washington State Statistical Area 4B from May 1 through August 31.
- b. The Quileute Tribe will continue a ceremonial and subsistence fishery during the time frame of October 1 through October 15 in the same manner as in 2004-2015. Fish taken during this fishery are to be counted against treaty troll quotas established for the 2017 season (estimated harvest during the October ceremonial and subsistence fishery: 20 Chinook; 40 coho).

C.4. Area Closures

- a. The area within a six nautical mile radius of the mouths of the Queets River (47°31'42" N. lat.) and the Hoh River (47°45'12" N. lat.) will be closed to commercial fishing.
- b. A closure within two nautical miles of the mouth of the Quinault River (47°21'00" N. lat.) may be enacted by the Quinault Nation and/or the State of Washington and will not adversely affect the Secretary of Commerce's management regime.

C.5. Inseason Management: In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:

- a. Chinook remaining from the May through June treaty-Indian ocean troll harvest guideline north of Cape Falcon may be transferred to the July through August harvest guideline on a fishery impact equivalent basis.

Table 5. Projected key stock escapements (thousands of fish) or management criteria for 2017 ocean fishery Alternatives analyzed by the STT.<sup>a/</sup> (Page 1 of 3)

| Key Stock/Criteria                                    | Projected Ocean Escapement <sup>b/</sup> or Other Criteria (Council Area Impacts in Parens) |                |                 | Spaw ner Objective or Other Comparative Standard as Noted  |
|---|---|----------------|-----------------|--|
|   | Alternative I   | Alternative II | Alternative III |  |
| <b>CHINOOK</b>  |   |                |                 |  |
| Columbia Upriver Brights                              | 271.1   | 244.0          | 281.3           | 74.0 Minimum ocean escapement to attain 40.0 natural adults over McNary Dam, w ith normal distribution and no mainstem harvest.  |
| Mid-Columbia Brights                                  | 47.6  | 48.1           | 49.3            | 14.9 Minimum ocean escapement to attain 7.9 for Little White Salmon egg-take, assuming average conversion and no mainstem harvest.   |
| Columbia Low er River Hatchery Tules                  | 95.2  | 97.1           | 98.9            | 25.0 Minimum ocean escapement to attain 14.8 adults for hatchery egg-take, w ith average conversion and no low er river mainstem or tributary harvest.   |
| Columbia Low er River Natural Tules (threatened)      | <b>41.3%</b>  | 40.1%          | 38.3%           | ≤ 41.0% Total adult equivalent fishery exploitation rate (2017 NMFS ESA guidance).   |
| Columbia Low er River Wild <sup>c/</sup> (threatened) | 13.2  | 13.3           | 13.6            | 6.9 Minimum ocean escapement to attain MSY spaw ner goal of 5.7 for N. Lewis River fall Chinook (NMFS ESA consultation standard).  |
| Spring Creek Hatchery Tules                           | 159.7   | 166.4          | 171.3           | 8.2 Minimum ocean escapement to attain 6.0 adults for Spring Creek Hatchery egg-take, assuming average conversion and no mainstem harvest.   |
| Snake River Fall (threatened) SRFI                    | 55.0%   | 48.0%          | 40.0%           | ≤ 70.0% Of 1988-1993 base period exploitation rate for all ocean fisheries (NMFS ESA consultation standard).   |
| Klamath River Fall                                    | <b>11,364</b>   | 11,400         | 12,144          | 11,379 2017 minimum natural area adult escapement (FMP control rule).  |
| Federally recognized tribal harvest                   | 50.0%   | 50.0%          | 50.0%           | 50.0% Equals 0.8, 0.8, and 0.2 (thousand) adult fish for Yurok and Hoopa Valley tribal fisheries.  |
| Spaw ner Reduction Rate                               | <b>8.2%</b>   | 7.9%           | 1.9%            | ≤ 8.1% FMP control rule.   |
| Adult river mouth return                              | 18.4  | 18.4           | 18.7            | NA Total adults in thousands.  |
| Age-4 ocean harvest rate                              | 3.2%  | 3.2%           | 1.0%            | ≤ 16.0% NMFS ESA consultation standard for threatened California Coastal Chinook.  |
| KMZ sport fishery share                               | 17.6%   | 17.0%          | 49.6%           |  |
| River recreational fishery share                      | 15.0%   | 15.0%          | 0.0%            | NA Equals 0.1, 0.1, and 0.00 (thousand) adult fish for recreational inriver fisheries.   |
| Sacramento River Winter (endangered)                  | 12.2%   | 10.0%          | 1.2%            | ≤ 15.8% Age-3 ocean impact rate in fisheries south of Pt. Arena. In addition, the following season restrictions apply: <u>Recreational</u> - Pt. Arena to Pigeon Pt. between the first Saturday in April and the second Sunday in November; Pigeon Pt. to the U.S./Mexico Border between the first Saturday in April and the first Sunday in October. Minimum size limit ≥ 20 inches total length. <u>Commercial</u> - Pt. Arena to the U.S./Mexico border betw een May 1 and September 30, except Pt. Reyes to Pt. San Pedro betw een October 1 and 15 (Monday-Friday). Minimum size limit ≥ 26 inches total length (NMFS 2017 ESA Guidance). |

Table 5. Projected key stock escapements (thousands of fish) or management criteria for 2017 ocean fishery Alternatives analyzed by the STT.<sup>a/</sup> (Page 2 of 3)

| Key Stock/Criteria                                     | Projected Ocean Escapement <sup>b/</sup> or Other Criteria (Council Area Impacts in Parenths) |                |                 | Spaw ner Objective or Other Comparative Standard as Noted   |
|--|---|----------------|-----------------|---|
|  | Alternative I   | Alternative II | Alternative III |   |
| <b>CHINOOK (continued)</b>                             |   |                |                 |   |
| Sacramento River Fall                                  | 133.1   | 140.6          | 182.3           | ≥ 122.0 2017 minimum hatchery and natural area adult escapement (FMP control rule).   |
| Sacramento Index exploitation rate                     | 42.3%   | 39.0%          | 21.0%           | ≤ 47.1% FMP control rule.   |
| Ocean commercial impacts                               | 50.4  | 44.6           | 8.6             | All Alternatives include fall (Sept-Dec) 2016 impacts (8.6 thousand SRFC).  |
| Ocean recreational impacts                             | 25.6  | 22.5           | 10.1            | All Alternatives include fall 2016 impacts (5.1 thousand SRFC).   |
| River recreational impacts                             | 21.7  | 22.9           | 29.7            | NA Equals 22.2%, 25.4%, and 61.3% of the total harvest.   |
| Hatchery spaw ner goal                                 | Met   | Met            | Met             | 22.0 Aggregate number of adults to achieve egg take goals at Coleman, Feather River, and Nimbus hatcheries.   |
| <b>COHO</b>  |   |                |                 |   |
| Interior Fraser (Thompson River)                       | 7.6% (5.1%)   | 5.6% (3.1%)    | 4.4% (1.9%)     | ≤ 10.0% 2017 Southern U.S. exploitation rate ceiling; PSC coho agreement.   |
| Skagit   | 10.2% (4.8%)  | 8.4% (2.9%)    | 7.3% (1.9%)     | ≤ 20.0% 2017 total exploitation rate ceiling; FMP matrix <sup>d/e/</sup>  |
| Stillaguamish  | 10.4% (3.4%)  | 9.2% (2.0%)    | 8.5% (1.3%)     | ≤ 20.0% 2017 total exploitation rate ceiling; FMP matrix <sup>d/e/</sup>  |
| Snohomish  | 9.9% (3.4%)   | 8.6% (2.1%)    | 7.9% (1.3%)     | ≤ 40.0% 2017 total exploitation rate ceiling; FMP matrix <sup>d/e/</sup>  |
| Hood Canal   | 36.9% (5.0%)  | 35.6% (3.1%)   | 34.9% (2.1%)    | ≤ 65.0% 2017 total exploitation rate ceiling; FMP matrix <sup>d/e/</sup>  |
| Strait of Juan de Fuca                                 | 7.2% (4.3%)   | 5.3% (2.4%)    | 4.3% (1.5%)     | ≤ 40.0% 2017 total exploitation rate ceiling; FMP matrix <sup>d/e/</sup>  |
| Quillayute Fall  | 14.9  | 15.2           | 15.4            | 6.3 FMP MSY adult spaw ner estimate. <sup>d/</sup> Value depicted is ocean escapement.  |
| Hoh  | 5.3   | 5.6            | 5.7             | 2.0 FMP MSY adult spaw ner estimate. <sup>d/</sup> Value depicted is ocean escapement.  |
| Queets Natural   | <b>5.5</b>  | <b>5.7</b>     | 5.9             | 5.8 FMP MSY adult spaw ner estimate. <sup>d/</sup> Value depicted is ocean escapement.  |
| Grays Harbor (Quinault Forecast)                       | 46.3  | 47.4           | 48.1            | 35.4 FMP MSY adult spaw ner estimate. <sup>d/</sup> Value depicted is ocean escapement.   |
| Grays Harbor (WDFW Forecast)                           |   |                |                 | FMP MSY adult spaw ner estimate. <sup>d/</sup> Value depicted is ocean escapement.  |
| Willapa Bay Natural                                    | 33.1  | 34.2           | 35.1            | 17.2 FMP MSY adult spaw ner estimate. Value depicted is ocean escapement.   |
| Lower Columbia River Natural (threatened)              | <b>12.7%</b>  | 8.5%           | 5.1%            | ≤ 18% Total marine and mainstem Columbia R. fishery exploitation rate (2017 NMFS ESA guidance). Value depicted is ocean fishery exploitation rate. Bolded values identify ocean exploitation rates that, when combined with 2016 freshwater harvest rates, will exceed the total allowable exploitation rate. |
| Upper Columbia <sup>f/</sup>                           | >50%  | >50%           | >50%            | ≥ 50% Minimum percentage of the run to Bonneville Dam.  |
| Columbia River Hatchery Early                          | 165.3   | 179.3          | 203.9           | 77.2 Minimum ocean escapement to attain hatchery egg-take goal of 21.7 early adult coho, with average conversion and no mainstem or tributary fisheries.  |
| Columbia River Hatchery Late                           | 106.0   | 115.1          | 134.7           | 9.7 Minimum ocean escapement to attain hatchery egg-take goal of 6.4 late adult coho, with average conversion and no mainstem or tributary fisheries.   |
| Oregon Coastal Natural                                 | 12.1%   | 5.2%           | 1.5%            | ≤ 30.0% Marine and freshwater fishery exploitation rate (NMFS ESA consultation standard). Value depicted is ocean fishery exploitation rate. When combined with anticipated freshwater impacts, exploitation rates will meet, but not exceed, NMFS guidance.  |
| Southern Oregon/Northern California Coast (threatened) | 4.8%  | 2.8%           | 0.5%            | ≤ 13.0% Marine fishery exploitation rate for R/K hatchery coho (NMFS ESA consultation standard).  |

Table 5. Projected key stock escapements (thousands of fish) or management criteria for 2017 ocean fishery Alternatives analyzed by the STT.<sup>a/</sup> (Page 3 of 3)

a/ Projections in the table assume 2016 post season fishing effort scalars for coho in Canadian fisheries. Model results for Chinook in this table used 2016 pre season catches and fishing effort scalars, and are updated with 2016 post season data if available. Assumptions for these fisheries will be changed prior to the April meeting as new information becomes available.

b/ Ocean escapement is the number of salmon escaping ocean fisheries and entering freshwater with the following clarifications. Ocean escapement for Puget Sound stocks is the estimated number of salmon entering Area 4B that are available to U.S. net fisheries in Puget Sound and spawner escapement after impacts from the Canadian, U.S. ocean, and Puget Sound troll and recreational fisheries have been deducted. Numbers in parentheses represent Council area exploitation rates for Puget sound coho stocks. For Columbia River early and late coho stocks, ocean escapement represents the number of coho after the Buoy 10 fishery. Exploitation rates for LCN coho include all marine impacts and the Buoy 10 fishery. Exploitation rates for OCN coho represent marine impacts. Values reported for Klamath River fall Chinook are natural area adult spawners. Values reported for Sacramento River fall Chinook are hatchery and natural area adult spawners.

c/ Includes minor contributions from East Fork Lewis River and Sandy River.

d/ Annual management objectives may be different than FMP goals, and are subject to agreement between WDFW and the treaty tribes under U.S. District Court orders. Total exploitation rate includes Alaskan, Canadian, Council area, Puget Sound, and freshwater fisheries and is calculated as total fishing mortality divided by total fishing mortality plus spawning escapement. These total exploitation rates reflect the initial base package for inside fisheries developed by state and tribal co-managers. It is anticipated that total exploitation rates will be adjusted by state and tribal co-managers during the preseason planning process to comply with stock specific exploitation rate constraints.

e/ The co-managers will work throughout the North of Falcon/Pacific Fishery Management Council process to explore additional harvest opportunity for pink salmon, Chinook salmon, and other species as the current Chinook conservation constraints allow.

f/ Includes projected impacts of inriver fisheries that have not yet been shaped.



Table 7. Expected coastwide lower Columbia Natural (LCN) Oregon coastal natural (OCN) and Rogue/Klamath (RK) coho, and Lower Columbia River (LCR) tule Chinook exploitation rates by fishery for 2017 ocean fisheries management Alternatives developed by the STT for Council Review.

| Fishery                          | Exploitation Rate (Percent) |      |      |          |      |      |         |      |      |                  |       |       |
|----------------------------------|-----------------------------|------|------|----------|------|------|---------|------|------|------------------|-------|-------|
|                                  | LCN Coho                    |      |      | OCN Coho |      |      | RK Coho |      |      | LCR Tule Chinook |       |       |
|                                  | I                           | II   | III  | I        | II   | III  | I       | II   | III  | I                | II    | III   |
| SOUTHEAST ALASKA                 | 0.0%                        | 0.0% | 0.0% | 0.0%     | 0.0% | 0.0% | 0.0%    | 0.0% | 0.0% | 2.2%             | 2.2%  | 2.3%  |
| BRITISH COLUMBIA                 | 0.1%                        | 0.1% | 0.1% | 0.4%     | 0.4% | 0.4% | 0.3%    | 0.3% | 0.3% | 14.6%            | 14.8% | 15.0% |
| PUGET SOUND/STRAIT               | 0.1%                        | 0.1% | 0.1% | 0.0%     | 0.0% | 0.0% | 0.0%    | 0.0% | 0.0% | 0.3%             | 0.3%  | 0.3%  |
| NORTH OF CAPE FALCON             |                             |      |      |          |      |      |         |      |      |                  |       |       |
| Treaty Indian Ocean Troll        | 3.0%                        | 1.7% | 0.9% | 0.7%     | 0.4% | 0.2% | 0.0%    | 0.0% | 0.0% | 2.2%             | 1.8%  | 1.4%  |
| Recreational                     | 4.3%                        | 3.5% | 2.7% | 0.7%     | 0.6% | 0.4% | 0.0%    | 0.0% | 0.0% | 5.0%             | 4.7%  | 4.0%  |
| Non-Indian Troll                 | 1.5%                        | 1.5% | 1.3% | 0.3%     | 0.3% | 0.2% | 0.0%    | 0.0% | 0.0% | 5.7%             | 5.3%  | 4.6%  |
| SOUTH OF CAPE FALCON             |                             |      |      |          |      |      |         |      |      |                  |       |       |
| Recreational:                    |                             |      |      |          |      |      |         |      |      | 0.1%             | 0.2%  | 0.1%  |
| Cape Falcon to Humbug Mt.        | 2.9%                        | 1.3% | 0.0% | 8.0%     | 2.3% | 0.0% | 0.5%    | 0.3% | 0.0% | -                | -     | -     |
| Humbug Mt. to OR/CA border (KMZ) | 0.1%                        | 0.0% | 0.0% | 0.3%     | 0.1% | 0.0% | 0.6%    | 0.1% | 0.0% | -                | -     | -     |
| OR/CA border to Horse Mt. (KMZ)  | 0.0%                        | 0.0% | 0.0% | 0.1%     | 0.0% | 0.0% | 0.5%    | 0.0% | 0.0% | -                | -     | -     |
| Fort Bragg                       | 0.0%                        | 0.0% | 0.0% | 0.1%     | 0.1% | 0.0% | 1.2%    | 0.9% | 0.0% | -                | -     | -     |
| South of Pt. Arena               | 0.0%                        | 0.0% | 0.0% | 0.5%     | 0.4% | 0.0% | 1.1%    | 1.0% | 0.1% |                  |       |       |
| Troll:                           |                             |      |      |          |      |      |         |      |      | 1.1%             | 0.5%  | 0.0%  |
| Cape Falcon to Humbug Mt.        | 0.5%                        | 0.2% | 0.0% | 0.5%     | 0.2% | 0.0% | 0.0%    | 0.0% | 0.0% | -                | -     | -     |
| Humbug Mt. to OR/CA border (KMZ) | 0.0%                        | 0.0% | 0.0% | 0.0%     | 0.0% | 0.0% | 0.0%    | 0.0% | 0.0% | -                | -     | -     |
| OR/CA border to Horse Mt. (KMZ)  | 0.0%                        | 0.0% | 0.0% | 0.0%     | 0.0% | 0.0% | 0.0%    | 0.0% | 0.0% | -                | -     | -     |
| Fort Bragg                       | 0.0%                        | 0.0% | 0.0% | 0.0%     | 0.0% | 0.0% | 0.2%    | 0.0% | 0.0% | -                | -     | -     |
| South of Pt. Arena               | 0.1%                        | 0.1% | 0.0% | 0.5%     | 0.5% | 0.0% | 0.2%    | 0.2% | 0.0% | -                | -     | -     |
| BUOY 10                          | 0.9%                        | 0.9% | 0.8% | 0.1%     | 0.1% | 0.1% | 0.0%    | 0.0% | 0.0% |                  |       |       |
| ESTUARY/FRESHWATER               | N/A                         | N/A  | N/A  | N/A      | N/A  | N/A  | 0.7%    | 0.7% | 0.7% | 10.0%            | 10.2% | 10.5% |
| TOTAL                            | 12.7%                       | 8.5% | 5.1% | 12.1%    | 5.2% | 1.5% | 4.8%    | 2.8% | 0.5% | 41.3%            | 40.1% | 38.3% |

Table A-1. Sacramento River winter run Chinook age-3 ocean impact rate south of Pt. Arena by fishery and Alternative. The age-3 SRWC impact rate was projected for each of the proposed 2017 fishing season Alternatives. The impacts are displayed as a percent for each Alternative by fishery, port area, and month. Max rate: 15.8.

| Commercial                       |      |      |     |      |      |      |     |     |             | Recreational           |      |      |      |      |      |      |      |     |     |             |      |       |
|----------------------------------|------|------|-----|------|------|------|-----|-----|-------------|------------------------|------|------|------|------|------|------|------|-----|-----|-------------|------|-------|
| <b>Alternative I 12.2 Total</b>  |      |      |     |      |      |      |     |     |             | <b>Alternative I</b>   |      |      |      |      |      |      |      |     |     |             |      |       |
| Port                             |      |      |     |      |      |      |     |     |             | Port                   |      |      |      |      |      |      |      |     |     | Year        |      |       |
| Area                             | May  | Jun  | Jul | Aug  | Sep  | Oct  | Nov | Dec | Total       | Area                   | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct  | Nov | Dec | Total       | Year | Total |
| SF                               | NA   | NA   | NA  | 0.36 | 0.05 | 0.06 | NA  | NA  | 0.47        | SF                     | 0.14 | 0.47 | 1.21 | 1.81 | 0.66 | 0.10 | 0.23 | NA  | NA  | 4.62        |      |       |
| MO                               | 0.55 | 2.42 | NA  | NA   | NA   | NA   | NA  | NA  | 2.97        | MO                     | 1.06 | 0.62 | 1.18 | 1.25 | NA   | NA   | NA   | NA  | NA  | 4.12        |      |       |
| Total                            | 0.55 | 2.42 | NA  | 0.36 | 0.05 | 0.06 | NA  | NA  | <b>3.44</b> | Total                  | 1.20 | 1.09 | 2.39 | 3.06 | 0.66 | 0.10 | 0.23 | NA  | NA  | <b>8.74</b> |      |       |
| <b>Alternative II 10.0 Total</b> |      |      |     |      |      |      |     |     |             | <b>Alternative II</b>  |      |      |      |      |      |      |      |     |     |             |      |       |
| Port                             |      |      |     |      |      |      |     |     |             | Port                   |      |      |      |      |      |      |      |     |     | Year        |      |       |
| Area                             | May  | Jun  | Jul | Aug  | Sep  | Oct  | Nov | Dec | Total       | Area                   | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct  | Nov | Dec | Total       | Year | Total |
| SF                               | NA   | NA   | NA  | 0.37 | 0.06 | 0.06 | NA  | NA  | 0.49        | SF                     | 0.14 | NA   | 0.65 | 1.83 | 0.68 | 0.10 | 0.24 | NA  | NA  | 3.64        |      |       |
| MO                               | 0.55 | 2.43 | NA  | NA   | NA   | NA   | NA  | NA  | 2.99        | MO                     | 1.06 | 0.62 | 1.19 | NA   | NA   | NA   | NA   | NA  | NA  | 2.87        |      |       |
| Total                            | 0.55 | 2.43 | NA  | 0.37 | 0.06 | 0.06 | NA  | NA  | <b>3.48</b> | Total                  | 1.20 | 0.62 | 1.83 | 1.83 | 0.68 | 0.10 | 0.24 | NA  | NA  | <b>6.51</b> |      |       |
| <b>Alternative III 1.2 Total</b> |      |      |     |      |      |      |     |     |             | <b>Alternative III</b> |      |      |      |      |      |      |      |     |     |             |      |       |
| Port                             |      |      |     |      |      |      |     |     |             | Port                   |      |      |      |      |      |      |      |     |     | Year        |      |       |
| Area                             | May  | Jun  | Jul | Aug  | Sep  | Oct  | Nov | Dec | Total       | Area                   | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct  | Nov | Dec | Total       | Year | Total |
| SF                               | NA   | NA   | NA  | NA   | NA   | NA   | NA  | NA  | 0.00        | SF                     | 0.14 | NA   | NA   | NA   | NA   | NA   | NA   | NA  | NA  | 0.14        |      |       |
| MO                               | NA   | NA   | NA  | NA   | NA   | NA   | NA  | NA  | 0.00        | MO                     | 1.06 | NA   | NA   | NA   | NA   | NA   | NA   | NA  | NA  | 1.06        |      |       |
| Total                            | NA   | NA   | NA  | NA   | NA   | NA   | NA  | NA  | <b>0.00</b> | Total                  | 1.20 | NA   | NA   | NA   | NA   | NA   | NA   | NA  | NA  | <b>1.20</b> |      |       |

SF Pt. Arena to Pigeon Pt. (San Francisco)  
MO Pigeon Pt. to the U.S./Mexico Border (Monterey)

Table A-2. Klamath River fall Chinook ocean impacts in numbers of fish by fishery and Alternative.

| Commercial  |           |         |             |     |     |     |     |     |              |            | Recreational           |           |     |         |             |     |     |     |     |              |            |     |
|---|-----------|---------|-------------|-----|-----|-----|-----|-----|--------------|------------|------------------------|-----------|-----|---------|-------------|-----|-----|-----|-----|--------------|------------|-----|
| <b>Alternative I</b>  |           |         |             |     |     |     |     |     |              |            | <b>Alternative I</b>   |           |     |         |             |     |     |     |     |              |            |     |
| <i>11,364 natural area spawners, 8.2% spawner reduction rate, 3.2% age-4 ocean harvest rate</i> |           |         |             |     |     |     |     |     |              |            |                        |           |     |         |             |     |     |     |     |              |            |     |
| Port Area   | Fall 2016 |         | Summer 2017 |     |     |     |     |     | Summer Total | Year Total | Port Area              | Fall 2016 |     |         | Summer 2017 |     |     |     |     | Summer Total | Year Total |     |
|   | Sep       | Oct-Dec | Mar         | Apr | May | Jun | Jul | Aug |              |            |                        | Sep       | Oct | Nov-Dec | Mar         | Apr | May | Jun | Jul | Aug          |            |     |
| NO  | 0         | 0       |             | 22  | 68  | 35  | 42  |     | 167          | 167        | NO                     | 78        | 0   |         | 0           | 0   | 0   | 0   | 5   | 1            | 6          | 84  |
| CO  | 0         | 0       |             |     |     |     |     |     |              |            | CO                     | 45        | 0   | 0       | 0           | 0   | 1   | 5   | 12  | 7            | 25         | 70  |
| KO  |           | 0       |             |     |     |     |     |     |              |            | KO                     | 20        | 20  |         |             |     | 0   | 12  | 8   |              | 20         | 60  |
| KC  | 0         |         |             |     |     |     |     |     |              |            | KC                     | 70        |     |         |             |     |     |     |     |              |            | 70  |
| FB  | 0         |         |             |     |     |     |     |     |              |            | FB                     | 0         | 0   | 0       | 2           | 11  |     |     |     | 6            | 19         | 19  |
| SF  | 0         | 0       |             |     |     |     |     | 101 | 101          | 101        | SF                     | 0         | 0   |         | 13          | 4   | 29  | 29  | 2   |              | 77         | 77  |
| MO  |           |         |             |     | 74  | 68  |     |     | 142          | 142        | MO                     |           |     |         | 10          | 2   | 3   | 3   |     |              | 18         | 18  |
| Total   | 0         | 0       |             | 22  | 143 | 102 | 42  | 101 | 410          | 410        | Total                  | 214       | 20  | 0       | 0           | 25  | 18  | 49  | 58  | 16           | 166        | 400 |
| <b>Alternative II</b>   |           |         |             |     |     |     |     |     |              |            | <b>Alternative II</b>  |           |     |         |             |     |     |     |     |              |            |     |
| <i>11,400 natural area spawners, 7.9% spawner reduction rate, 3.2% age-4 ocean harvest rate</i> |           |         |             |     |     |     |     |     |              |            |                        |           |     |         |             |     |     |     |     |              |            |     |
| Port Area   | Fall 2016 |         | Summer 2017 |     |     |     |     |     | Summer Total | Year Total | Port Area              | Fall 2016 |     |         | Summer 2017 |     |     |     |     | Summer Total | Year Total |     |
|   | Sep       | Oct-Dec | Mar         | Apr | May | Jun | Jul | Aug |              |            |                        | Sep       | Oct | Nov-Dec | Mar         | Apr | May | Jun | Jul | Aug          |            |     |
| NO  | 0         | 0       |             | 11  | 38  | 3   |     |     | 52           | 52         | NO                     | 78        | 0   |         | 0           | 0   | 0   | 0   | 5   | 4            | 9          | 87  |
| CO  | 0         | 0       |             | 32  | 69  | 16  |     |     | 117          | 117        | CO                     | 45        | 0   | 0       | 0           | 0   | 1   | 5   | 12  | 9            | 27         | 72  |
| KO  |           | 0       |             |     |     |     |     |     |              |            | KO                     | 20        | 20  |         |             |     | 0   | 7   | 4   |              | 11         | 51  |
| KC  | 0         |         |             |     |     |     |     |     |              |            | KC                     | 70        |     |         |             |     |     |     |     |              |            | 70  |
| FB  | 0         |         |             |     |     |     |     |     |              |            | FB                     | 0         | 0   | 0       | 2           | 11  |     |     |     |              | 13         | 13  |
| SF  | 0         | 0       |             |     |     |     |     | 101 | 101          | 101        | SF                     | 0         | 0   |         | 13          |     |     | 16  | 29  | 2            | 60         | 60  |
| MO  |           |         |             |     | 74  | 67  |     |     | 141          | 141        | MO                     |           |     |         | 10          | 2   | 3   | 3   |     |              | 15         | 15  |
| Total   | 0         | 0       |             | 43  | 182 | 86  |     | 101 | 412          | 412        | Total                  | 214       | 20  | 0       | 0           | 25  | 14  | 31  | 50  | 14           | 134        | 368 |
| <b>Alternative III</b>  |           |         |             |     |     |     |     |     |              |            | <b>Alternative III</b> |           |     |         |             |     |     |     |     |              |            |     |
| <i>12,144 natural area spawners, 1.9% spawner reduction rate, 1.0% age-4 ocean harvest rate</i> |           |         |             |     |     |     |     |     |              |            |                        |           |     |         |             |     |     |     |     |              |            |     |
| Port Area   | Fall 2016 |         | Summer 2017 |     |     |     |     |     | Summer Total | Year Total | Port Area              | Fall 2016 |     |         | Summer 2017 |     |     |     |     | Summer Total | Year Total |     |
|   | Sep       | Oct-Dec | Mar         | Apr | May | Jun | Jul | Aug |              |            |                        | Sep       | Oct | Nov-Dec | Mar         | Apr | May | Jun | Jul | Aug          |            |     |
| NO  | 0         | 0       |             |     |     |     |     |     |              | 0          | NO                     | 78        | 0   |         | 0           | 0   |     |     |     |              |            | 78  |
| CO  | 0         | 0       |             |     |     |     |     |     |              | 0          | CO                     | 45        | 0   | 0       | 0           | 0   |     |     |     |              |            | 45  |
| KO  |           | 0       |             |     |     |     |     |     |              | 0          | KO                     | 20        | 20  |         |             |     |     |     |     |              |            | 40  |
| KC  | 0         |         |             |     |     |     |     |     |              | 0          | KC                     | 70        |     |         |             |     |     |     |     |              |            | 70  |
| FB  | 0         |         |             |     |     |     |     |     |              | 0          | FB                     | 0         | 0   | 0       | 2           |     |     |     |     |              | 2          | 2   |
| SF  | 0         | 0       |             |     |     |     |     |     |              | 0          | SF                     | 0         | 0   |         | 13          |     |     |     |     |              | 13         | 13  |
| MO  |           |         |             |     |     |     |     |     |              | 0          | MO                     |           |     |         | 10          |     |     |     |     |              | 10         | 10  |
| Total   | 0         | 0       |             |     |     |     |     |     |              | 0          | Total                  | 214       | 20  | 0       | 0           | 25  |     |     |     |              | 25         | 259 |

NO Cape Falcon to Florence S. Jetty  
 CO Florence S. Jetty to Humbug Mt.  
 KO Humbug Mt. to OR/CA Border (Oregon KMZ)  
 KC OR/CA Border to Horse Mt. (California KMZ)  
 FB Horse Mt. to Point Arena (Fort Bragg)  
 SF Pt. Arena to Pigeon Pt. (San Francisco)  
 MO Pigeon Pt. to U.S./Mexico Border (Monterey)