



















Carey, F.G., Robison, B.H. 1981. Daily patterns in the activities of swordfish, *Xiphias gladius*, observed by acoustic telemetry. *Fish. Bull.* 79, 277–292.

Carretta, J.V., Price, T., Petersen, D., Read, R., 2003. Estimates of marine mammal, sea turtle, and seabird mortality in the California drift gillnet fishery for swordfish and thresher shark, 1996–2002. *Mar. Fish. Rev.* 66 (2), 21-30.

Dewar, H., Prince, E.D., Musyl, M.K., Brill, R.W., Sepulveda, C.A., Luo, J., Foley, D., Orbesen, E.S., Domeier, M.L., Nasby-Lucas, N., Snodgrass, D., Laurs, R.M., Hoolihan, J.P., Block, B.A., McNaughton, L.M., 2011. Movements and behaviors of swordfish in the Atlantic and Pacific Oceans examined using pop-up satellite archival tags. *Fish. Oceanogr.* 20 (3), 219-241.

Hanan, D. A., D. B. Holts, and A. L. Coan Jr. 1993. The California drift gill net fishery for sharks and swordfish during the seasons 1981-1982 through 1990-1991. *Cal: Fish Game Bull.* 175, 1-95.

Sepulveda, C. A., A. Knight, N. Nasby-Lucas, and M. L. Domeier. 2010. Fine-scale movements and temperature preferences of swordfish in the Southern California Bight. *Fish. Oceanogr.* 19 (4): 279-289.

Sepulveda, C. Heberer, C. and S.A. Aalbers. 2014. Testing Modified Deep-Set Buoy Gear to Minimize Bycatch and Increase Swordfish Selectivity. *NOAA Tech. Rep. BREP* 1 pp. 27-32. [http://www.nmfs.noaa.gov/by\\_catch/docs/brep\\_2014\\_sepulveda.pdf](http://www.nmfs.noaa.gov/by_catch/docs/brep_2014_sepulveda.pdf)

Sepulveda, C.A., Heberer and Aalbers, S.A. (2015). Development and Trial of Deep-set Buoy Gear for Swordfish, *Xiphias gladius*, in the Southern California Bight. *Mar. Fish. Rev.* pp. 28-36. doi: [dx.doi.org/10.7755/MFR.76.4.2](https://doi.org/10.7755/MFR.76.4.2)

Shiode, D., H. Fuxiang, M. Shiga, K. Yokota, and T. Tokai. 2005. Mid-water float system for standardizing hook depths on tuna longlines to reduce sea turtle by-catch. *Fish. Sci.* 71 (5):1182–1184.