Agenda Item F.3.c Supplemental Public Presentation 3 April 2018

Comments on Final Preferred Alternatives EFH and RCA Amendment 28

Dr. Brian Tissot
Director, Marine Laboratory
Humboldt State University

Tissot Benthic Ecology Lab

Studies on Fish-Habitat Associations

Locations studied: (1988-present)

- Olympic Coast NMS
- Gray's Canyon
- Astoria Canyon
- Heceta Bank
- Daisy Bank
- Stonewall Bank
- Coquille Bank (Bandon high spot)
- Cordell Bank NMS
- Soquel Canyon
- Portuguese ledge
- Carmel Canyon
- Point Lobos
- Pt. Sur
- Big Creek
- Anacapa Is. "Footprint"
- Cow Cod conservation areas



16 publications on fish-habitat Associations

EFH and DSC&S

- 1. Groundfish associated with structure
- 2. Physical and biological components equivalent
- 3. DSC&S have additional key elements
- 4. Ecologically important in benthic ecosystems

Support alternative 1b

EFH and DSC&S

Heceta Bank, Oregon:

- 1. Complex habitat for juvenile rockfish
- 2. Needs expanded protections to north & west (alternative 1b)

Twenty Years of Fish-Habitat Studies on Heceta Bank, Oregon

Brian N. Tissot

School of Earth and Environmental Science, Washington State University, Vancouver, Washington

W. Waldo Wakefield

NOAA Fisheries, Northwest Fisheries Science Center, Fishery Resource Analysis and Monitoring Division, Newport, Oregon

Mark A. Hixon

Oregon State University, Department of Zoology, Corvallis, Oregon

Julia E.R. Clemons

NOAA Fisheries, Northwest Fisheries Science Center, Fishery Resource Analysis and Monitoring Division, Newport, Oregon

Precautionary Approach to Habitat Protection

- 1. Largely unstudied
- 2. Altered ecosystems
- 3. Manage for *resilience*: intact communities resist change

Precautionary Approach to Habitat protection

Deep-Sea Ecosystem
Protection
(alternative 3a)

- 1. Unique, diverse
- 2. Highly vulnerable
- 3. Not currently used

