Action Item Checklist: 2021-2022 Harvest Specifications and Management Measures

Tables and analysis of item referenced below can be found in 2021-2022 Management Measure Analytical Document (Agenda Item G.6 Attachment 2, April 2020)					
Action Item	Category	Sector	Specifications:		
1		All	Adopt 2021-2022 OFLs, P*/ABC, ACLs: To completed as part of Agenda Item G.4, April 2020		
	RCA Coordinate Updates				
			Adopt proposed RCA Coordinate Updates		
2	Area Mangement	All	 RCA Waypoint Additions to 40 fm boundary off of central CA (<i>Sections</i>, 2.5, 2.9.3 and 5.1) RCA Modifications in California for recreational and non-trawl commercial (<i>Section 2.9.3, 5.2, 5.3, and <u>Agenda Item H.8.a, Supplemental CDFW Report 1, November 2019</u>)</i> Corrections to the 100 fathom line used to define the RCA south of 34° 27' N. lat., described in <u>Agenda Item H.4.a, Supplemental CDFW Report 1, March 2020</u>. YRCA removals in Washington (<i>Section 2.7</i>) 		
			2021-2022 Allocations, and Harvest Guidelines (HG)		
3	Off-the-top deductions	All	Confirm or modify amounts adopted in November 2019 for groundfish mortality in Tribal fisheries, research activities, incidental open access (IOA) –(Section 2.1, Tables 2-9 and 2-10 [No Action], Section 3.1 Table 3-2 [Alt 1], Section 4.1 Table 4-1 [Alt 2]) and exempted fishing permits (Section 2.1, Table 2-7) The following species have more than one option for consideration: • Darkblotched rockfish set-aside for IOA (Table 2-3)		
			 Petrale sole (<i>Tables 2-9 and 2-10</i>) Sablefish South of 36° N. lat. (<i>Tables 2-9 and 2-10</i>) 		
			Adopt off-the-top deductions to account for the two salmon troll proposals for yellowtail rockfish		
			 Yellowtail rockfish north of 40°10': proposal to increase the current trip limits (Section 2.1, Table 2-4, and detail in Attachment 3) Shelf rockfish south of 40°10': proposal to allow retention consistent with proposal to the north (See Section 5.4 for detail) 		

4		Treaty Fisheries	Adopt management measures for treaty fisheries. Management measures are similar to those in 2019, with the following exceptions for set-asides amount. (Sections 2.1 tables 2-9, 2-20 and Section 2.6) • Petrale sole: 350 mt • Cabezon: 2 mt • Longnose Skate: 220 mt • Yelloweye rockfish: 5.0 mt
5	Annual Catch Target	All	Adopt preliminary ACTs for stocks deemed appropriate (<i>Tables 2-11 and 2.12</i>): Cowcod south of 40° 10′ N. lat. from within the range of 40-60 mt (<i>Table 2-14</i>)
6	HGs / State Shares for Stocks in a Complex	All	Adopt preliminary HGs for species managed within a complex for: (see Section 2.2.4) • Blackgill rockfish in the southern slope rockfish complex • Adopt state shares of the nearshore rockfish north complex
7	Two Year Allocations	Trawl/ Non- Trawl	Adopt preliminary 2-year trawl/non-trawl allocations (<i>see Section 2.2, Section 3.3, and Section 4.4</i>). Analyses in analytical document assumed the following: • Bocaccio south of 40°10' N. lat. – 39 percent trawl, 61 percent non-trawl • Cowcod south of 40°10' N. lat36 percent trawl, 64 percent non-trawl • Yelloweye rockfish – 8 percent trawl, 92 percent non-trawl • Big skate –95 percent trawl, 5 percent non-trawl • Longnose skate – 90 percent trawl, 10 percent non-trawl • Minor shelf rockfish north of 40°10' N. lat. – 60.2 percent trawl, 39.8 percent non-trawl • Minor shelf rockfish south of 40°10' N. lat. – 12.2 percent trawl, 87.8 percent non-trawl Adopt 2-year trawl/non-trawl allocations option for Canary rockfish: (<i>see Table 2-26</i>)
8	Amendment 21 Allocation Changes	Trawl/ Non- Trawl	Adopt preliminary allocation options for: • Petrale sole (See Sections 2.2.1, 3.3, and 4.4) • Widow rockfish (see Section 2.2.1) • Lingcod south of 40°10' N. lat. see Section 2.2.1) • Slope rockfish south of 40° 10' N lat. including sector-specific trawl and non-trawl shares of blackgill rockfish and "other slope rockfish" see Section 2.2.1)

Management Measures					
9	Set-aside	At-sea whiting	Adopt preliminary set-asides to accommodate expected bycatch in the at-sea whiting fishery (see Section 2.4 [No Action] and 3.4 [Alt 1])		
10	Within non- trawl HGs, ACTs, or Shares	Non-trawl	Adopt preliminary 2-year within non-trawl HGs, ACTs, or shares for (see Section 2.5, 3.5, and 4.5): • Yelloweye rockfish • Cowcod south of 40°10′ N. lat. • Bocaccio south of 40°10′ N. lat. • Canary rockfish (see #7 above for 2-year allocations) • Sablefish south of 36° N. lat. • Blackgill rockfish south of 40° 10′ N. lat. • Nearshore rockfish complex north of 40°10′ N. lat.		
	All Sectors				
11		All	Develop accountability measure guidelines for all groundfish stocks in the regulations that clearly define what the NMFS reaction/requirements should be when catch approaches an ACL inseason or exceeds an ACL (refer to Agenda Item H.4.a, Supplemental NMFS Report 2, March 2020)		
	Trip Limits, Bag Limits, and Season Structures				
12		Open Access Thornyheads north of Pt. Conception	Adopt preliminary trip limit for shortspine and longspine thornyhead north of 34° 27' N. lat. (see Section 2.5)		
13		Shorebased IFQ	Adopt trip limits for (see Section 2.3) Big Skate Blackgill rockfish south of 40°10' N. lat.		
14		LEFG OA trip limits	Adopt preliminary trip limits (see Sections 2.5, 3.5, and 4.5)		

Management Measures				
15	WA Recreational	 Adopt the same management measures in 2019, with the following exceptions: (see Sections 2.7, 3.7 and 4.7) Reduce the time period that depth restrictions are in place Allow retention of yellowtail and widow rockfish seaward of the 20 fathoms in the north coast area in July and August Remove rockfish conservation areas off the south coast area Increase groundfish retention on halibut trip 		
16	OR Recreational	Adopt the same management measures as 2019, with the following exceptions: (see Sections 2.8, 3.8, and 4.8) • All-depth year round • Longleader gear and all-depth halibut allowed on the same trip		
17	CA Recreational	Adopt the same management measures as 2019, with the following exceptions (See Sections 2.9, 3.9, and 4.9) • Sub-bag limit changes within the RCG bag limit of 10-fish • Cabezon from 3 up to 10 fish • Black rockfish from 4 up to 10 fish • Canary rockfish from 3 up to 10 fish • Vermilion rockfish from 10 to as few as 2 fish • Rockfish Conservation Area Boundary Modifications • Mendocino Management Area from 20 fm to 30 fm • San Francisco Management Area from 40 fm to 50 fm • Southern Management Area from 75 fm to 100 fm		