A. SEASON ALTERNATIVE DESCRIPTIONS			
ALTERNATIVE I	ALTERNATIVE II	ALTERNATIVE III	
North of Cape Falcon	North of Cape Falcon	North of Cape Falcon	
Supplemental Management Information	Supplemental Management Information	Supplemental Management Information	
 Overall non-Indian TAC: 60,000 Chinook and 35,000 coho marked with a healed adipose fin clip (marked). Recreational TAC: 30,000 Chinook and 29,400 marked coho; all retained coho must be marked. Various daily limits and species combinations of one and two salmon will be considered. Including one fish, two fish only, one of which may be a Chinook, and two fish only one of which may be a coho. A trade with commercial troll may be considered in April. No Area 4B add-on fishery. Buoy 10 fishery opens August 1 with an expected landed catch of 13,000 marked coho in August and September. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries. 	 Overall non-Indian TAC: 45,000 Chinook and 25,000 coho marked with a healed adipose fin clip (marked). Recreational TAC: 22,125 Chinook and 22,500 marked coho; all retained coho must be marked. Various daily limits and species combinations of one and two salmon will be considered. Including one fish, two fish only, one of which may be a Chinook, and two fish only one of which may be a coho. Trade: Commercial troll traded 1,500 marked coho to the recreational fishery for 375 Chinook. No Area 4B add-on fishery. Buoy 10 fishery opens August 1 with an expected landed catch of 15,000 marked coho in August and September. Same as Alternative I 	Buoy 10 fishery opens August 1 with an expected landed catch of 17,000 marked coho in August and September.	
 U.S./Canada Border to Cape Alava (Neah Bay) June 14 through the earlier of September 30, or 3,060 marked coho subarea quota, with a subarea guideline of 6,400 Chinook (C.5). 	 U.S./Canada Border to Cape Alava (Neah Bay) June 27 through the earlier of September 13, or 2,340 marked coho subarea quota, with a subarea guideline of 4,700 Chinook (C.5). 	U.S./Canada Border to Cape Alava (Neah Bay) • Closed	
Open seven days a week. See minimum size limits (B). During June 14-28: All salmon, except coho; one salmon per day (C.1). Beginning June 29: All salmon, except no chum	Open seven days per week. All salmon, except no chum beginning August 1; two salmon per day. All coho must be marked with a healed adipose fin clip (C.1). See minimum size limits (B).		
beginning Jugust 1; two salmon, except no chum beginning August 1; two salmon per day, no more than one of which may be a Chinook. All coho must be marked with a healed adipose fin clip (C.1).			
Beginning August 1, Chinook non-retention east of the Bonilla-Tatoosh line (C.4.a) during Council managed ocean fishery. See gear restrictions and definitions (C.2, C.3).	Same as Alternative 1		
Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).	Same as Alternative 1		

A. SEASON ALTERNATIVE DESCRIPTIONS				
ALTERNATIVE I ALTERNATIVE II ALTERNATIVE III				
Cape Alava to Queets River (La Push Subarea) June 14 through the earlier of September 30, or 760 marked coho subarea quota, with a subarea guideline of 1,400 Chinook (C.5).	Cape Alava to Queets River (La Push Subarea) June 27 through the earlier of September 13, or 580 marked coho subarea quota, with a subarea guideline of 1,100 Chinook (C.5).	Cape Alava to Queets River (La Push Subarea) • Closed.		
Open seven days a week. See salmon minimum size limits (B). During June 14-28: All salmon, except coho; one salmon per day (C.1).	Open seven days per week. All salmon, except no chum beginning August 1; two salmon per day. All coho must be marked with a healed adipose fin clip (C.1) See salmon minimum size limits (B).			
Beginning June 29: All salmon, except no chum beginning August 1; two salmon per day, no more than one of which may be a Chinook. All coho must be marked with a healed adipose fin clip (C.1).				
Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).	Same as Alternative 1			
 Queets River to Leadbetter Point (Westport Subarea) June 14 through the earlier of September 30, or 10,880 marked coho subarea quota, with a subarea guideline of 14,200 Chinook (C.5). 	Queets River to Leadbetter Point (Westport Subarea) June 28 through the earlier of September 13, or 8,330 marked coho subarea quota, with a subarea guideline of 10,500 Chinook (C.5).	 Queets River to Leadbetter Point (Westport Subarea) Closed. 		
During June 14-28: Open seven days per week. All salmon except coho; one salmon per day (C.1). Chinook minimum size limit of 22 inches total length (B).	Open five days per week (SunThurs.). All salmon; two salmon per day, no more than one of which may be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). See salmon minimum size limits (B).			
Beginning June 29: Open five days per week (SunThurs.). All salmon; two salmon per day, no more than one of which may be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). Coho minimum size limit of 16 inches total length (B).	init one (e. 1). Gee cannot riminate of the initial (b).			
Chinook minimum size limit of 22 inches total length (B).				
See gear restrictions and definitions (C.2, C.3). Grays Harbor Control Zone closed beginning August 10 (C.4.b). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).	Same as Alternative 1			

TABLE 2. 2020 Recreational management Alternatives for	non-Indian ocean salmon fisheries – Council adopted. (Page	e 3 of 9) Monday, March 09, 2020,12:00 PM	
A. SEASON ALTERNATIVE DESCRIPTIONS			
ALTERNATIVE I	ALTERNATIVE II	ALTERNATIVE III	
Leadbetter Point to Cape Falcon (Columbia River Subarea) June 14 through the earlier of September 30, or 14,700 marked coho subarea quota, with a subarea guideline of 8,000 Chinook (C.5). During June 14-28: Open seven days per week. All salmon except coho; one salmon per day (C.1). Chinook minimum size limit of 22 inches total length (B). Beginning June 29, open seven days per week. All salmon; two salmon per day, no more than one of which may be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). Coho minimum size limit of 16 inches total length (B). Chinook minimum size limit of 22 inches total length (B).	 Leadbetter Point to Cape Falcon (Columbia River Subarea) June 28 through the earlier of September 13, or 11,250 marked coho subarea quota, with a subarea guideline of 5,800 Chinook (C.5). Open five days per week (SunThurs.). All salmon; two salmon per day, no more than one of which may be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). See salmon minimum size limits (B). 	Leadbetter Point to Cape Falcon (Columbia River Subarea) • Closed.	
Columbia Control Zone closed (C.4.c). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).	Same as Alternative 1		

A. SEASON ALTERNATIVE DESCRIPTIONS			
South of Cape Falcon	South of Cape Falcon	South of Cape Falcon	
ALTERNATIVE I	ALTERNATIVE II	ALTERNATIVE III	
Supplemental Management Information	Supplemental Management Information	Supplemental Management Information	
 Sacramento River fall Chinook spawning escapement of 228,346 hatchery and natural area adults. Sacramento Index exploitation rate of 51.7%. Klamath River recreational fishery allocation: 1,291 adult Klamath River fall Chinook. Klamath tribal allocation: 8,606 adult Klamath River fall Chinook. Overall recreational coho TAC: 22,000 coho marked with a healed adipose fin clip (marked), and 3,000 coho in the non-mark-selective coho fishery. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the California Fish and Game Commission (CFGC). 	 Sacramento River fall Chinook spawning escapement of 222,636 hatchery and natural area adults. Sacramento Index exploitation rate of 52.9%. Klamath River recreational fishery allocation: 1,285 adult Klamath River fall Chinook. Klamath tribal allocation: 8,568 adult Klamath River fall Chinook. Overall recreational coho TAC: 18,000 coho marked with a healed adipose fin clip (marked), and 4,000 coho in the non-mark-selective coho fishery. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the CFGC. 	 Sacramento River fall Chinook spawning escapemer of 234,075 hatchery and natural area adults. Sacramento Index exploitation rate of 50.5%. Klamath River recreational fishery allocation: 801 adi Klamath River fall Chinook. Klamath tribal allocation: 5,342 adult Klamath River Chinook. Overall recreational coho TAC: 30,000 coho marked with a healed adipose fin clip (marked), and 0 coho in the non-mark-selective coho fishery. Fisheries may need to be adjusted to meet NMFS Escansultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the CFGC. 	
 Cape Falcon to Humbug Mt. March 15-October 31 (C.6), except as provided below during the all-salmon mark-selective fishery and the non-mark-selective coho fishery (C.5). 	March 15-October 31 (C.6), except as provided below during the all-salmon mark-selective fishery and the non-mark-selective coho fishery (C.5).	 Cape Falcon to Humbug Mt. March 15-October 31 (C.6), except as provided below during the all-salmon mark-selective fishery (C.5). 	
Open seven days per week. All salmon except coho, two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).	Same as Alternative 1	Same as Alternative 1	
In 2021, the season will open March 15 for all salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 24 inches total length (B), and the same gear restrictions as in 2020 (C.2, C.3). This opening could be modified following Council review at its March 2021 meeting (C.5).	In 2021, same as Alternative 1	In 2021, same as Alternative 1	

1-800-662-9825 for specific dates) (C.3.b, C.4.d).

A. SEASON ALTERNATIVE DESCRIPTIONS			
ALTERNATIVE I	ALTERNATIVE II	ALTERNATIVE III	
Cape Falcon to Humbug Mt. All-salmon mark-selective coho fishery: June 27 through the earlier of August 2, or 22,000 marked coho quota (C.6).	Cape Falcon to Humbug Mt. All-salmon mark-selective coho fishery: June 27 through the earlier of August 2, or 18,000 marked coho quota (C.6).	Cape Falcon to Humbug Mt. All-salmon mark-selective coho fishery: June 27 through the earlier of August 16, or 30,000 marked coho quota (C.6).	
Open seven days per week. All salmon, two salmon per day. All retained coho must be marked with a healed adipose fin clip (C.1). See minimum size limits (B). See gear restrictions and definitions (C.2, C.3).	Same as Alternative 1	Same as Alternative 1	
Any remainder of the mark-selective coho quota may be transferred inseason on an impact neutral basis to the non-selective coho quota from Cape Falcon to Humbug Mountain (C.5).	Same as Alternative 1		
Non-mark-selective coho fishery: • September 4-5, and open each Friday and Saturday through the earlier of September 30, or 3,000 non-mark-selective coho quota (C.6). Open days may be modified inseason.	Non-mark-selective coho fishery: August 28-30, September 11-13, and open each Friday through Sunday through the earlier of September 30, or 4,000 non-mark-selective coho quota (C.6). Open days may be modified inseason	Non-mark-selective coho fishery: No season	
All salmon, two salmon per day (C.1). See minimum size limits (B). See gear restrictions and definitions (C.2, C.3).	All salmon, two salmon per day, but no more than one coho (C.1). See minimum size limits (B). See gear restrictions and definitions (C.2, C.3).		
Fishing in the Stonewall Bank yelloweye rockfish conservation area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 for specific dates) (C.3.b, C.4.d).			
Humbug Mt. to OR/CA Border (Oregon KMZ) • May 16-July 31 (C.6).	Humbug Mt. to OR/CA Border (Oregon KMZ) • May 16-July 9 (C.6).	Humbug Mt. to OR/CA Border (Oregon KMZ)June 20-July 5 (C.6).	
Open seven days per week. All salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).	Same as Alternative 1	Same as Alternative 1	

TABLE 2. 2020 Recreational management Alternatives for r		ge 6 of 9) Monday, March 09, 2020,12:00 PM	
A. SEASON ALTERNATIVE DESCRIPTIONS			
ALTERNATIVE I OR/CA Border to Horse Mt. (California KMZ)	ALTERNATIVE II OR/CA Border to Horse Mt. (California KMZ)	ALTERNATIVE III OR/CA Border to Horse Mt. (California KMZ)	
• June 6-July 31 (C.6).	June 11-July 31 (C.6).	• July 1-19 (C.6).	
Open seven days per week. All salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 20 inches total length (B). See gear restrictions and definitions (C.2, C.3).	Same as Alternative 1	Same as Alternative 1	
Klamath Control Zone closed in August (C.4.e). See California State regulations for additional closures adjacent to the Smith, Eel, and Klamath Rivers.	Same as Alternative 1	Same as Alternative 1	
In 2021, season opens May 1 for all salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 20 inches total length (B); and the same gear restrictions as in 2020 (C.2, C.3). This opening could be modified following Council review at its March 2021 meeting.	In 2021, same as Alternative 1	In 2021, same as Alternative 1	
Horse Mt. to Point Arena (Fort Bragg)	Horse Mt. to Point Arena (Fort Bragg)	Horse Mt. to Point Arena (Fort Bragg)	
• April 11-30;	• April 11-30;	• April 11-30;	
May 1-November 1 (C.6).	May 1-October 31 (C.6).	May 1-October 30 (C.6).	
Open seven days per week. All salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 20 inches total length (B). See gear restrictions and definitions (C.2, C.3).	Same as Alternative 1	Same as Alternative 1	
In 2021, season opens April 3 for all salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 20 inches total length (B); and the same gear restrictions as in 2020 (C.2, C.3). This opening could be modified following Council review at its March 2021 meeting.	In 2021, same as Alternative 1	In 2021, same as Alternative 1	

TABLE 2. 2020 Recreational management Alternatives for r		ge 7 of 9) Monday, March 09, 2020,12:00 PM	
A. SEASON ALTERNATIVE DESCRIPTIONS			
ALTERNATIVE I	ALTERNATIVE II	ALTERNATIVE III	
 Point Arena to Pigeon Point (San Francisco) April 11-30; May 1-November 1 (C.6). 	Point Arena to Pigeon Point (San Francisco) April 11-30; May 1-October 31 (C.6).	 Point Arena to Pigeon Point (San Francisco) April 11-30; May 16-June 30; July 1-October 30 (C.6). 	
Open seven days per week. All salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 24 inches total length through April, then 20 inches total length thereafter (B). See gear restrictions and definitions (C.2, C.3).	Same as Alternative 1	Open seven days per week. All salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 24 inches total length through June, then 20 inches total length thereafter (B). See gear restrictions and definitions (C.2, C.3).	
In 2021, season opens April 3 for all salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2020 (C.2, C.3). This opening could be modified following Council review at its March 2021 meeting.	In 2021, same as Alternative 1	In 2021, same as Alternative 1	
Pigeon Point to U.S./Mexico Border (Monterey) • April 4-October 4(C.6).	Pigeon Point to U.S./Mexico Border (Monterey) • April 4-September 27 (C.6).	Pigeon Point to U.S./Mexico Border (Monterey) • April 4-September 7 (C.6).	
Open seven days per week. All salmon except coho, two salmon per day (C.1). See gear restrictions and definitions (C.2, C.3). Chinook minimum size limit of 24 inches total length (B).	Same as Alternative 1	Same as Alternative 1	
In 2021, season opens April 3 for all salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2020 (C.2, C.3). This opening could be modified following Council review at its March 2021 meeting.	In 2021, same as Alternative 1	In 2021, same as Alternative 1	

California State regulations require all salmon be made available to a CDFW representative for sampling immediately at port of landing. Any person in possession of a salmon with a missing adipose fin, upon request by an authorized agent or employee of the CDFW, shall immediately relinquish the head of the salmon to the State (California Code of Regulations Title 14 Section 1.73).

B. MINIMUM SIZE (Inches) (See C.1)

Area (when open)	Chinook	Coho	Pink
North of Cape Falcon (Alt 1 Westport and Col R)	22	16	None
North of Cape Falcon (Alt 1 Neah Bay and La Push, Alt II all areas)	24	16	None
Cape Falcon to Humbug Mt.	24	16	None
Humbug Mt. to OR/CA Border	24	16	None
OR/CA Border to Horse Mt.	20	-	20
Horse Mt. to Pt. Arena	20	-	20
Pt. Arena to Pigeon Pt. through April 30	24	-	24
Pt. Arena to Pigeon Pt. May 1-October 31 (Alt I, Alt II)	20	-	20
Pt. Arena to Pigeon Pt. May 23-June 30 (Alt III)	24	-	24
Pt. Arena to Pigeon Pt. July 1-October 31 (Alt III)	20	-	20
Pigeon Pt. to U.S./Mexico Border	24	-	24

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

- C.1. Compliance with Minimum Size and Other Special Restrictions: All salmon on board a vessel must meet the minimum size or other special requirements for the area being fished and the area in which they are landed if that area is open. Salmon may be landed in an area that is closed only if they meet the minimum size or other special requirements for the area in which they were caught. Salmon may not be filleted prior to landing.
 - Ocean Boat Limits: Off the coast of Washington, Oregon, and California, each fisher aboard a vessel may continue to use angling gear until the combined daily limits of Chinook and coho salmon for all licensed and juvenile anglers aboard have been attained (additional state restrictions may apply).
- C.2. <u>Gear Restrictions</u>: Salmon may be taken only by hook and line using barbless hooks. All persons fishing for salmon, and all persons fishing from a boat with salmon on board must meet the gear restrictions listed below for specific areas or seasons.
 - a. U.S./Canada Border to Pt. Conception, California: No more than one rod may be used per angler; and no more than two single point, single shank, barbless hooks are required for all fishing gear.
 - b. Horse Mt., California, to Pt. Conception, California: Single point, single shank, barbless circle hooks (see gear definitions below) are required when fishing with bait by any means other than trolling, and no more than two such hooks shall be used. When angling with two hooks, the distance between the hooks must not exceed five inches when measured from the top of the eye of the top hook to the inner base of the curve of the lower hook, and both hooks must be permanently tied in place (hard tied). Circle hooks are not required when artificial lures are used without bait.

C.3. Gear Definitions:

- a. Recreational fishing gear defined: Off Oregon and Washington, angling tackle consists of a single line that must be attached to a rod and reel held by hand or closely attended; the rod and reel must be held by hand while playing a hooked fish. No person may use more than one rod and line while fishing off Oregon or Washington. Off California, the line must be attached to a rod and reel held by hand or closely attended; weights directly attached to a line may not exceed four pounds (1.8 kg). While fishing off California north of Pt. Conception, no person fishing for salmon, and no person fishing from a boat with salmon on board, may use more than one rod and line. Fishing includes any activity which can reasonably be expected to result in the catching, taking, or harvesting of fish.
- b. Trolling defined: Angling from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.
- c. Circle hook defined: A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS (continued)

C.4. Control Zone Definitions:

- a. The Bonilla-Tatoosh Line: A line running from the western end of Cape Flattery to Tatoosh Island Lighthouse (48°23'30" N. lat., 124°44'12" W. long.) to the buoy adjacent to Duntze Rock (48°24'37" N. lat., 124°44'37" W. long.), then in a straight line to Bonilla Pt. (48°35'39" N. lat., 124°42'58" W. long.) on Vancouver Island, British Columbia.
- b. Grays Harbor Control Zone The area defined by a line drawn from the Westport Lighthouse (46° 53'18" N. lat., 124° 07'01" W. long.) to Buoy #2 (46° 52'42" N. lat., 124°12'42" W. long.) to Buoy #3 (46° 55'00" N. lat., 124°14'48" W. long.) to the Grays Harbor north jetty (46° 55'36" N. lat., 124°10'51" W. long.).
- c. Columbia Control Zone: An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09' N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°15'48" N. lat., 124°05'20" W. long. and then along the north jetty to the point of intersection with the Buoy #10 line; and on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line.
- d. Stonewall Bank Yelloweye Rockfish Conservation Area: The area defined by the following coordinates in the order listed:

```
44°37.46' N. lat.; 124°24.92' W. long.

44°37.46' N. lat.; 124°23.63' W. long.

44°28.71' N. lat.; 124°21.80' W. long.

44°28.71' N. lat.; 124°24.10' W. long.

44°31.42' N. lat.; 124°25.47' W. long.

and connecting back to 44°37.46' N. lat.; 124°24.92' W. long.
```

- e. Klamath Control Zone: The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately 6 nautical miles north of the Klamath River mouth); on the west by 124°23'00" W. long. (approximately 12 nautical miles off shore); and, on the south by 41°26'48" N. lat. (approximately 6 nautical miles south of the Klamath River mouth).
- C.5. <u>Inseason Management</u>: Regulatory modifications may become necessary inseason to meet preseason management objectives such as quotas, harvest guidelines, and season duration. In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:
 - a. Actions could include modifications to bag limits, or days open to fishing, and extensions or reductions in areas open to fishing.
 - b. Coho may be transferred inseason among recreational subareas north of Cape Falcon to help meet the recreational season duration objectives (for each subarea) after conferring with representatives of the affected ports and the Council's SAS recreational representatives north of Cape Falcon, and if the transfer would not result in exceeding preseason impact expectations on any stocks.
 - c. Chinook and coho may be transferred between the recreational and commercial fisheries north of Cape Falcon if there is agreement among the representatives of the SAS, and if the transfer would not result in exceeding preseason impact expectations on any stocks.
 - d. Fishery managers may consider inseason action modifying regulations restricting retention of unmarked (adipose fin intact) coho. To remain consistent with preseason expectations, any inseason action shall consider, if significant, the difference between observed and preseason forecasted (adipose-clipped) mark rates. Such a consideration may also include a change in bag limit of two salmon, no more than one of which may be a coho.
 - e. Marked coho remaining from the Cape Falcon to Humbug Mt. recreational mark-selective coho quota may be transferred inseason to the Cape Falcon to Humbug Mt. non-mark-selective recreational fishery if the transfer would not result in exceeding preseason impact expectations on any stocks.
- C.6. Additional Seasons in State Territorial Waters: Consistent with Council management objectives, the States of Washington, Oregon, and California may establish limited seasons in state waters. Check state regulations for details.