

## CORRECTIONS TO TABLES IN AGENDA ITEM G.6, ATTACHMENT 2

Review of [G.6 Attachment 2, 2021-2022 Management Measures Analytical Document, April 2020](#) revealed a few errors in tables. It is important to note, these tables were developed after the analyses were completed and were not part of any calculation. These tables will be corrected and provided to the Council for their final review in June 2020. The errors are as follows:

### **Chapter 2.1 Deductions from the ACL**

In Tables 2-9 through 2-12 the cabezon/kelp greenling complex ACLs, off-the-top deductions, and harvest guideline values for Washington and Oregon were transposed. The following page (page 2) shows the corrected table entries.

### **Chapter 2.5.2.6 Non-sablefish south of 40° 10' N. lat. Allocations and Trip Limits for No Action**

An error in Table 2-60 was noted in the row that starts with LEFG 2 South of 34° 27' N. lat. The trip limit should read “5,000 lbs. / 2 months, of which no more than 3,000 lbs. may be vermilion” instead of “8,000 lbs. / 2 months, of which no more than 3,000 lbs. may be vermilion.” The corrected table is shown on page 3.

### **Chapter 3.2 Allocating the Fishery HG**

An error in Table 3-4 was noted in the petrale sole allocation row for 2022. The correct harvest guideline amount for 2022 should be 3,067.5 mt, with subsequent allocations to trawl as 2,914.1 mt and non-trawl as 153.4 mt. The corrected row is shown below on page 4.

### **Chapter 3.5.1 Limited Entry and Open Access Fixed Gear – Alternative 1**

In table 3-12, the shortbelly rockfish and petrale sole values were transposed. The corrected table values are shown below on page 4.

**Table 2-9. No Action 2021. Estimates of tribal, EFP, research, and IOA groundfish mortality (in mt) used to calculate the fishery HG in 2021.**

Stock/Complex	Area	ACL	Tribal	EFP	Research	OA	Sum	Fishery HG
Cabazon/Kelp greenling	Washington	20.0	2.0	-	-	-	2.0	18.0
Cabazon/Kelp greenling	Oregon	198.0	-	0.1	0.1	0.1	0.2	197.8

**Table 2-10. No Action 2021. Estimates of tribal, EFP, research, and IOA groundfish mortality (in mt) used to calculate the fishery HG in 2022.**

Stock/Complex	Area	ACL	Tribal	EFP	Research	OA	Sum	Fishery HG
Cabazon/Kelp greenling	Washington	17.0	2.0	-	-	-	2.0	15.0
Cabazon/Kelp greenling	Oregon	190.0	-	0.1	0.1	0.1	0.2	189.8

**Table 2-11. No Action 2021. Stock-specific fishery HGs or ACTs and allocations for 2021 (in mt).**

STOCK	AREA	Fishery HG or ACT	Allocation Type	Trawl		Non-Trawl	
				%	mt	%	mt
Cabazon/Kelp greenling	Washington	18.0	None	-	-	-	-
Cabazon/Kelp greenling	Oregon	197.8	None	-	-	-	-

**Table 2-12. No Action 2021. Stock-specific fishery HGs or ACTs and allocations for 2022 (in mt).**

STOCK	AREA	Fishery HG or ACT	Allocation Type	Trawl		Non-Trawl	
				%	mt	%	mt
Cabazon/Kelp greenling	Washington	15.0	None	-	-	-	-
Cabazon/Kelp greenling	Oregon	189.8	None	-	-	-	-

**Table 2-3. No Action. Status quo and proposed limited entry and open access for Minor shelf rockfish south of 40° 10' N. lat. Options and associated projected mortality compared to the 2021 non-trawl allocation.**

<b>Option</b>	<b>Area</b>	<b>Trip limit</b>	<b>Projected mortality (mt)</b>	<b>Non-trawl projected mortality (mt) *</b>	<b>Non-trawl alloc. (mt)</b>
LEFG 1 (SQ)	40° 10' to 34° 27' N. lat.	500 lbs. / 2 months	1.7	710.7	1,154.6
	South of 34° 27' N. lat.	4,000 lbs. / 2 months, closed Period 2	22.1		
OA 1 (SQ)	40° 10' to 34° 27' N. lat.	400 lbs. / 2 months, closed Period 2	15.5		
	South of 34° 27' N. lat.	1,500 lbs. / 2 months, closed Period 2	23.3		
<b>Total for Option 1</b>			<b>62.6</b>		
LEFG 2	40° 10' to 34° 27' N. lat.	8,000 lbs. / 2 months, of which no more than 500 lbs. may be vermillion	69.5		
	South of 34° 27' N. lat.	5,000 lbs. / 2 months, of which no more than 3,000 lbs. may be vermillion	38.8		
OA 2	40° 10' to 34° 27' N. lat.	4,000 lbs. / 2 months, of which no more than 400 lbs. may be vermillion	50.2		
	South of 34° 27' N. lat.	3,000 lbs. / 2 months, of which no more than 1,200 lbs. may be vermillion	29.5		
<b>Total for Option 2</b>			<b>188</b>		
LEFG 3	South of 40° 10' N. lat.	4,000 lbs. / 2 months, of which no more than 500 lbs. may be vermillion	51.9	766.6	
OA 3	South of 40° 10' N. lat.	3,000 lbs. / 2 months, of which no more than 300 lbs. may be vermillion	66.6		
<b>Total for Option 3</b>			<b>118.5</b>		

**Table 3-4. Alternative 1. 2021 sector allocations under Alternative 1 for cowcod, petrale sole and sablefish south of 36° N. lat.**

Year	STOCK	AREA	Allocation Type	Fishery HG or ACT	Trawl		Non-Trawl	
					%	mt	%	mt
2021	Petrale sole	Coastwide	Amendment 21	3,455	95%	3,282.2	5%	172.8
2022				3,067	95%	2,914.1	5%	153.4

**Table 3-5. Alternative 1 - 2021 and 2022 ACLs (mt) and non-trawl allocations (mt) for select species.**

Stock	ACL		Non-trawl Allocation	
	2021	2022	2021	2022
Shortbelly rockfish	3,000	3,000	N/A	N/A
Petrale sole	3,843	3,455	172.8	153.4

PFMC  
04/07/20