DRAFT REVISED Action Item Checklist: 2023-2024 Harvest Specifications and Management Measures

Action Item Checklist showing the Preliminary Preferred Alternatives (PPA) adopted by the Pacific Fishery Management Council (Council) at their April 2022 meeting in bold. Analyses of the following management measures are detailed in Agenda Item F.6, Attachment 2, June 2022. Chapter 2 summarizes the PPA

#	Category	Sector	Management Measures
			Harvest Specification
1	Harvest Specifications	All	 Adopt quillback rockfish harvest specifications 1. No Action: ACL<abc, &="" 0.45<="" 40-10="" adj.="" li="" p*=""> 2. ACL<abc, &="" 0.45<="" 0.55="" li="" p*="" spr=""> 3. ACL<abc, &="" 0.45<="" 0.60="" li="" p*="" spr=""> </abc,></abc,></abc,>
			RCA Coordinate Updates
2	Area Management	All	PPA adopt proposed RCA updated waypoint and modifications as specified in <u>F.4.a, Supplemental CDFW</u> <u>Report 5, April 2022</u> and <u>E.5.a, Supplemental CDFW Report 1, November 2021.</u>
			2023-2024 Set-Asides and Harvest Guidelines (HG)
3	Off-the-top deductions	Research, EFPs, and IOA	 Adopt, or modify, set-asides values detailed in <u>Agenda Item F.4.a Supplemental GMT Report 3, April 2022</u> and shown in tables 1-2 and 1-3 Research activities: PPA: No Action research set-asides, except for: Cowcod south of 40°10' N. lat. (10 mt) and Yelloweye rockfish (2.92 mt) Incidental open access (IOA): PPA: No Action IOA set-asides except for: Darkblotched rockfish (9.8 mt), Petrale sole (11.1 mt), Sablefish south of 36° N. lat. (25 mt), Yelloweye rockfish (2.66 mt), and Nearshore Rockfish Complex north of 40° 10' N. lat. (1.3 mt)

#	Category	Sector	Management Measures		
	2023-2024 Treaty Fisheries				
4	Off-the-Top Deductions	Treaty Fisheries	 PPA: No Action for Treaty fisheries set-asides (detailed in <u>Agenda Item E.5.a., Supplemental Tribal Report</u> 2, <u>November 2021</u>) noting the following changes: Pacific ocean perch 130 mt Darkblotched rockfish 5.0 mt 		
5	ACT	All	 PPA: Status quo yelloweye rockfish non-trawl ACT of 39.9 mt PPA: Remove the cowcod south of 40°10' N. lat 50 mt ACT Consider ACTs for quillback rockfish and copper rockfish off of California, as appropriate – 		
6	Two Year Allocations	Trawl/ Non- Trawl	 PPA: No Action for 2-year trawl/non-trawl allocations (shown below) Big skate -95 percent trawl, 5 percent non-trawl Bocaccio south of 40°10' N. lat 39 percent trawl, 61 percent non-trawl Canary rockfish: No Action proportions from 2017-2018 and at-sea reduced but w/ a combined commercial non-trawl HG (72.3 percent trawl, 27.7 percent non-trawl) Cowcod south of 40°10' N. lat36 percent trawl, 64 percent non-trawl Lingcod south of 40°10' N. lat40 percent trawl; 60 percent non-trawl Longnose skate - 90 percent trawl, 10 percent non-trawl Minor Shelf Rockfish north of 40°10' N. lat 60.2 percent trawl, 39.8 percent non-trawl Minor Shelf Rockfish south of 40°10' N. lat 12.2 percent trawl, 87.8 percent non-trawl Slope Rockfish Complex south of 40° 10' N. lat., custom sharing approach Widow rockfish - 400 mt non-trawl, remainder trawl Yelloweye rockfish - 8 percent trawl, 92 percent non-trawl 		
7	Amendment 21 Allocation Changes	Trawl/ Non- Trawl	 PPA: No Action Amendment 21 & 29 allocations (shown below): Arrowtooth flounder – 95 percent trawl, 5 percent non-trawl Chilipepper rockfish south of 40°10' N. lat. – 75 percent trawl, 25 percent non-trawl Darkblotched rockfish – 95 percent trawl, 5 percent non-trawl Dover sole – 95 percent trawl, 5 percent non-trawl English sole – 95 percent trawl, 5 percent non-trawl Lingcod north of 40°10' N. lat. – 45 percent trawl, 55 percent non-trawl Longspine thornyhead north of 34° 27' N. lat. – 95 percent trawl, 5 percent non-trawl Continues next page 		

#	Category	Sector	Management Measures		
	2023-2024 Allocations, and Harvest Guidelines (HG) Continued				
7	Amendment 21 Allocation Changes continued	Trawl/ Non- Trawl	 Other flatfish – 90 percent trawl, 10 percent non-trawl Pacific cod – 95 percent trawl, 5 percent non-trawl Pacific ocean perch – 95 percent trawl 5 percent non-trawl Sablefish south of 36° N. lat. – 42 percent trawl, 58 percent non-trawl Shortspine thornyhead north of 34° 27' N. lat. – 50 mt trawl, remainder non-trawl Shortspine thornyhead south of 34° 27' N. lat. – 95 percent trawl, 5 percent non-trawl Slope Rockfish Complex north of 40°10' N. lat. – 81 percent trawl, 19 percent non-trawl Splitnose rockfish south of 40°10' N. lat. – 95 percent trawl, 5 percent non-trawl Starry flounder – 50 percent trawl, 50 percent non-trawl Yellowtail rockfish north of 40°10' N. lat. – 88 percent trawl, 12 percent non-trawl 		
8	HGs / State Shares for Stocks in a Complex	All	 PPA: No Action for stocks with HGs / state shares in a complex Blackgill rockfish (within the Slope Rockfish Complex south of 40°10' N. lat.) – Status quo allocation scheme Oregon Black/Blue/Deacon Rockfish Complex – No species specific HGs WA & OR Cabezon/Kelp Greenling Complexes – No species specific HG Nearshore Rockfish Complex north of 40°10' N. lat., by state – Status quo sharing agreement 		
9	Within Trawl Allocations	Trawl	Recommendations to adjust trawl allocations — Category deleted in November 2021		
10	Within trawl Set-aside	At-sea Pacific whiting	PPA: Adopt No Action at-sea Pacific whiting 2023-2024 set-asides		
11	Within non- trawl HGs, ACTs, or Shares	LEFG/OA/ Recreational	 PPA: No Action 2-year within non-trawl HGs or shares, Blackgill rockfish south of 40°10′ N. lat. for limited entry and open access trip limit modeling Bocaccio south of 40°10′ N. lat combined commercial and recreational shares Canary rockfish Cowcod south of 40°10′ N. lat. Sablefish south of 36° N. lat. for limited entry and open access trip limit modeling Nearshore Rockfish Complex north of 40°10′ N. lat. Yelloweye rockfish 		

#	Category	Sector	Management Measures
12	New Management Measures	All	 a) CCA Repeal -moved to NT_RCA package b) Prohibit directed fishery for shortbelly rockfish — moved to stand-alone management measure c) FMP Amendment to establish shortbelly rockfish bycatch threshold to trigger Council review PPA: Option 2 – adopt process described in proposed Amendment language. * d) Quillback rockfish rebuilding plan: Not applicable at present e) Non-bottom contact hook-and-line gear allowance in the non-trawl RCA. PPA: Option 2 adopt changes to non-trawl RCA management f) Amendment to extend primary sablefish season end date from Oct. 31 to Dec. 31* PPA: Option 1 – adopt changes to season end date PPA Sub-Option 2: – adopt Pacific halibut closure date as specified by IPHC g) Amendment to correct FMP language for Block Area Closures (BAC)* PPA: Option 2 – adopt corrected language h) CA Recreational Fishery Bag Limit Changes PPA: Adopt bag limit range for quillback rockfish, copper rockfish, and vermilion rockfish. i) CA Recreational Fishery RCA Management Measures * PPA: Adopt modification to RCA use for recreational fishery closing areas <u>shoreward</u> of a depth-based line (rather than seaward) and designate them for conservation of groundfish not declared as overfished and/or without species-specific OFLs or ACls. j) Consider Block Area Closures for Groundfish Mitigation No PPA-to be considered at the June meeting. i. BACs applicable to bottom trawl gear off WA ii. BACs applicable to midwater trawl gear off WA, OR, and CA
13		Shorebased IFQ	PPA: No Action amounts for shorebased IFQ trip limits for non-IFQ species
14a	Fishery Adjustments	OA north of 40°10 N. lat.	 PPA: No Action for routine measures (trip limits, size limits, etc.) except for Sablefish north of 36° N. lat.: SQ: 600 lb. daily or 1 landing / week up to 2,000 lbs., not to exceed 4,000 lbs. / 2 months PPA Option 1: 2,000 lbs. / week., not to exceed 4,000 lbs. / 2 months (removal of 600 lbs. daily trip limit) Continues next page

[•] Signifies measures that require an FMP amendment if adopted as FPA.

			Trip Limits, Bag Limits, and Season Structure Continued
#	Category	Sector	Management Measures
14a	Category Fishery Adjustments Continued	OA north of 40°10 N. lat. <i>continued</i>	 Quillback Rockfish 42° to 40° 10′ N. lat.: PPA No Action: 75 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Copper Rockfish 42° to 40° 10′ N. lat.: PPA No Action: 75 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat.
14b		OA south of 40°10 N. lat.	 PPA: No Action for routine measures (trip limits, size limits, etc.) except for: Sablefish 40° 10' N. lat 36° N. lat.: see item 14a Quillback Rockfish south of 40° 10' N. lat.: PPA No Action: 75 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10' N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10' N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10' N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10' N. lat. Copper Rockfish south of 40° 10' N. lat.: PPA No Action: 75 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10' N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10' N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10' N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10' N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10' N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10' N. lat.

	Trip Limits, Bag Limits, and Season Structure Continued			
#	Category	Sector	Management Measures	
15a	Fishery Adjustments Continued	LEFG north of 40°10 N. lat.	 PPA: No Action for routine measures (trip limits, size limits, etc.) except for: Quillback Rockfish 42° to 40° 10′ N. lat.: PPA: No Action: 75 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Copper Rockfish 42° to 40° 10′ N. lat.: PPA: No Action: 75 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Minor Nearshore Rockfish limit for the area between 42° - 40° 10′ N. lat. 	
15b		LEFG south of 40°10 N. lat.	 PPA: No Action for routine measures (trip limits, size limits, etc.) except for: Quillback Rockfish south of 40° 10′ N. lat.: PPA No Action: 75 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10′ N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10′ N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10′ N. lat. Copper Rockfish south of 40° 10′ N. lat.: PPA No Action: 75 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10′ N. lat. Option 1: 50 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10′ N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10′ N. lat. Option 2: 25 lbs. per 2 months, within the 2,000 lbs. per 2 months Deeper Nearshore Rockfish limit for the area south of 40° 10′ N. lat. 	

	Trip Limits, Bag Limits, and Season Structure Continued			
#	Category	Sector	Management Measures	
15c	Fishery Adjustments Continued	LEFG Primary Sablefish	– see New Management Measure 12f regarding LEFG primary sablefish north of 36° N. lat.	
16		WA Recreational	PPA to adopt bag limits, season structure, length limits, etc. as appropriate as recommended in <u>Agenda</u> <u>Item F.4.a Supplemental GMT Report 4</u> .	
17		OR Recreational	PPA to adopt bag limits, season structure, length limits, etc. as appropriate as recommended in <u>Agenda</u> <u>Item F.4.a Supplemental GMT Report 4</u> .	
18		CA Recreational	Adopt Bag limits, season structure, length limits, etc. as appropriate -	