Agenda Item E.3.a Supplemental STT Report 1 April 2024

SALMON TECHNICAL TEAM REPORT COLLATION OF PRELIMINATRY SALMON MANAGEMENT ALTERNATIVES FOR 2024 OCEAN FISHERIES

PFMC 04/07/2024 TABLE 1. 2024 Commercial troll management measures for non-Indian ocean salmon fisheries – STT Analyzed. (Page 1 of 7) Saturday, April 06, 2024,10:00 PM

Saturday, April 06, 2024,10:00 PM
A. SEASON DESCRIPTIONS
North of Cape Falcon
Supplemental Management Information
 Overall non-Indian TAC: 82,000 Chinook and 95,000 coho marked with a healed adipose fin clip (marked). Non-Indian commercial troll TAC: 41,000 Chinook and 15,200 marked coho.
 3. For fisheries scheduled prior to May 16, 2024: See 2023 management measures, which are subject to inseason action and the
2024 season description described below.
Model run: Coho-2419, Chinook-2224
 U.S./Canada Border to Cape Falcon May 16 through the earlier of June 29, or 27,300 Chinook
Catch limits in place for the following areas (C.8):
–U.S./Canada border to Queets River - No more than 7,240 Chinook.
–Leadbetter Pt. to Cape Falcon - No more than 6,340 Chinook.
Landing and possession limits in place for the following areas. Landing limits will be evaluated weekly inseason. Landing week is Thursday through Wednesday (C.1, C.6).
 –U.S./Canada border to Queets River - 60 Chinook per vessel per landing week.
–Queets River to Leadbetter Pt 150 Chinook per vessel per landing week.
 Leadbetter Pt. to Cape Falcon - 60 Chinook per vessel per landing week.
Open seven days per week (C.1). All salmon, except coho (C.4, C.7). Chinook minimum size limit of 27 inches total length (B). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).
If the Chinook quota is exceeded, the excess will be deducted from the all-salmon season (C.5).
In 2025, the season will open May 1 consistent with all preseason regulations in place in this area and subareas during May 16- June 30, 2024, including subarea salmon guidelines and quotas and weekly vessel limits except as described below for vessels fishing or in possession of salmon north of Leadbetter Point. This opening could be modified following Council review at its March and/or April 2025 meetings.
U.S./Canada Border to Cape Falcon
• July 1 through the earlier of September 30, or 13,700 Chinook or 15,200 marked coho (C.8).
Open seven days per week. All salmon. Chinook minimum size limit of 27 inches total length. Coho minimum size limit of 16 inches total length (B, C.1). All coho must be marked with a healed adipose fin clip (C.8.d). No chum retention north of Cape Alava, Washington in August and September (C.4, C.7). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3).
July 1-10: Landing possession limit of 70 Chinook and 100 marked coho per vessel for the open period. Beginning July 11: Landing possession limit of 80 Chinook and 100 marked coho per vessel per landing week (ThursWed.).
Landing limits will be evaluated weekly, inseason (C.1).
For all commercial troll fisheries north of Cape Falcon:
Mandatory closed areas include Salmon Troll Yelloweye Rockfish Conservation Area, Cape Flattery, Columbia Control Zone, Grays Harbor Control Zone closed beginning August 12.
Vessels must land and deliver their salmon within 24 hours of any closure of this fishery.
Vessels may not land fish east of the Sekiu River or east of Tongue Point, Oregon.
Vessels fishing or in possession of salmon <u>north</u> of Leadbetter Point must land and deliver all species of fish in a Washington port and must possess a Washington troll and/or salmon delivery license. <u>For delivery to Washington ports south of Leadbetter Point</u> , vessels must notify the Washington Department of Fish and Wildlife at 360-249-1215 prior to crossing the Leadbetter Point line with

vessels must notify the Washington Department of Fish and Wildlife at 360-249-1215 prior to crossing the Leadbetter Point line with area fished, total Chinook, coho, and halibut catch aboard, and destination with approximate time of delivery. **During any single trip, only one side of the Leadbetter Point line may be fished** (C.11).

TABLE 1. 2024 Commercial troll management measures for non-Indian ocean salmon fisheries - STT Analyzed. (Page 2 of 7)

A. SEASON DESCRIPTIONS North of Cape Falcon (continued)

Vessels fishing or in possession of salmon while fishing <u>south</u> of Leadbetter Point must land and deliver all species of fish within the area and south of Leadbetter Point, except that Oregon permitted vessels may also land all species of fish in Garibaldi, Oregon. All Chinook caught north of Cape Falcon and being delivered by boat to Garibaldi must meet the minimum legal total length of 28 inches for Chinook for south of Cape Falcon seasons unless the season in waters off Garibaldi have been closed for Chinook retention for more than 48 hours (C.1.).

Under state law, vessels must report their catch on a state fish receiving ticket. Oregon State regulations require all fishers landing salmon into Oregon from any fishery between Leadbetter Point, Washington and Cape Falcon, Oregon to notify ODFW within one hour of delivery or prior to transport away from the port of landing by either calling 541-857-2546 or sending notification via e-mail to nfalcon.trollreport@odfw.oregon.gov. Notification shall include vessel name and number, number of salmon by species, port of landing and location of delivery, and estimated time of delivery. Inseason actions may modify harvest guidelines in later fisheries to achieve or prevent exceeding the overall allowable troll harvest impacts (C.8).

Vessels in possession of salmon <u>north of the Queets River</u> may not cross the Queets River line without first notifying WDFW at 360-249-1215 with area fished, total Chinook, coho and halibut catch aboard, and destination. Vessels in possession of salmon <u>south</u> <u>of the Queets River</u> may not cross the Queets River line without first notifying WDFW at 360-249-1215 with area fished, total Chinook, coho and halibut catch aboard, and destination (C.11). Inseason actions may modify harvest guidelines in later fisheries to achieve or prevent exceeding the overall allowable troll harvest impacts (C.8).

A. SEASON DESCRIPTIONS
South of Cape Falcon
Supplemental Management Information

1. Sacramento River fall Chinook spawning escapement of 180,061 hatchery and natural area adults.

2. Sacramento Index exploitation rate of 15.7%.

3. Klamath River recreational fishery allocation: 4,999 adult Klamath River fall Chinook.

4. Klamath tribal allocation: 6,434 adult Klamath River fall Chinook.

5. CA/OR share of Klamath River fall Chinook commercial ocean harvest: 0% / 100%.

6. Overall commercial troll coho TAC: 5,000.

Cape Falcon to Humbug Mt.

- April 16-May 29;
- June 1-5; 12-16; 26-30;
- July 26-30;
- August 4-8:
- September 1-October 31 (C.9.a).

Open seven days per week. All salmon, except coho (C.4, C.7) except for in the non-mark selective coho fishery described below. Chinook minimum size limit of 28 inches total length, coho minimum size limit of 16 inches total length (B, C.1). All vessels fishing in the area must land their salmon in the State of Oregon. See gear restrictions and definitions (C.2, C.3).

Non-mark selective coho fishery

September 1 through or the earlier of September 30 or a 5,000 coho quota, no more than 50 coho allowed per vessel per landing week (Thurs.-Wed.). If the coho quota is met prior to September 30, then all salmon except coho season continues (C.4, C.7). Mandatory reporting required as described below:

Under state law, vessels must report their catch on a state fish receiving ticket. Oregon State regulations require all fishers landing coho in Oregon from any fishery between Cape Falcon, Oregon and Humbug Mountain, OR to notify ODFW within one hour of delivery or prior to transport away from the port of landing by either calling 541-857-2546 or sending notification via e-mail to nfalcon.trollreport@odfw.oregon.gov. Notification shall include vessel name and number, number of salmon by species, port of landing and location of delivery, and estimated time of delivery.

Beginning September 1, no more than 75 Chinook allowed per vessel per landing week (Thurs.-Wed.). Vessel limits may be modified inseason.

In 2025, the season will open March 15 for all salmon except coho. Chinook minimum size limit of 28 inches total length (B, C.1). Gear restrictions (C.2, C.3) same as in 2024. This opening could be modified following Council review at its March 2025 meeting (C.8).

TABLE 1. 2024 Commercial troll management measures for non-Indian ocean salmon fisheries – STT Analyzed. (Page 3 of 7)
A. SEASON DESCRIPTIONS South of Cape Falcon
Humbug Mt. to OR/CA Border (Oregon KMZ) April 16-30.
Open seven days per week. All salmon, except coho (C.4, C.7). Chinook minimum size limit of 28 inches total length (B, C.1). All vessels fishing in the area must land their salmon in the State of Oregon. See gear restrictions and definitions (C.2, C.3).
In 2025, the season will open March 15 for all salmon except coho. Chinook minimum size limit of 28 inches total length (B, C.1). Gear restrictions (C.2, C.3) same as in 2024. This opening could be modified following Council review at its March 2025 meeting (C.8).
 OR/CA Border to Humboldt South Jetty (California KMZ) Closed
In 2025, the season will open May 1 through the earlier of May 31, or a 3,000 Chinook quota. Chinook minimum size limit of 27 inches total length (B, C.1). Landing and possession limit of 25 Chinook per vessel per week(C.8.f). Open five days per week (FriTue.). All salmon except coho (C.4, C.7). Any remaining portion of Chinook quotas may be transferred inseason on an impact neutral basis to the next open quota period (C.8.b). All fish caught in this area must be landed within the area, within 24 hours of any closure of the fishery (C.6), and prior to fishing outside the area (C.10). See compliance requirements (C.1) and gear restrictions and definitions (C.2, C.3). Klamath Control Zone closed (C.5.e). See California State regulations for an additional closure adjacent to the Smith River. This opening could be modified following Council review at its March or April 2025 meetings.
Humboldt South Jetty to Latitude 40°10' N Closed.
Latitude 40°10' N. to Point Arena (Fort Bragg) Closed.
In 2025, the season will open April 16 for all salmon except coho (C.4, C.7). Chinook minimum size limit of 27 inches total length (B, C.1). Gear restrictions same as in 2022 (C.2, C.3). Landing and possession limits may be considered inseason (C.8.g). This opening could be modified following Council review at its March 2025 meeting.
Pt. Arena to Pigeon Pt. (San Francisco) Closed.
In 2025, the season will open May 1 for all salmon except coho (C.4, C.7). Chinook minimum size limit of 27 inches total length (B, C.1). Gear restrictions same as in 2022 (C.2, C.3). Landing and possession limits may be considered inseason (C.8.g). This opening could be modified following Council review at its March or April 2025 meeting.
Pigeon Point to U.S./Mexico Border (Monterey) Closed.
In 2025, the season will open May 1 for all salmon except coho (C.4, C.7). Chinook minimum size limit of 27 inches total length (B, C.1). Gear restrictions same as in 2022 (C.2, C.3). Landing and possession limits may be considered inseason (C.8.g). This opening could be modified following Council review at its March or April 2025 meeting.
When the fishery is closed from Humbug Mountain to the OR/CA Border and open to the south, vessels with fish on board caught in the open area off California may seek temporary mooring in Brookings, Oregon prior to landing in California only if such vessels first notify the Chetco River Coast Guard Station via VHF channel 22A between the hours of 0500 and 2200 and provide the vessel name, number of fish on board, and estimated time of arrival (C.6).
California State regulations require all salmon be made available to a CDFW representative for sampling immediately at port of landing. Any person in possession of a salmon with a missing adipose fin, upon request by an authorized agent or employee of the CDFW, shall immediately relinquish the head of the salmon to the State (California Fish and Game Code §8226).

	Chir	look	Cr	ho	
Area (when open)	Total Length	Head-off	Total Length	Head-off	Pink
North of Cape Falcon	27	20.5	16	12	None
Cape Falcon to Humbug Mt.	28	21.5	16	12	None
Humbug Mt. to OR/CA Border	28	21.5	-	-	None
OR/CA Border to Humboldt South Jetty	-	-	-	-	-
Latitude 40°10' N. to Pt. Arena	-	-	-	-	-
Pt. Arena to Pigeon Pt.	-	-	-	-	-
Pigeon Pt. to U.S./Mexico Border	-	-	-	-	-

B. MINIMUM SIZE (Inches) (See C.1)

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.1. <u>Compliance with Minimum Size or Other Special Restrictions</u>: All salmon on board a vessel must meet the minimum size, landing/possession limit, or other special requirements for the area being fished and the area in which they are landed if the area is open or has been closed less than 48 hours for that species of salmon. Salmon may be landed in an area that has been closed for a species of salmon more than 48 hours only if they meet the minimum size, landing/possession limit, or other special requirements for the area in which they were caught. Salmon may not be filleted prior to landing.

Any person who is required to report a salmon landing by applicable state law must include on the state landing receipt for that landing both the number and weight of salmon landed by species. States may require fish landing/receiving tickets be kept on board the vessel for 90 days or more after landing to account for all previous salmon landings.

C.2. Gear Restrictions:

- a. Salmon may be taken only by hook and line using single point, single shank, barbless hooks.
- b. Cape Falcon, Oregon, to the OR/CA border. No more than 4 spreads are allowed per line.
- c. OR/CA border to U.S./Mexico border. No more than 6 lines are allowed per vessel, and barbless circle hooks are required when fishing with bait by any means other than trolling.
- C.3. Gear Definitions:

Trolling defined: Fishing from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.

Troll fishing gear defined: One or more lines that drag hooks behind a moving fishing vessel engaged in trolling. In that portion of the fishery management area off Oregon and Washington, the line or lines must be affixed to the vessel and must not be intentionally disengaged from the vessel at any time during the fishing operation.

Spread defined: A single leader connected to an individual lure and/or bait.

Circle hook defined: A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.

C.4. Vessel Operation in Closed Areas with Salmon on Board:

- a. Except as provided under C.4.b below, it is unlawful for a vessel to have troll or recreational gear in the water while in any area closed to fishing for a certain species of salmon, while possessing that species of salmon; however, fishing for species other than salmon is not prohibited if the area is open for such species, and no salmon are in possession.
- b. When Genetic Stock Identification (GSI) samples will be collected in an area closed to commercial salmon fishing, the scientific research permit holder shall notify NOAA OLE, USCG, CDFW, WDFW, ODFW, and OSP at least 24 hours prior to sampling and provide the following information: the vessel name, date, location, and time collection activities will be done. Any vessel collecting GSI samples in a closed area shall not possess any salmon other than those from which GSI samples are being collected. Salmon caught for collection of GSI samples must be immediately released in good condition after collection of samples.

C.5. Control Zone Definitions:

- a. Cape Flattery Control Zone The area from Cape Flattery (48°23'00" N. lat.) to the northern boundary of the U.S. EEZ; and the area from Cape Flattery south to Cape Alava (48°10'00" N. lat.) and east of 125°05'00" W. long.
- b. Salmon Troll Yelloweye Rockfish Conservation Area The area in Washington Marine Catch Area 3 from 48°00.00' N. lat.; 125°14.00' W. long. to 48°02.00' N. lat.; 125°14.00' W. long. to 48°02.00' N. lat.; 125°16.50' W. long. to 48°00.00' N. lat.; 125°16.50' W. long. and connecting back to 48°00.00' N. lat.; 125°14.00' W. long.
- c. Grays Harbor Control Zone The area defined by a line drawn from the Westport Lighthouse (46° 53'18" N. lat., 124° 07'01" W. long.) to Buoy #2 (46° 52'42" N. lat., 124°12'42" W. long.) to Buoy #3 (46° 55'00" N. lat., 124°14'48" W. long.) to the Grays Harbor north jetty (46° 55'36" N. lat., 124°10'51" W. long.).
- d. Columbia Control Zone An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09' N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°15'48" N. lat., 124°05'20" W. long.), and then along the north jetty to the point of intersection with the Buoy #10 line; and, on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line;
- e. Klamath Control Zone The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately 6 nautical miles north of the Klamath River mouth); on the west by 124°23'00" W. long. (approximately 12 nautical miles off shore); and on the south by 41°26'48" N. lat. (approximately 6 nautical miles south of the Klamath River mouth).
- f. Waypoints for the 40 fathom regulatory line from Cape Falcon to Humbug Mt. (50 CFR 660.71 (o) (12)-(62), when in place.

45°46.00' N. lat., 124°04.49' W. long.;	44°44.96' N. lat., 124°14.39' W. long.;	43°40.49' N. lat., 124°15.74' W. long.;
45°44.34' N. lat., 124°05.09' W. long.;	44°43.44' N. lat., 124°14.78' W. long.;	43°38.77' N. lat., 124°15.64' W. long.;
45°40.64' N. lat., 124°04.90' W. long.;	44°42.26' N. lat., 124°13.81' W. long.;	43°34.52' N. lat., 124°16.73' W. long.;
45°33.00' N. lat., 124°04.46' W. long.;	44°41.68' N. lat., 124°15.38' W. long.;	43°28.82' N. lat., 124°19.52' W. long.;
45°32.27' N. lat., 124°04.74' W. long.;	44°34.87′ N. lat., 124°15.80′ W. long.;	43°23.91′ N. lat., 124°24.28′ W. long.;
45°29.26' N. lat., 124°04.22' W. long.;	44°33.74′ N. lat., 124°14.44′ W. long.;	43°20.83′ N. lat., 124°26.63′ W. long.;
45°20.25' N. lat., 124°04.67' W. long.;	44°27.66' N. lat., 124°16.99' W. long.;	43°17.96' N. lat., 124°28.81' W. long.;
45°19.99′ N. lat., 124°04.62′ W. long.;	44°19.13' N. lat., 124°19.22' W. long.;	43°16.75′ N. lat., 124°28.42′ W. long.;
45°17.50′ N. lat., 124°04.91′ W. long.;	44°15.35' N. lat., 124°17.38' W. long.;	43°13.97′ N. lat., 124°31.99′ W. long.;
45°11.29′ N. lat., 124°05.20′ W. long.;	44°14.38′ N. lat., 124°17.78′ W. long.;	43°13.72′ N. lat., 124°33.25′ W. long.;
45°05.80′ N. lat., 124°05.40′ W. long.;	44°12.80′ N. lat., 124°17.18′ W. long.;	43°12.26′ N. lat., 124°34.16′ W. long.;
45°05.08′ N. lat., 124°05.93′ W. long.;	44°09.23' N. lat., 124°15.96' W. long.;	43°10.96′ N. lat., 124°32.33′ W. long.;
45°03.83′ N. lat., 124°06.47′ W. long.;	44°08.38' N. lat., 124°16.79' W. long.;	43°05.65′ N. lat., 124°31.52′ W. long.;
45°01.70' N. lat., 124°06.53' W. long.;	44°08.30′ N. lat., 124°16.75′ W. long.;	42°59.66' N. lat., 124°32.58' W. long
44°58.75' N. lat., 124°07.14' W. long.;	44°01.18' N. lat., 124°15.42' W. long.;	42°54.97' N. lat., 124°36.99' W. long
44°51.28' N. lat., 124°10.21' W. long.;	43°51.61' N. lat., 124°14.68' W. long.;	42°53.81' N. lat., 124°38.57' W. long.;
44°49.49′ N. lat., 124°10.90′ W. long.;	43°42.66′ N. lat., 124°15.46′ W. long.;	42°50.00′ N. lat., 124°39.68′ W. long.;

C.6. <u>Notification When Unsafe Conditions Prevent Compliance with Regulations</u>: If prevented by unsafe weather conditions or mechanical problems from meeting special management area landing restrictions, vessels must notify the U.S. Coast Guard and receive acknowledgment of such notification prior to leaving the area. This notification shall include the name of the vessel, port where delivery will be made, approximate number of salmon (by species) on board, the estimated time of arrival, and the specific reason the vessel is not able to meet special management area landing restrictions.

In addition to contacting the U.S. Coast Guard, vessels fishing south of the Oregon/California border must notify CDFW within one hour of leaving the management area by calling 800-889-8346 and providing the same information as reported to the U.S. Coast Guard. All salmon must be offloaded within 24 hours of reaching port.

- C.7. Incidental Pacific Halibut Harvest: License applications for incidental harvest for Pacific halibut during commercial salmon fishing must be obtained from NMFS.
 - a. Pacific halibut retained must be no less than 32 inches in total length (with head on).
 - b. During the salmon troll season, incidental harvest is allowed as quota is available. WDFW, ODFW, and CDFW will monitor landings. NMFS may make inseason adjustments to the landing restrictions to assure that the incidental harvest rate is appropriate for salmon and halibut availability, does not encourage target fishing on halibut, and does not increase the likelihood of exceeding the quota for this fishery, and may prohibit retention of halibut in the non-Indian salmon troll fishery if there is risk in exceeding the subquota for the salmon troll fishery or the non-tribal commercial fishery allocation. Inseason adjustments will be announced on the NMFS hotline (phone: 800-662-9825 or 206-526-6667). See the most current Pacific Halibut Catch Sharing Plan for more details.

- c. Incidental Pacific halibut catch regulations in the commercial salmon troll fishery adopted for 2024, prior to any 2024 inseason action, will be in effect when incidental Pacific halibut retention opens on April 1, 2024 unless otherwise modified by inseason action at the March 2024 Council meeting.
- d. Beginning May 16, 2024, through the end of the 2024 salmon troll fishery, and beginning April 1, 2025, until modified through inseason action or superseded by the 2025 management measures license holders may land or possess no more than 1 Pacific halibut per 2 Chinook, except one Pacific halibut may be possessed or landed without meeting the ratio requirement, and no more than 35 halibut may be possessed or landed per trip.
- e. "C-shaped" yelloweye rockfish conservation area is an area to be voluntarily avoided for salmon trolling. NMFS and the Council request salmon trollers voluntarily avoid this area in order to protect yelloweye rockfish. The area is defined in the Pacific Council Halibut Catch Sharing Plan in the North Coast subarea (Washington marine area 3), with the following coordinates in the order listed::
 - 48°18' N. Iat.; 125°18' W. Iong.; 48°18' N. Iat.; 124°59' W. Iong.; 48°11' N. Iat.; 124°59' W. Iong.; 48°11' N. Iat.; 125°11' W. Iong.; 48°04' N. Iat.; 125°11' W. Iong.; 48°04' N. Iat.; 125°59' W. Iong.; 48°00' N. Iat.; 124°59' W. Iong.; 48°00' N. Iat.; 125°18' W. Iong.; and connecting back to 48°18' N. Iat.; 125°18' W. Iong.
- C.8. <u>Inseason Management</u>: In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:
 - a. Chinook remaining from the May through June non-Indian commercial troll harvest guideline north of Cape Falcon may be transferred to the July through September harvest guideline if the transfer would not result in exceeding preseason impact expectations on any stocks.

b. Chinook remaining from May, June, and/or July non-Indian commercial troll quotas in the Oregon or California KMZ may be transferred to the Chinook quota for the next open period if the transfer would not result in exceeding preseason impact expectations on any stocks.

- c. NMFS may transfer salmon between the recreational and commercial fisheries north of Cape Falcon if there is agreement among the areas' representatives on the Salmon Advisory Subpanel (SAS), and if the transfer would not result in exceeding preseason impact expectations on any stocks.
- d. The Council will consider inseason recommendations for special regulations for any experimental fisheries annually in March; proposals must meet Council protocol and be received in November the year prior.
- e. If retention of unmarked coho (adipose fin intact) is permitted by inseason action, the allowable coho quota will be adjusted to ensure preseason projected impacts on all stocks is not exceeded.
- f. Landing limits may be modified inseason to sustain season length and keep harvest within overall quotas.

Landing limits may be modified inseason to sustain season length and keep harvest within overall quotas.

- g. Deviations from the allocation of allowable ocean harvest of coho salmon in the area south of Cape Falcon may be allowed to meet consultation standards for ESA-listed stocks (FMP 5.3.2). Therefore, should any rollovers result in a deviation from the south of Cape Falcon coho allocation schedule between sectors would still fall underneath this exemption.
- C.9. <u>State Waters Fisheries</u>: Consistent with Council management objectives:
 - a. The State of Oregon may establish additional late-season fisheries in state waters.
 - b. The State of California may establish limited fisheries in selected state waters.
 - c. Check state regulations for details.
- C.10. For the purposes of California Fish and Game Code, Section 8232.5, the definition of the Klamath Management Zone (KMZ) for the ocean salmon season shall be that area from Humbug Mountain, Oregon, to Latitude 40°10' N.

C.11. Latitudes for geographical reference of major landmarks along the west coast. Data source: 2023 West Coast federal salmon regulations, Chapter 5.

https://www.federalregister.gov/documents/2023/05/11/2023-10090/fisheries-off-west-coast-states-west-coast-salmonfisheries-2023-specifications-and-management#h-56

Cape Flattery, WA	48°23′00″ N lat.	Humboldt South Jetty, CA	40°45′53″ N lat.
Cape Alava, WA	48°10′00″ N lat.	40°10' line (near Cape Mendocino, CA)	40°10′00″ N lat.
Queets River, WA	47°31′42″ N lat.	Horse Mountain, CA	40°05′00″ N lat.
Leadbetter Point, WA	46°38′10″ N lat.	Point Arena, CA	38°57′30″ N lat.
Cape Falcon, OR	45°46′00″ N lat.	Point Reyes, CA	37°59′44″ N lat.
South end Heceta Bank line, OR	43°58′00″ N lat.	Point San Pedro, CA	37°35′40″ N lat.
Humbug Mountain, OR	42°40′30″ N lat.	Pigeon Point, CA	37°11′00″ N lat.
Oregon-California border	42°00′00″ N lat.	Point Sur, CA	36°18′00″ N lat.
		Point Conception, CA	34°27′00″ N lat.

C.12. <u>California 24-hour reporting requirements</u>: Salmon harvested under quota or harvest limit regulations must be reported within 24-hours of landing via electronic fish tickets. Electronic fish tickets shall be completed at the time of the receipt, purchase, or transfer of fish, whichever occurs first, and shall contain the number of salmon landed. Once transfer of fish begins, all fish aboard the vessel are counted as part of the landing. The electronic fish ticket is a web-based form submitted through the "E-Tix" application, managed by the Pacific States Marine Fisheries Commission (PSMFC) and located at https://etix.psmfc.org

 TABLE 2. 2024 Recreational management measures for non-Indian ocean salmon fisheries - STT Analyzed. (Page 1 of 5)

 Saturday, April 06, 2024,10:01 PM

A. SEASON DESCRIPTIONS
North of Cape Falcon
Supplemental Management Information
1. Overall non-Indian TAC: 82,000 Chinook and 95,000 coho marked with a healed adipose fin clip (marked).
2. Recreational TAC: 41,000 Chinook and 79,800 marked coho; all retained coho must be marked with a healed adipose fin clip.
3. Buoy 10 fishery opens August 1 with an expected landed catch of 27,000 marked coho in August and September.
 U.S./Canada Border to Cape Alava (Neah Bay Subarea) June 22 through earlier of September 30, or 8,300 marked coho subarea quota, with a subarea guideline of 9,430 Chinook (C.5).
Open seven days per week. All salmon, except no chum beginning August 1; two salmon per day, of which only one may be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). Chinook minimum size limit of 24 inches total length (B).
See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).
Beginning August 1, Chinook non-retention east of the Bonilla-Tatoosh line (C.4.a) during Council managed ocean fishery. See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).
 Cape Alava to Queets River (La Push Subarea) June 22 through earlier of September 30, or 2,070 marked coho subarea quota, with a subarea guideline of 1,630 Chinook (C.5).
Open seven days per week. All salmon, except no chum beginning August 1; two salmon per day, of which only one may be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). Chinook minimum size limit of 24 inches total length (B).
See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).
 Queets River to Leadbetter Point (Westport Subarea) June 30 - July 11 open 5 days per week (Sun Thurs.); July 14, through earlier of September 30, or 29,530 marked coho subarea quota, with a subarea guideline of 17,430 Chinook (C.5) open seven days per week.
All salmon, two salmon per day, no more than one of which may be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). Chinook minimum size limit of 22 inches total length (B).
Grays Harbor Control Zone closed beginning August 12 (C.4.b).
See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).
 Leadbetter Point to Cape Falcon (Columbia River Subarea) June 22 through earlier of September 30, or 39,900 marked coho subarea quota, with a subarea guideline of 12,510 Chinook (C.5).
Open seven days per week. All salmon; two salmon per day, no more than one of which may be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). Chinook minimum size limit of 22 inches total length (B).
Columbia Control Zone closed (C.4.c). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).
South of Cape Falcon
Supplemental Management Information
1. 1. Sacramento River fall Chinook spawning escapement of 180,061 hatchery and natural area adults.
2. Sacramento Index exploitation rate of 15.7%.
 Sacramento index exploitation rate of 15.7%. Klamath River recreational fishery allocation: 4,999 adult Klamath River fall Chinook.
Klamath tribal allocation: 6,434 adult Klamath River fall Chinook.
5. Overall recreational coho TAC: 50,000 coho marked with a healed adipose fin clip (marked), and 30,000 coho in the non-mark-
selective coho fishery.6. Fisheries may need to be adjusted to meet NMFS ESA consultation standards, FMP requirements, other management objectives, or upon receipt of new allocation recommendations from the CFGC.

TABLE 2. 2024 Recreational management measures for non-tribal ocean salmon fisheries – STT Analyzed. (Page 2 of 5) A. SEASON DESCRIPTIONS

South of Cape Falcon

Cape Falcon to Humbug Mt.

• March 15-October 31 (C.6).

Open seven days per week. All salmon except coho, except as provided below during the all-salmon mark-selective coho fishery and the non-mark-selective coho fishery (C.5), two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3).

Beginning October 1, the fishery is open shoreward of the 40-fathom management line (C.5.f).

In 2025, the season will open March 15 for all salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2024 (C.2, C.3). This opening could be modified following Council review at its March 2025 meeting.

Cape Falcon to OR/CA Border

Mark-selective coho fishery:

• June 15 through the earlier of August 18, or 50,000 marked coho quota (C.6).

Open seven days per week. All salmon, two salmon per day. All retained coho must be marked with a healed adipose fin clip (C.1). See minimum size limits (B). See gear restrictions and definitions (C.2, C.3).

Any remainder of the mark-selective coho quota may be transferred inseason on an impact neutral basis to the September nonmark selective coho fishery from Cape Falcon to Humbug Mountain (C.5).

Cape Falcon to Humbug Mt.

Non-mark-selective coho fishery:

• September 1 through the earlier of September 30, or 30,000 coho quota (C.6). Open days may be modified inseason.

Open seven days per week. All salmon, two salmon per day (C.1). See minimum size limits (B). See gear restrictions and definitions (C.2, C.3).

Humbug Mt. to OR/CA Border (Oregon KMZ)

• May 16-August 31 (C.6).

Open seven days per week. All salmon except coho, except as provided above during the mark-selective coho fishery from Cape Falcon to the OR/CA border (June 15-August 18), two salmon per day (C.1.). See minimum size limits (B). See gear restrictions and definitions (C.2, C.3).

For Recreational Fisheries from Cape Falcon to Humbug Mt.: Fishing in the Stonewall Bank yelloweye rockfish conservation area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 for specific dates) (C.3.b, C.4.d).

TABLE 2. 2024 Recreational management measures for non-tribal ocean salmon fisheries - STT Analyzed. (Page 3 of 5)

A. SEASON DESCRIPTIONS

OR/CA Border to latitude 40°10' N. (California KMZ)

· Closed.

In 2025, season opens May 1 for all salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 20 inches total length (B); and the same gear restrictions as in 2022 (C.2, C.3). This opening could be modified following Council review at its March or April 2025 meeting.

Latitude 40°10' N. to Point Arena (Fort Bragg)

Closed.

In 2025, season opens April 5 for all salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 20 inches total length (B); and the same gear restrictions as in 2022 (C.2, C.3). This opening could be modified following Council review at its March 2025 meeting.

Point Arena to Pigeon Point (San Francisco)

Closed.

In 2025, season opens April 5 for all salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2022 (C.2, C.3). This opening could be modified following Council review at its March 2025 meeting.

Pigeon Point to U.S./Mexico Border (Monterey)

· Closed.

In 2025, season opens April 5 for all salmon except coho, two salmon per day (C.1). Chinook minimum size limit of 24 inches total length (B); and the same gear restrictions as in 2022 (C.2, C.3). This opening could be modified following Council review at its March 2025 meeting.

California State regulations require all salmon be made available to a CDFW representative for sampling immediately at port of landing. Any person in possession of a salmon with a missing adipose fin, upon request by an authorized agent or employee of the CDFW, shall immediately relinquish the head of the salmon to the State (California Code of Regulations Title 14 Section 1.73).

B. MINIMUM SIZE (Inches) (See C.1)				
Area (when open)	Chinook	Coho	Pink	
North of Cape Falcon (Neah Bay and La Push)	24	16	None	
North of Cape Falcon (Westport and Col R)	22	16	None	
Cape Falcon to Humbug Mt.	24	16	None	
Humbug Mt. to OR/CA Border	24	16	None	
OR/CA Border to Pt. Arena	-	-	None	
Pt. Arena to Pigeon Pt.	-	-	None	
Pigeon Pt. to U.S./Mexico Border	-	-	None	

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.1. <u>Compliance with Minimum Size and Other Special Restrictions</u>: All salmon on board a vessel must meet the minimum size or other special requirements for the area being fished and the area in which they are landed if that area is open. Salmon may be landed in an area that is closed only if they meet the minimum size or other special requirements for the area in which they were caught. Salmon may not be filleted, or salmon heads removed prior to landing.

Ocean Boat Limits: Off the coast of Washington, Oregon, and California, each fisher aboard a vessel may continue to use angling gear until the combined daily limits of Chinook and coho salmon for all licensed and juvenile anglers aboard have been attained (additional state restrictions may apply).

- C.2. <u>Gear Restrictions</u>: Salmon may be taken only by hook and line using barbless hooks. All persons fishing for salmon, and all persons fishing from a boat with salmon on board must meet the gear restrictions listed below for specific areas or seasons.
 - a. U.S./Canada Border to Pt. Conception, California: No more than one rod may be used per angler; and no more than two single point, single shank, barbless hooks are required for all fishing gear.
 - b. Latitude 40°10' N. to Pt. Conception, California: Single point, single shank, barbless circle hooks (see gear definitions below) are required when fishing with bait by any means other than trolling, and no more than two such hooks shall be used. When angling with two hooks, the distance between the hooks must not exceed five inches when measured from the top of the eye of the top hook to the inner base of the curve of the lower hook, and both hooks must be permanently tied in place (hard tied). Circle hooks are not required when artificial lures are used without bait.

C.3. Gear Definitions:

- a. Recreational fishing gear defined: Off Oregon and Washington, angling tackle consists of a single line that must be attached to a rod and reel held by hand or closely attended; the rod and reel must be held by hand while playing a hooked fish. No person may use more than one rod and line while fishing off Oregon or Washington. Off California, the line must be attached to a rod and reel held by hand or closely attended; weights directly attached to a line may not exceed four pounds (1.8 kg). While fishing off California north of Pt. Conception, no person fishing for salmon, and no person fishing from a boat with salmon on board, may use more than one rod and line. Fishing includes any activity which can reasonably be expected to result in the catching, taking, or harvesting of fish.
- b. Trolling defined: Angling from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.
- c. *Circle hook defined*: A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.

C.4. Control Zone Definitions:

- The Bonilla-Tatoosh Line: A line running from the western end of Cape Flattery to Tatoosh Island Lighthouse (48°23'30" N. lat., 124°44'12" W. long.) to the buoy adjacent to Duntze Rock (48°24'37" N. lat., 124°44'37" W. long.), then in a straight line to Bonilla Pt. (48°35'39" N. lat., 124°42'58" W. long.) on Vancouver Island, British Columbia.
- b. Grays Harbor Control Zone The area defined by a line drawn from the Westport Lighthouse (46° 53'18" N. lat., 124° 07'01"
 W. long.) to Buoy #2 (46° 52'42" N. lat., 124°12'42" W. long.) to Buoy #3 (46° 55'00" N. lat., 124°14'48" W. long.) to the Grays Harbor north jetty (46° 55'36" N. lat., 124°10'51" W. long.).
- c. Columbia Control Zone: An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09' N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°15'48" N. lat., 124°05'20" W. long. and then along the north jetty to the point of intersection with the Buoy #10 line; and on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line;
- d. Stonewall Bank Yelloweye Rockfish Conservation Area: The area defined by the following coordinates in the order listed: 44°37.46' N. lat.; 124°24.92' W. long.
 - 44 37.46 N. Iat.; 124 24.92 W. Iong. 44°37.46' N. Iat.; 124°23.63' W. Iong. 44°28.71' N. Iat.; 124°21.80' W. Iong. 44°28.71' N. Iat.; 124°24.10' W. Iong. 44°31.42' N. Iat.; 124°25.47' W. Iong. and connecting back to 44°37.46' N. Iat.; 124°24.92' W. Iong.
- e. *Klamath Control Zone*: The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately 6 nautical miles north of the Klamath River mouth); on the west by 124°23'00" W. long. (approximately 12 nautical miles offshore); and, on the south by 41°26'48" N. lat. (approximately 6 nautical miles south of the Klamath River mouth).
- g. Waypoints for the 40 fathom regulatory line from Cape Falcon to Humbug Mt. (50 CFR 660.71 (o) (12)-(62), when in place.

45°46.00' N. lat., 124°04.49' W. long.;	44°44.96' N. lat., 124°14.39' W. long.;	43°40.49′ N. lat., 124°15.74′ W. long.;
45°44.34′ N. lat., 124°05.09′ W. long.;	44°43.44′ N. lat., 124°14.78′ W. long.;	43°38.77' N. lat., 124°15.64' W. long.;
45°40.64' N. lat., 124°04.90' W. long.;	44°42.26' N. lat., 124°13.81' W. long.;	43°34.52′ N. lat., 124°16.73′ W. long.;
45°33.00′ N. lat., 124°04.46′ W. long.;	44°41.68' N. lat., 124°15.38' W. long.;	43°28.82' N. lat., 124°19.52' W. long.;
45°32.27' N. lat., 124°04.74' W. long.;	44°34.87' N. lat., 124°15.80' W. long.;	43°23.91′ N. lat., 124°24.28′ W. long.;
45°29.26' N. lat., 124°04.22' W. long.;	44°33.74' N. lat., 124°14.44' W. long.;	43°20.83' N. lat., 124°26.63' W. long.;
45°20.25' N. lat., 124°04.67' W. long.;	44°27.66′ N. lat., 124°16.99′ W. long.;	43°17.96′ N. lat., 124°28.81′ W. long.;
45°19.99' N. lat., 124°04.62' W. long.;	44°19.13' N. lat., 124°19.22' W. long.;	43°16.75′ N. lat., 124°28.42′ W. long.;
45°17.50' N. lat., 124°04.91' W. long.;	44°15.35′ N. lat., 124°17.38′ W. long.;	43°13.97' N. lat., 124°31.99' W. long.;
45°11.29′ N. lat., 124°05.20′ W. long.;	44°14.38' N. lat., 124°17.78' W. long.;	43°13.72′ N. lat., 124°33.25′ W. long.;
45°05.80′ N. lat., 124°05.40′ W. long.;	44°12.80′ N. lat., 124°17.18′ W. long.;	43°12.26′ N. lat., 124°34.16′ W. long.;
45°05.08' N. lat., 124°05.93' W. long.;	44°09.23' N. lat., 124°15.96' W. long.;	43°10.96′ N. lat., 124°32.33′ W. long.;
45°03.83′ N. lat., 124°06.47′ W. long.;	44°08.38' N. lat., 124°16.79' W. long.;	43°05.65′ N. lat., 124°31.52′ W. long.;
45°01.70′ N. lat., 124°06.53′ W. long.;	44°08.30′ N. lat., 124°16.75′ W. long.;	42°59.66′ N. lat., 124°32.58′ W. long
44°58.75' N. lat., 124°07.14' W. long.;	44°01.18′ N. lat., 124°15.42′ W. long.;	42°54.97' N. lat., 124°36.99' W. long
44°51.28′ N. lat., 124°10.21′ W. long.;	43°51.61′ N. lat., 124°14.68′ W. long.;	42°53.81′ N. lat., 124°38.57′ W. long.;
44°49.49′ N. lat., 124°10.90′ W. long.;	43°42.66′ N. lat., 124°15.46′ W. long.;	42°50.00′ N. lat., 124°39.68′ W. long.;

TABLE 2. 2024 Recreational management measures for non-tribal ocean salmon fisheries - STT Analyzed. (Page 5 of 5)

- C.5. <u>Inseason Management</u>: Regulatory modifications may become necessary inseason to meet preseason management objectives such as quotas, harvest guidelines, and season duration. In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:
 - a. Actions could include modifications to bag limits, or days open to fishing, and extensions or reductions in areas open to fishing.
 - b. Coho may be transferred inseason among recreational subareas north of Cape Falcon to help meet the recreational season duration objectives (for each subarea) after conferring with representatives of the affected ports and the Council's SAS recreational representatives north of Cape Falcon, and if the transfer would not result in exceeding preseason impact expectations on any stocks.
 - c. Chinook and coho may be transferred between the recreational and commercial fisheries north of Cape Falcon if there is agreement among the representatives of the SAS, and if the transfer would not result in exceeding preseason impact expectations on any stocks.
 - d. Fishery managers may consider inseason action modifying regulations restricting retention of unmarked (adipose fin intact) coho. To remain consistent with preseason expectations, any inseason action shall consider, if significant, the difference between observed and preseason forecasted (adipose-clipped) mark rates. Such a consideration may also include a change in bag limit of two salmon, no more than one of which may be a coho.
 - e. Marked coho remaining from the Cape Falcon to OR/CA Border. A recreational mark-selective coho quota may be transferred inseason to the Cape Falcon to Humbug Mt. non-mark-selective recreational fishery if the transfer would not result in exceeding preseason impact expectations on any stocks.
 - f. Deviations from the allocation of allowable ocean harvest of coho salmon in the area south of Cape Falcon may be allowed to meet consultation standards for ESA-listed stocks (FMP 5.3.2). Therefore, should any rollovers result in a deviation from the south of Cape Falcon coho allocation schedule between sectors would still fall underneath this exemption.
 - C.6. <u>Additional Seasons in State Territorial Waters</u>: Consistent with Council management objectives, the States of Washington, Oregon, and California may establish limited seasons in state waters. Check state regulations for detail.

TABLE 3. 2024 Treaty Indian troll management Alternatives for ocean salmon fisheries – STT Analyzed. (Page 1 of 2)

A. SEASON ALTERNATIVE DESCRIPTIONS

Supplemental Management Information

1. Overall Treaty-Indian TAC: 42,500 Chinook and 42,500 coho.

 Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.

3. In 2025, the season will open May 1, consistent with all preseason regulations in place for Treaty Indian Troll fisheries during May 16-June 30, 2024. All catch in May 2025 applies against the 2025 Treaty Indian Troll fisheries quota. This opening could be modified following Council review at its March and/or April 2025 meetings.

• May 1 through the earlier of June 30 or 21,250 Chinook quota.

All salmon may be retained except coho. If the Chinook quota is exceeded, the excess will be deducted from the later allsalmon season (C.5). See size limit (B) and other restrictions (C).

• July 1 through a season end date of no later than September 30 (TBD), or 21,250 Chinook quota or 42,500 coho quota

All salmon. See size limit (B) and other restrictions (C).

B. MINIMUM LENGTH (TOTAL INCHES)

	Chinook			Coł	าด	
Area (when open)	Total Length	Head-off		Total Length	Head-off	Pink
North of Cape Falcon	24.0 (61.0 cm)	18.0 (45.7 cm)		16.0 (40.6 cm)	12.0 (30.5 cm)	None

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.1. <u>Tribe and Area Boundaries</u>. All boundaries may be changed to include such other areas as may hereafter be authorized by a Federal court for that tribe's treaty fishery.

<u>S'KLALLAM</u> - Washington State Statistical Area 4B (defined to include those waters of Puget Sound easterly of a line projected from the Bonilla Point light on Vancouver Island to the Tatoosh Island light, thence to the most westerly point on Cape Flattery and westerly of a line projected true north from the fishing boundary marker at the mouth of the Sekiu River [WAC 220-301-030]).

MAKAH - Washington State Statistical Area 4B and that portion of the FMA north of 48°02'15" N. lat. (Norwegian Memorial) and east of 125°44'00" W. long.

<u>QUILEUTE</u> - A polygon commencing at Cape Alava, located at latitude 48°10'00" north, longitude 124°43'56.9" west; then proceeding west approximately forty nautical miles at that latitude to a northwestern point located at latitude 48°10'00" north, longitude 125°44'00" west; then proceeding in a southeasterly direction mirroring the coastline at a distance no farther than forty nautical miles from the mainland Pacific coast shoreline at any line of latitude, to a southwestern point at latitude 47°31'42" north, longitude 125°20'26" west; then proceeding east along that line of latitude to the Pacific coast shoreline at latitude 47°31'42" north, longitude 124°21'9.0" west.

HOH - That portion of the FMA between 47°54'18" N. lat. (Quillayute River) and 47°21'00" N. lat. (Quinault River) and east of 125°44'00" W. long.

QUINAULT - A polygon commencing at the Pacific coast shoreline near Destruction Island, located at latitude 47°40'06" north, longitude 124°23'51.362" west; then proceeding west approximately thirty nautical miles at that latitude to a northwestern point located at latitude 47°40'06" north, longitude 125°08'30" west; then proceeding in a southeasterly direction mirroring the coastline no farther than thirty nautical miles from the mainland Pacific coast shoreline at any line of latitude, to a southwestern point at latitude 46°53'18" north, longitude 124°53'53" west; then proceeding east along that line of latitude to the pacific coast shoreline at latitude 46°53'18" north, longitude 124°7'36.6" west.

C.2. Gear restrictions

- a. Single point, single shank, barbless hooks are required in all fisheries.
- b. No more than eight fixed lines per boat.
- c. No more than four hand-held lines per person in the Makah area fishery (Washington State Statistical Area 4B and that portion of the FMA north of 48°02'15" N. lat. (Norwegian Memorial) and east of 125°44'00" W. long.)
- C.3. Quotas
- a. The quotas include troll catches by the S'Klallam and Makah Tribes in Washington State Statistical Area 4B from May 1 through the season end date of no later than September 30 (TBD).
- b. The **Quileute Tribe may continue a ceremonial and subsistence fishery** during the time frame of October 1 through October 15 in the same manner as in 2004-2015. Fish taken during this fishery are to be counted against treaty troll quotas established for the 2024 season (estimated harvest during the October ceremonial and subsistence fishery: 20 Chinook; 40 coho).

- C.4. <u>Area Closures</u> The area within a six nautical mile radius of the mouths of the Queets River (47°31'42" N. lat.) and the Hoh River (47°45'12" N. a. lat.) will be closed to commercial fishing.
- b. A closure within two nautical miles of the mouth of the Quinault River (47°21'00" N. lat.) may be enacted by the Quinault Nation and/or the State of Washington and will not adversely affect the Secretary of Commerce's management regime.
- C.5. <u>Inseason Management</u>: In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:
 a. Chinook remaining from the May through June treaty-Indian ocean troll harvest guideline north of Cape Falcon may be
- transferred to the July through September harvest guideline on a fishery impact equivalent basis.

		2024
Key Stock/Criteria	Projected	Criteria Spawner Objective or Other Comparative Standard as Noted ^{b/}
CHINOOK	CHINOOK	CHINOOK
SRKW PREY ABUNDANCE:		
North of Falcon	815.9	≥ 623.0 Oct 1 starting abundance of age 3+ Chinook from U.S./Canada Border to Cape Falcon
Oregon Coast	443.9	NA Oct 1 starting abundance of age 3+ Chinook from Cape Falcon to Horse Mt.
California Coast	292.3	NA Oct 1 starting abundance of age 3+ Chinook south of Horse Mt.
Southwest WCVI	669.6	NA Oct 1 starting abundance of age 3+ Chinook off Southwest Vancouver Island
Salish Sea	1,181.8	NA Oct 1 starting abundance of age 3+ Chinook in the Salish Sea
<u>PUGET SOUND:</u> Elwha Summer/Fall	5.8%	≤ 10.0% Southern U.S. exploitation rate (NMFS ESA consultation standard).
Dungeness Spring	5.3%	\leq 10.0% Southern U.S. exploitation rate (NMFS ESA consultation standard). \leq 10.0% Southern U.S. exploitation rate (NMFS ESA consultation standard).
Mid-Hood Canal Summer/Fall	16.2%	TBD Preterminal Southern U.S. exploitation rate consistent with NMFS guidance.
	10.270	TBD Fretenninal Southern 0.5. exploitation fate consistent with Ninr's guidance.
Skokomish Summer/Fall	53.1%	≤ 50.0% Total exploitation rate (NMFS ESA consultation standard).
Nooksack Spring	12.7%	≤ 10.9% Southern U.S. exploitation rate (NMFS ESA consultation standard).
1 5	TBD	≤ 1.00 ISBM obligation applicable, as this stock lacks a CTC agreed escapement goal. Compliance assessed
		postseason by the PSC.
Skagit Summer/Fall	16.7%	≤ 15.0% Southern U.S. exploitation rate (NMFS ESA consultation standard).
	0.60	≤ 0.95 ISBM obligation applicable, escapement goal not expected to be met. Compliance assessed postseason by the PSC.
Skagit Spring	25.4%	≤ 36.0% Total exploitation rate (NMFS ESA consultation standard).
		≤ 0.95 ISBM obligation not applicable, escapement goal expected to be met. Compliance assessed postseason by the PSC.
Stillaguamish Summer/Fall	11.8%	≤ 9.0% Southern U.S. exploitation rate (NMFS ESA consultation standard).
	0.85	≤ 1.00 ISBM obligation applicable, as this stock lacks a CTC agreed escapement goal. Compliance assessed postseason by the PSC.
Snohomish Summer/Fall	9.9%	≤ 8.3% Southern U.S. exploitation rate limit (NMFS ESA consultation standard).
	1.02	≤ 1.00 ISBM obligation applicable, as this stock lacks a CTC agreed escapement goal. Compliance assessed postseason by the PSC.
Lake Washington Summer/Fall	0.651	≥ 0.500 Natural spawning escapement in the Cedar River (NMFS ESA consultation standard).
Green River Summer/Fall	3.493	≥ 2.744 Natural spawning escapement in the Green River (NMFS ESA consultation standard).
White River Spring	17.2%	≤ 22.0% Southern U.S. exploitation rate (NMFS ESA consultation standard).
Puyallup Summer/Fall	3.053	>1.170 Natural spawning escapement in the Puyallup River (NMFS ESA consutation standard).
Nisqually River Summer/Fall	47.5%	≤ 47.0% Total exploitation rate (NMFS ESA consultation standard).
Puget Sound Spring	2.1%	≤ 3.0% Exploitation rate in PFMC fisheries (NMFS ESA consultation standard).
Puget Sound Summer/Fall	5.7%	≤ 6.0% Exploitation rate in PFMC fisheries (NMFS ESA consultation standard).

Preseason Report II, TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2024 ocean fishery Alternatives - STT analyzed^{a/} (Page 1 of 5)

		2024
Key Stock/Criteria	Projected	Criteria Spawner Objective or Other Comparative Standard as Noted b/
CHINOOK	CHINOOK	CHINOOK
WASHINGTON COAST:		
Hoko Fall	3.124	0.85 FMP MSY spawning escapement objective.
	1.8%	≤ 10.0% Calendar year exploitation rate ISBM obligation. Compliance assessed postseason by the PSC.
Quillayute Fall	>3.0	3.0 FMP MSY spawning escapement objective.
		< 0.85 ISBM obligation applicable when escapement goal is not met. Compliance assessed postseason by the PSC.
Hoh Fall	>1.2	1.2 FMP MSY spawning escapement objective.
		< 0.85 ISBM obligation applicable when escapement goal is not met. Compliance assessed postseason by the PSC.
Queets Fall	>2.5	2.5 FMP MSY spawning escapement objective.
		< 0.85 ISBM obligation applicable when escapement goal is not met. Compliance assessed postseason by the PSC.
Grays Harbor Fall	>13.3	13.3 FMP MSY spawning escapement objective.
		≤ 0.85 ISBM obligation applicable when escapement goal is not met. Compliance assessed postseason by the PSC.
COLUMBIA RIVER:		
Columbia Upriver Brights	262.0	74.0 Minimum ocean escapement to attain 40.0 adults over McNary Dam, with normal distribution and no mainstem harvest. The management goal has been increased to 60.0 by Columbia River managers.
Mid-Columbia Brights	64.3	14.9 Minimum ocean escapement to attain 7.9 for Little White Salmon egg-take, assuming average conversion and no mainstem harvest.
Columbia Lower River Hatchery Tules	85.5	25.0 Minimum ocean escapement to attain 14.8 adults for hatchery egg-take, with average conversion and no lower river mainstem or tributary harvest.
Columbia Lower River Natural Tules	40.2%	≤ 41.0% Total adult equivalent fishery exploitation rate (2024 NMFS ESA guidance).
(threatened)		
Columbia Lower River Wild ^{e/} (threatened)	10.6	6.9 Minimum ocean escapement to attain MSY spawner goal of 5.7 for N. Lewis River fall Chinook (NMFS ESA consultation standard).
Spring Creek Hatchery Tules	129.2	8.2 Minimum ocean escapement to attain 6.0 adults for Spring Creek Hatchery egg-take, assuming average conversion and no mainstem harvest.
Upper Columbia River Summer	52.6	29.0 Aggregate escapement to mouth of Columbia River.
Snake River Fall (threatened) SRFI	53.0%	≤ 70.0% Of 1988-1993 base period exploitation rate for all ocean fisheries (NMFS ESA consultation standard).

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2024 ocean fishery management measures - STT Analyzed.^{a/} (Page 2 of 5)

		2024
Key Stock/Criteria	Projected	Criteria Spawner Objective or Other Comparative Standard as Noted ^{b/}
CHINOOK	CHINOOK	CHINOOK
OREGON COAST:		
Nehalem Fall		≤ 0.85 ISBM obligation applicable when escapement goal is not met. Compliance assessed postseason by the PSC.
Siletz Fall		≤ 0.85 ISBM obligation applicable when escapement goal is not met. Compliance assessed postseason by the PSC.
Siuslaw Fall		≤ 0.85 ISBM obligation applicable when escapement goal is not met. Compliance assessed postseason by the PSC.
South Umpqua		≤ 0.85 ISBM obligation applicable, as this stock lacks a CTC agreed escapement goal. Compliance assessed postseason by the PSC.
Coquille		≤ 0.85 ISBM obligation applicable, as this stock lacks a CTC agreed escapement goal. Compliance assessed postseason by the PSC.
CALIFORNIA:		
Klamath River Fall	36,511	\ge 36,511 2024 minimum natural area adult escapement (reflects Council guidance for KRFC ER \le 20.0%).
Federally recognized tribal harvest	50.0%	50.0% Equals 6,434 adult fish for Yurok and Hoopa Valley tribal fisheries.
Exploitation (spawner reduction) rate	20.0%	≤ 20.0% Council guidance
Adult river mouth return	65.1	NA Total adults in thousands.
Age-4 ocean harvest rate	2.2%	≤ 6.0% NMFS guidance.
KMZ sport fishery share	12.8%	
River recreational fishery share ^{h/}	77.7%	Equals 4,999 adult fish for recreational inriver fisheries.
Sacramento River Winter (endangered)	0.0%	≤ 12.3% Age-3 ocean impact rate in fisheries south of Pt. Arena. In addition, the following season restrictions apply: <u>Recreational</u> - Pt. Arena to Pigeon Pt. between the first Saturday in April and the second Sunday in November; Pigeon Pt. to the U.S./Mexico border between the first Saturday in April and the first Sunday in October. Minimum size limit ≥ 20 inches total length. <u>Commercial</u> - Pt. Arena to the U.S./Mexico border between 30, except Pt. Reyes to Pt. San Pedro between October 1 and 15 (Monday-Friday). Minimum size limit ≥ 26 inches total length (NMFS 2024 ESA
Sacramento River Fall	180.1	≥ 180.000 2024 minimum hatchery and natural area adult escapement (NMFS Guidance).
Sacramento Index Exploitation Rate	15.7%	≤ 42.9% FMP control rule.
Ocean commercial impacts	5.0	Includes fall (Sept-Dec) 2023 impacts (12 SRFC).
Ocean recreational impacts	1.0	Includes fall (Sept-Dec) 2023 impacts (141 SRFC).
River recreational impacts ^{h/}	27.5	27.500 Council guidance

TABLE 5. Projected key stock escapement	(thousands of fish) or management criteria for 2024 ocean fishery management measures - STT Ar	alyzed. ^{a/} (Page 3 of 5)
	2024	

		2024
Key Stock/Criteria	Projected	Criteria Spawner Objective or Other Comparative Standard as Noted ^{b/}
СОНО	соно	СОНО
Interior Fraser (Thompson River)	9.2%(4.5%)	≤ 10.0% 2024 Southern U.S. exploitation rate ceiling; PSC coho agreement.
Skagit	44.4%(3.8%)	\leq 60.0% 2024 total exploitation rate ceiling; FMP matrix ^{d/}
Stillaguamish	38.8%(2.8%)	$\leq 50.0\%$ 2024 total exploitation rate ceiling; FMP matrix ^{d/}
Snohomish	40.7%(2.8%)	\leq 40.0% 2024 total exploitation rate ceiling; FMP matrix ^{d/}
Hood Canal	44.9%(4.2%)	\leq 45.0% 2024 total exploitation rate ceiling; FMP matrix ^{d/}
Strait of Juan de Fuca	12.5%(4.1%)	\leq 40.0% 2024 total exploitation rate ceiling; FMP matrix ^{d/}
Quillayute Fall	9.6	6.3 FMP MSY adult spawner estimate. Value depicted is ocean escapement.
	42.1%	\leq 39% PST total exploitation rate constraint for 2024. ^{d/f/}
Hoh	4.1	2.0 FMP MSY adult spawner estimate. Value depicted is ocean escapement.
	53.1%	\leq 59% PST total exploitation rate constraint for 2024. ^{d/f/}
Queets Wild	10.6	5.8 FMP MSY adult spawner estimate. Value depicted is ocean escapement.
	41.0%	$\leq 55\%$ PST total exploitation rate constraint for 2024. d/f/
Grays Harbor	73.8	35.4 FMP MSP natural area adult spawner estimate. Value depicted is ocean escapement.
Glays harbor	55.5%	$\leq 57\%$ PST total exploitation rate constraint for 2024. ^{d/f/}
Willong Dev	34.6	17.2 FMP MSY natural area adult spawner estimate. Value depicted is ocean escapement.
Willapa Bay	0110	
Lower Columbia River Natural	16.5%	≤23.0% Total marine and mainstem Columbia R. fishery exploitation rate (2024 NMFS ESA guidance).
(threatened)		Value depicted is marine ER before Buoy 10.
Upper Columbia	58.4%	≥ 50% Minimum percentage of the run to Bonneville Dam.
Columbia River Hatchery Early	142.0	77.2 Minimum ocean escapement to attain hatchery egg-take goal of 21.7 early adult coho,
		with average conversion and no mainstem or tributary fisheries.
Columbia River Hatchery Late	100.4	9.7 Minimum ocean escapement to attain hatchery egg-take goal of 6.4 late adult coho,
Oregon Coastal Natural ^{c/}	27.5%	with average conversion and no mainstem or tributary fisheries. ≤ 30.0% Marine and freshwater fishery exploitation rate (NMFS ESA consultation standard).
Southern Oregon/Northern California	27.5%	\$ 30.0% Manne and restiwater listiery exploitation rate (NMFS ESA consultation standard).
Coast (threatened)		
Trinity Natural	16.1%	≤ 16.0% Total exploitation rate ceiling (NMFS ESA consultation standard).
Klamath Natural	8.5%	≤ 15.0% Total exploitation rate ceiling (NMFS ESA consultation standard).
Rogue Natural	7.5%	≤ 15.0% Total exploitation rate ceiling (NMFS ESA consultation standard).
Other Natural	2.6%	≤ 15.0% Total exploitation rate ceiling (NMFS ESA consultation standard).

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2024 ocean fishery management measures - STT Analyzed.^{a/} (Page 4 of 5)

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2024 ocean fishery management measures - STT Analyzed.^{a/} (Page 5 of 5)

a/ Reflects 2024 fisheries and abundance estimates.

b/ ISBM obligation is assessed as a proportion of the 2009-2015 average calendar year exploitation rate. Ocean escapement is the number of salmon escaping ocean fisheries and entering freshwater with the following clarifications. Ocean escapement for Puget Sound stocks is the estimated number of salmon entering Area 4B that are available to U.S. net fisheries in Puget Sound and spawner escapement after impacts from the Canadian, U.S. ocean, and Puget Sound troll and recreational fisheries have been deducted. Numbers in parentheses represent Council area ERs for Puget Sound coho stocks. For Columbia River early and late coho stocks, ocean escapement represents the number of coho after the Buoy 10 fishery. Values reported for Klamath River fall Chinook, Grays Harbor coho, and Willapa Bay coho are natural area adult spawners. Values reported for Sacramento River fall Chinook are hatchery and natural area adult spawners.

c/ Includes projected impacts of inriver fisheries that have not yet been shaped.

d/ Annual management objectives may be different than FMP goals, and are subject to agreement between WDFW and the treaty tribes under U.S. District Court orders. It is anticipated that fishery management will be adjusted by state and tribal comanagers during the preseason planning process to comply with stock management objectives.

e/ Includes minor contributions from East Fork Lewis River and Sandy River.

f/ Management criteria depicted represent the lower of the FMP and PST Southern Coho Management Plan ER constraints in a given year (see Table III-5 in most recent Preseason Report I). PST ER constraints represent an approximation of the maximum ER associated with achieving the escapement goal. Per the provisions of the PST Southern Coho Management Plan, Parties may request increases to management unit specific ER caps, so long as it occurs prior to March 31 in a given year.

h/ projected impacts of inriver fisheries that have not yet been shaped. California's inland fishery regulations are developed by the California Fish and Game Commission.

Preseason Report II, TABLE 7. Expected coastwide exploitation rates by fishery for 2024 ocean fisheries management Alternatives for lower Columbia Natural (LCN) coho, Oregon coastal natural (OCN) coho, Lower Columbia River (LCR) tule Chinook, and Southern Oregon Northern California Coastal (SONCC) coho salmon by natural-origin subcomponent - STT Analyzed (Page 1 of 2).

	E	Exploitation Rate (Pe	ercent)
Fishery	LCN Coho	OCN Coho	Chinook
SOUTHEAST ALASKA	0.0%	0.0%	1.9%
BRITISH COLUMBIA	0.2%	0.5%	14.0%
PUGET SOUND/STRAIT	0.2%	0.0%	0.4%
NORTH OF CAPE FALCON			
Treaty Indian Ocean Troll	2.1%	0.5%	2.1%
Recreational	5.7%	1.0%	4.4%
Non-Indian Troll	1.6%	0.3%	5.9%
SOUTH OF CAPE FALCON			
Recreational:			0.2%
Cape Falcon to Humbug Mt.	5.7%	14.4%	-
Humbug Mt. to OR/CA border (KMZ)	0.1%	0.5%	-
OR/CA border to Lat.40°10' N. (KMZ)	0.0%	0.0%	-
Fort Bragg	0.0%	0.0%	-
South of Pt. Arena	0.0%	0.0%	-
Troll:			0.8%
Cape Falcon to Humbug Mt.	0.8%	1.2%	-
Humbug Mt. to OR/CA border (KMZ)	0.0%	0.0%	-
OR/CA border to Lat. 40°10' N. (KMZ)	0.0%	0.0%	-
Fort Bragg	0.0%	0.0%	-
South of Pt. Arena	0.0%	0.0%	-
BUOY 10	3.2%	0.2%	10 6%
ESTUARY/FRESHWATER	NA	8.9%	10.6%
TOTAL ^{a/}	16.5%	27.5%	40.2%

TABLE 7. Expected coastwide exploitation rates by fishery for 2024 ocean fisheries management measures for lower Columbia Natural (LCN) coho, Oregon coastal natural (OCN) coho, Lower Columbia River (LCR) tule Chinook, and Southern Oregon Northern California Coastal (SONCC) coho salmon by natural-origin subcomponent - STT Analyzed (Page 2 of 2).

		Exploitation F	Rate (Percent)	
Fishery	Trinity Natural	Klamath Natural	Rogue Natural	Other SONCC
SOUTHEAST ALASKA	0.0%	0.0%	0.0%	0.0%
BRITISH COLUMBIA	0.4%	0.4%	0.4%	0.4%
PUGET SOUND/STRAIT	0.0%	0.0%	0.0%	0.0%
NORTH OF CAPE FALCON				
Treaty Indian Ocean Troll	0.0%	0.0%	0.0%	0.0%
Recreational	0.0%	0.0%	0.0%	0.0%
Non-Indian Troll	0.0%	0.0%	0.0%	0.0%
SOUTH OF CAPE FALCON				
Recreational:				
Cape Falcon to Humbug Mt.	0.9%	0.9%	0.9%	0.9%
Humbug Mt. to OR/CA border (KMZ)	1.1%	1.1%	1.1%	1.1%
OR/CA border to Lat.40°10' N. (KMZ)	0.0%	0.0%	0.0%	0.0%
Fort Bragg	0.0%	0.0%	0.0%	0.0%
South of Pt. Arena	0.0%	0.0%	0.0%	0.0%
Troll:				
Cape Falcon to Humbug Mt.	0.2%	0.2%	0.2%	0.2%
Humbug Mt. to OR/CA border (KMZ)	0.0%	0.0%	0.0%	0.0%
OR/CA border to Lat. 40°10' N. (KMZ)	0.0%	0.0%	0.0%	0.0%
Fort Bragg	0.0%	0.0%	0.0%	0.0%
South of Pt. Arena	0.0%	0.0%	0.0%	0.0%
BUOY 10	0.0%	0.0%	0.0%	0.0%
ESTUARY/FRESHWATER	13.5%	5.9%	4.9%	0.0%
TOTAL ^{a/}	16.1%	8.5%	7.5%	2.6%

a/ Totals do not include Buoy 10 and estuary/freshwater for LCN. For OCN, SONCC, and LCR Tule Chinook, includes projected impacts of inriver fisheries that have not yet been shaped. Bolded values identify ocean exploitation rates that, when combined with freshwater harvest rates, would exceed the total allowable exploitation rate.

Table A-1. Sacramento River winter Chinook ag	ge-3 ocean impact rate south of Pt. Arena b	y month, area, and fishery. Max rate: 12.3%.
---	---	--

Commercial														Rec	reation	al				
	Total																			
Port									Year	Port										Year
Area	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total	Area	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
SF									0.00	SF										0.00
MO									0.00	МО										0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

0% total impact rate

SF

Pt. Arena to Pigeon Pt. (San Francisco) Pigeon Pt. to the U.S./Mexico Border (Monterey) MO

	Commercial														Rec	reatio	nal						
Port	Fall 2022 Summer 2023 Summer Year										Port		Fall 20	22		5	Summe	r 2023		5	Summer		
Area	Sep	Oct-Dec	Mar	Apr	May	Jun	Jul	Aug	Total	Total	Area	Sep	Oct	Nov-Dec	Mar	Apr	May	Jun	Jul	Aug	Total	Total	
NO	0	0		10	7	16	109	286	428	428	NO	33	0	0	0	11	0	0	24	91	126	159	
CO	0	0		58	18	297	109	18	500	500	СО	0	0	0	0	0	0	3	7	156	166	166	
KO				0					0	0	KO						5	96	9	74	184	184	
KC											KC												
FB											FB												
SF											SF												
MO											MO												
Total	0	0		68	25	313	217	303	926	926	Total	33	0	0	0	11	5	99	40	321	476	509	

Table A-2. Klamath River fall Chinook ocean harvest in numbers of fish by month, area, and fishery.

36,511 natural area spawners, 20.0% spawner reduction rate, 2.2% age-4 ocean harvest rate

- NO Cape Falcon to S. End of Heceta Bank
- FB Southern KMZ Boundary to Pt. Arena (Fort Bragg) SF Pt. Arena to Pigeon Pt. (San Francisco)
- CO S. End of Heceta Bank to Humbug Mt.
- KO Humbug Mt. to OR/CA Border (Oregon KMZ) MO Pigeon Pt. to U.S./Mexico Border (Monterey)
- KC OR/CA Border to latitude 40°10' N. (California KMZ)
- MO FIGEOITEL LO 0.3./MEXICO BOIDEL (MOILLEIEY)

23

Ŭ																						
	Commercial														R	ecreat	ional					
Port	Port Fall 2023 Summer 2024								Summer	Year	Port	<u> </u>	Fall 2023				Summe	r 2024		5	Summer	Year
Area	Sep O	ct-Dec	Mar	Apr	May	Jun	Jul	Aug	Total	Total	Area	Sep	Oct N	ov-Dec	Mar	Apr	May	Jun	Jul	Aug	Total	Total
NO	0	0		9	7	8	85	172	281	281	NO	21	0	0	0	3	0	0	7	26	36	57
CO	0	0		54	17	258	81	15	425	425	CO	0	0	0	0	0	0	1	2	44	47	47
KO				0					0	0	KO						2	27	3	23	55	55
KC											KC											
FB											FB											
SF											SF											
MO											MO											
Total	0	0		64	23	267	166	187	707	707	Total	21	0	0	0	3	2	28	11	92	136	157

Table A-3. Klamath River fall Chinook age-4 ocean harvest by month, area, and fishery.

36,511 natural area spawners, 20.0% spawner reduction rate, 2.2% age-4 ocean harvest rate

NO Cape Falcon to S. End of Heceta Bank

FB Southern KMZ Boundary to Pt. Arena (Fort Bragg)

CO S. End of Heceta Bank to Humbug Mt. SF Pt. Arena to Pigeon Pt. (San Francisco)

KO Humbug Mt. to OR/CA Border (Oregon KN MO Pigeon Pt. to U.S./Mexico Border (Monterey)

KC OR/CA Border to latitude 40°10' N. (California KMZ)

	Commercial											Recreational										
Port	rt <u>Fall 2023</u> Summer 2024 Summer Ye								Year	Port		Fall 20	23			Summe	2024		Summer Y			
Area	Sep	Oct-Dec	Mar	Apr	May	Jun	Jul	Aug	Total	Total	Area	Sep	Oct	Nov-Dec	Mar	Apr	May	Jun	Jul	Aug	Total	Total
NO	0	0		952	766	314	501	378	2,911	2,911	NO	0	0	0	3	0	3	71	220	76	373	373
CO	0	12		691	738	588	65	32	2,114	2,126	со	141	0	0	0	7	3	36	124	38	208	349
KO											ко						13	90	136	60	299	299
KC											КС			1								
FB											FB											
SF											SF											
MO											MO											
Total	0	12		1,643	1,504	902	566	410	5,025	5,037	Total	141	0	0	3	7	19	198	480	175	882	1,023

Table A-4. Sacramento River fall Chinook ocean impacts in numbers of fish by fishery and Alternative.

NO Cape Falcon to S. End of Heceta Bank

FB Southern KMZ Boundary to Pt. Arena (Fort Bragg)

CO S. End of Heceta Bank to Humbug Mt.

KC OR/CA Border to latitude 40°10' N. (California KMZ)

SF Pt. Arena to Pigeon Pt. (San Francisco) KO Humbug Mt. to OR/CA Border (Oregon KMZ) MO Pigeon Pt. to U.S./Mexico Border (Monterey)

25