
APPENDIX D

HISTORICAL ECONOMIC DATA

LIST OF TABLES

	<u>Page</u>
Table D-1. California monthly troll chinook and coho average dressed weights by area of landing	D-1
Table D-2. Oregon monthly troll chinook and coho salmon average dressed weights	D-4
Table D-3. Washington monthly troll chinook and coho salmon average dressed weights	D-5
Table D-4. California troll combined chinook and coho salmon landings in dressed weight, value of landings and number of registered vessels making commercial salmon landings	D-7
Table D-5. Oregon troll combined chinook and coho salmon landings in dressed weight, value of landings and number of registered vessels making commercial salmon landings	D-8
Table D-6. Washington non-Indian troll combined chinook and coho salmon landings in dressed weight, value of landings, and number of registered vessels making commercial salmon landings	D-9
Table D-7. California salmon troll boat-size catch statistics in pounds of dressed salmon	D-10
Table D-8. Oregon salmon troll boat-size catch statistics in pounds of dressed salmon	D-13
Table D-9. Washington non-Indian salmon troll boat-size catch statistics in pounds of dressed salmon	D-15
Table D-10. Preliminary California salmon landings and exvessel values by vessel size categories and ports from Crescent City to Morro Bay south, 2002	D-17
Table D-11. Preliminary 2002 Washington non-Indian troll salmon landings and exvessel value by vessel size categories and port areas	D-18
Table D-12. California number of vessels landing 50% and 90% of total pounds of salmon troll catch each year	D-19
Table D-13. Oregon number of vessels landing 50% and 90% of total pounds of salmon troll catch each year	D-20
Table D-14. Washington number of vessels landing 50% and 90% of non-Indian troll salmon catch	D-21
Table D-15. Preliminary 2002 California, Oregon, and Washington troll fleet by home state and salmon landings and exvessel value	D-22
Table D-16. Vessels landing salmon in California by vessel length and skipper's state of residence	D-23
Table D-17. Percentages of vessels landing troll salmon in Oregon by license holder's state of residence	D-24

LIST OF TABLES (continued)

	<u>Page</u>
Table D-18. Percentages of vessels landing non-Indian troll salmon in Washington by license holder's state of residence	D-25
Table D-19. Number of California charter boats participating in the ocean recreational salmon fishery, by port area and activity level	D-26
Table D-20. Number of charter boats licensed in Oregon	D-27
Table D-21. Number of salmon charter boats licensed in Washington	D-28
Table D-22. Price index	D-29

TABLE D-1. California monthly troll chinook and coho average dressed weights (pounds) by area of landing. (Page 1 of 3)

Year	Apr.	May	June	July	Aug.	Sept.	Oct.	Season	May	June	July	Aug.	Sept.	Season ^{a/}
CHINOOK														
COHO														
Crescent City														
1976-1980	9.1	8.5	8.6	9.1	9.8	8.9	-	8.9	3.9	4.3	6.4	7.1	7.1	5.0
1981	-	8.9	9.7	8.8	9.4	9.1	-	9.2	3.9	4.4	6.0	6.8	7.1	5.6
1982	-	8.0	8.8	9.9	9.7	9.3	-	9.4	3.9	4.9	5.9	6.5	6.5	5.9
1983	-	6.8	7.6	7.6	7.2	-	-	7.5	-	4.4	4.3	4.5	-	4.4
1984	-	7.1	7.2	7.9	8.4	-	-	7.9	-	-	-	7.7	-	7.7
1985	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	9.1	8.3	9.5	8.6	9.1	-	8.7	-	4.7	5.0	-	-	4.8
1987	-	10.2	8.8	9.9	-	10.2	-	8.9	-	5.3	5.5	-	5.5	5.4
1988	-	9.0	9.1	-	-	9.0	-	9.1	-	5.4	-	-	5.6	5.4
1989	-	11.7	12.2	-	9.2	-	-	11.8	-	4.6	-	4.5	-	4.6
1990	-	-	-	-	9.7	-	-	9.7	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	8.3	10.6	-	9.6	-	-	-	-	-	-
1997	-	-	-	-	-	10.0	-	10.0	-	-	-	-	-	-
1998	-	-	-	-	-	8.9	-	8.9	-	-	-	-	-	-
1999	-	-	-	-	-	10.6	-	10.6	-	-	-	-	-	-
2000	-	-	-	-	-	10.7	-	10.7	-	-	-	-	-	-
2001	-	-	-	-	-	13.8	-	13.8	-	-	-	-	-	-
2002 ^{b/}	-	-	-	-	13.4	12.1	10.9	12.2	-	-	-	-	-	-
Eureka														
1976-1980	7.8	8.1	8.4	8.6	9.8	9.5	-	8.4	3.1	4.3	6.2	7.1	6.8	4.3
1981	-	7.6	8.9	9.5	9.4	10.0	-	8.5	3.7	4.6	5.9	6.7	6.7	5.7
1982	-	7.8	9.4	9.6	10.9	9.2	-	9.0	5.1	5.3	5.8	6.6	6.4	5.9
1983	-	7.2	7.6	8.0	7.9	-	-	7.6	5.0	4.3	4.3	5.0	-	4.4
1984	-	7.2	7.0	8.7	8.4	-	-	7.9	-	-	7.6	6.6	-	6.8
1985	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	8.1	10.1	10.8	10.9	-	9.6	-	5.1	5.6	5.9	6.9	5.2
1987	-	-	8.9	-	-	8.2	-	8.8	-	5.2	-	-	6.5	5.3
1988	-	-	8.7	-	-	9.1	-	8.8	-	5.6	-	-	6.1	5.7
1989	-	-	10.3	-	9.9	9.6	9.5	10.0	-	4.7	-	4.9	6.3	4.9
1990	-	-	-	-	9.9	8.4	9.7	9.5	-	-	-	5.7	5.3	5.3
1991	-	-	-	-	-	9.5	17.7	10.1	-	-	-	-	6.2	6.2
1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	11.9	10.3	-	10.7	-	-	-	-	-	-
1997	-	-	-	-	-	10.0	-	10.0	-	-	-	-	-	-
1998	-	-	-	-	-	8.9	-	8.9	-	-	-	-	-	-
1999	-	-	-	-	-	10.4	-	10.4	-	-	-	-	-	-
2000	-	-	-	-	-	10.9	-	10.9	-	-	-	-	-	-
2001	-	-	-	-	-	11.5	-	11.5	-	-	-	-	-	-
2002 ^{b/}	-	-	-	-	11.4	12.1	-	12.0	-	-	-	-	-	-

TABLE D-1. California monthly troll chinook and coho average dressed weights (pounds) by area of landing. (Page 2 of 3)

Year	Apr.	May	June	July	Aug.	Sept.	Oct.	Season	May	June	July	Aug.	Sept.	Season ^{a/}
CHINOOK														
COHO														
Fort Bragg														
1976-1980	9.1	8.6	9.4	10.8	10.2	10.5	-	10.1	3.9	4.9	6.7	6.9	7.6	5.4
1981	-	8.5	10.5	9.6	9.8	10.5	-	9.7	3.7	5.0	6.1	6.2	7.5	5.8
1982	7.6	9.7	10.8	10.0	11.6	9.9	-	10.1	4.2	6.2	6.1	6.5	7.1	6.2
1983	-	7.1	7.6	7.7	8.4	8.2	-	7.7	6.0	4.2	4.7	5.3	5.5	4.6
1984	-	7.1	10.0	8.8	8.9	9.7	-	9.0	-	7.4	7.3	7.8	8.6	7.4
1985	-	12.5	13.0	11.7	12.9	12.0	-	12.3	-	7.1	7.5	7.3	7.6	7.4
1986	-	8.6	8.4	7.9	9.2	9.3	-	8.4	-	4.9	5.9	6.4	6.1	5.6
1987	-	9.2	10.2	9.6	9.7	10.2	-	9.7	-	5.7	5.8	-	6.4	5.8
1988	-	9.6	10.8	10.1	11.5	10.5	-	10.3	-	5.9	6.6	7.3	6.8	6.4
1989	-	9.7	12.0	9.8	9.3	10.9	-	10.0	-	5.3	5.6	6.0	5.4	5.7
1990	-	9.4	9.5	9.0	10.9	9.5	-	9.4	-	4.8	5.1	6.0	6.4	5.0
1991	-	-	-	-	10.5	9.5	-	10.5	-	-	-	6.4	-	6.4
1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	8.2	-	-	-	9.4	-	9.4	-	-	-	-	-	-
1994	-	-	-	-	-	11.0	-	11.0	-	-	-	-	-	-
1995	-	-	-	-	-	11.7	-	11.7	-	-	-	-	-	-
1996	-	-	-	-	11.0	11.7	-	11.2	-	-	-	-	-	-
1997	-	-	-	-	-	9.3	-	9.3	-	-	-	-	-	-
1998	-	-	-	-	-	12.2	-	12.2	-	-	-	-	-	-
1999	-	-	-	-	-	12.2	-	12.2	-	-	-	-	-	-
2000	-	-	-	-	-	11.5	-	11.5	-	-	-	-	-	-
2001	-	12.3	-	-	-	13.0	-	12.8	-	-	-	-	-	-
2002 ^{b/}	-	-	-	11.7	13.8	15.4	-	13.4	-	-	-	-	-	-
San Francisco														
1976-1980	8.5	8.9	9.9	10.8	11.4	11.6	-	9.9	4.2	5.0	6.8	6.8	7.7	5.2
1981	-	8.6	9.8	11.3	11.3	9.9	-	10.4	4.0	6.7	7.0	5.6	10.2	6.4
1982	7.5	9.0	10.1	10.4	11.0	11.2	-	9.9	4.4	5.6	6.6	7.2	7.9	6.2
1983	6.1	6.3	6.9	7.5	8.5	8.3	-	7.1	5.5	3.8	4.6	5.1	4.3	4.6
1984	-	8.0	8.5	9.2	8.8	8.6	-	8.9	-	6.9	7.9	7.6	8.7	7.6
1985	-	10.9	11.8	14.2	12.9	12.4	-	12.2	-	6.6	7.4	7.4	7.9	6.9
1986	-	8.3	8.8	9.4	11.0	13.6	-	9.1	-	5.4	6.2	6.6	5.5	6.0
1987	-	10.1	11.4	11.3	12.3	11.5	-	10.9	-	5.7	5.9	-	-	5.8
1988	-	9.5	11.9	11.7	13.5	12.5	-	11.2	-	6.4	7.2	7.6	7.1	6.9
1989	-	9.1	10.0	11.7	11.9	11.2	-	10.0	-	5.7	5.9	6.1	5.8	5.8
1990	-	9.1	9.1	10.5	13.5	11.9	-	9.5	-	5.0	5.4	6.4	6.5	5.2
1991	-	9.4	10.4	10.8	11.8	10.8	-	10.4	-	5.3	5.9	6.4	-	5.6
1992	-	8.2	-	-	11.0	12.4	-	11.5	-	-	-	4.8	-	4.8
1993	-	7.7	7.8	9.8	9.7	11.3	-	8.8	-	-	-	-	-	-
1994	-	9.1	10.1	10.5	10.4	11.7	-	10.1	-	-	-	-	-	-
1995	-	8.4	8.8	9.8	13.5	12.8	-	9.3	-	-	-	-	-	-
1996	-	9.4	9.4	10.8	12.5	12.9	-	10.3	-	-	-	-	-	-
1997	-	10.0	10.2	11.1	12.4	12.3	-	10.7	-	-	-	-	-	-
1998	-	7.1	7.5	7.9	10.8	11.7	-	8.5	-	-	-	-	-	-
1999	9.9	12.0	12.4	13.7	14.1	13.7	-	13.1	-	-	-	-	-	-
2000	-	8.7	9.6	11.8	12.6	14.1	-	10.4	-	-	-	-	-	-
2001	-	10.9	12.9	12.8	14.2	14.8	16.8	12.7	-	-	-	-	-	-
2002 ^{b/}	-	11.4	12.9	12.7	14.7	15.2	14.9	12.6	-	-	-	-	-	-

TABLE D-1. California monthly troll chinook and coho average dressed weights (pounds) by area of landing. (Page 3 of 3)

Year	Apr.	May	June	July	Aug.	Sept.	Oct.	Season	May	June	July	Aug.	Sept.	Season ^{a/}
	CHINOOK							COHO						
Monterey														
1976-1980	8.5	9.3	9.2	10.9	13.2	10.0	-	9.9	4.4	4.9	6.7	7.2	5.6	5.1
1981	-	7.2	9.3	8.5	11.8	8.7	-	8.0	5.0	4.0	6.9	5.5	10.0	5.7
1982	8.3	9.1	10.1	10.8	10.8	11.9	-	9.7	6.7	5.5	5.8	8.7	10.4	6.9
1983	6.3	6.4	7.0	7.9	8.4	9.5	-	7.1	4.4	3.9	5.0	5.9	5.3	4.2
1984	-	7.8	8.3	9.8	9.5	8.6	-	8.4	-	6.7	7.9	10.7	-	7.0
1985	-	12.5	13.5	15.0	14.8	12.3	-	13.1	-	5.9	6.9	7.4	7.5	6.5
1986	-	8.8	9.7	10.1	11.5	11.0	-	9.4	-	5.0	7.4	6.8	8.0	6.3
1987	-	11.6	12.3	12.3	11.1	11.4	-	11.9	-	5.6	5.6	-	5.2	5.6
1988	-	10.1	12.5	15.0	16.6	12.5	-	12.3	-	5.8	5.1	6.1	-	5.8
1989	-	11.1	11.9	12.4	12.4	12.1	-	11.7	-	6.1	5.8	6.7	6.2	6.1
1990	-	9.8	10.2	11.3	9.7	11.8	-	10.3	-	5.3	6.4	6.3	6.3	5.6
1991	-	9.7	14.2	13.0	12.1	13.0	-	12.6	-	5.2	6.0	6.6	-	5.4
1992	-	8.6	9.3	9.1	9.9	9.7	-	9.0	-	4.3	5.2	4.4	-	4.5
1993	-	8.7	9.2	11.0	10.7	10.9	-	9.4	-	-	-	-	-	-
1994	-	10.9	11.6	12.5	12.8	10.0	-	11.8	-	-	-	-	-	-
1995	-	9.2	10.2	11.0	12.9	12.0	-	10.2	-	-	-	-	-	-
1996	-	10.4	11.3	12.6	11.7	11.2	-	11.3	-	-	-	-	-	-
1997	10.6	10.6	10.5	11.9	-	10.0	-	10.9	-	-	-	-	-	-
1998	-	7.5	7.2	7.4	11.1	8.1	-	7.4	-	-	-	-	-	-
1999	11.5	13.6	13.3	15.7	12.6	11.0	-	13.6	-	-	-	-	-	-
2000	-	9.6	13.0	14.4	12.1	-	-	10.9	-	-	-	-	-	-
2001 ^{b/}	-	11.5	11.9	12.6	11.0	14.7	-	11.6	-	-	-	-	-	-
2002 ^{b/}	-	11.1	13.5	14.4	13.4	13.9	-	13.0	-	-	-	-	-	-
Total Statewide														
1976-1980	8.4	8.6	9.1	10.3	10.7	10.5	-	9.5	3.5	4.5	6.5	7.0	7.1	4.9
1981	-	8.0	10.1	10.3	10.0	9.7	-	9.4	3.8	4.6	6.0	6.7	7.1	5.7
1982	7.9	8.8	10.0	10.2	10.7	10.4	-	9.7	4.9	5.4	6.0	6.6	6.8	6.0
1983	6.2	6.5	7.4	7.7	8.3	8.4	-	7.3	5.0	4.3	4.4	5.0	4.8	4.4
1984	-	7.5	8.5	9.1	8.8	9.3	-	8.7	-	6.8	7.7	7.2	8.6	7.4
1985	-	11.6	12.4	12.7	13.0	12.2	-	12.3	-	7.0	7.5	7.3	7.6	7.3
1986	-	8.6	8.8	8.9	10.3	11.6	-	9.0	-	5.0	6.0	6.4	6.1	5.5
1987	-	10.1	10.4	10.3	10.7	10.5	-	10.3	-	5.4	5.8	-	6.4	5.6
1988	-	9.7	11.3	11.3	12.9	11.0	-	11.0	-	5.8	6.6	7.4	6.2	6.3
1989	-	9.7	10.7	10.7	10.4	10.9	9.5	10.3	-	5.1	5.7	5.9	5.9	5.5
1990	-	9.4	9.5	10.4	11.3	10.1	9.7	9.7	-	4.9	5.4	6.2	5.6	5.1
1991	-	9.5	11.9	11.6	11.2	10.4	17.7	11.0	-	5.3	5.9	6.4	6.2	5.6
1992	-	8.6	9.3	9.1	10.9	12.1	-	10.0	-	4.3	5.2	4.8	-	4.5
1993	-	8.2	8.7	10.2	9.9	9.7	-	9.1	-	-	-	-	-	-
1994	-	9.7	10.3	11.2	10.5	11.4	-	10.5	-	-	-	-	-	-
1995	-	8.8	9.5	10.5	13.2	12.4	-	9.8	-	-	-	-	-	-
1996	-	10.2	10.2	11.8	11.7	11.9	-	10.8	-	-	-	-	-	-
1997	10.6	10.3	10.4	11.5	12.4	11.7	-	10.8	-	-	-	-	-	-
1998	-	7.4	7.3	7.9	10.8	11.3	-	8.1	-	-	-	-	-	-
1999	9.9	12.8	12.8	14.0	14.1	12.8	-	13.2	-	-	-	-	-	-
2000	-	9.2	11.1	12.4	12.6	12.7	-	10.7	-	-	-	-	-	-
2001 ^{b/}	-	11.2	12.6	12.8	14.1	13.5	16.8	12.5	-	-	-	-	-	-
2002 ^{b/}	-	11.3	13.1	12.8	14.0	13.8	12.5	12.8	-	-	-	-	-	-

a/ Season average includes minor catches for Oct. where appropriate.

b/ Preliminary.

TABLE D-2. Oregon monthly troll chinook and coho salmon average dressed weights (pounds). (Page 1 of 1)

Year or Average	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season
CHINOOK										
1971-1975	-	9.4	10.8	10.4	10.1	9.2	11.0	16.3	-	10.2
1976	-	10.2	10.3	10.8	10.5	9.7	10.6	11.7	-	10.4
1977	-	8.8	10.5	10.5	10.0	9.4	11.0	14.1	-	10.2
1978	-	9.6	9.8	9.9	9.2	9.5	12.0	18.5	-	9.9
1979	-	11.9	9.9	11.0	10.2	10.9	9.0	16.3	-	10.5
1980	-	10.7	10.5	10.6	10.3	9.8	9.9	16.4	-	10.4
1981	-	9.2	9.1	10.7	9.8	8.6	10.5	14.4	-	9.8
1982	-	9.4	10.4	10.4	10.0	8.8	9.8	12.9	-	10.1
1983	-	8.8	8.0	7.9	7.8	8.8	10.1	11.7	-	8.2
1984	-	8.6	8.5	8.5	8.2	9.2	16.6	15.4	-	8.5
1985	-	9.1	9.3	10.0	9.0	8.6	10.6	19.3	-	9.4
1986	-	9.4	8.7	8.5	8.0	7.8	7.5	13.1	-	8.4
1987	-	9.3	9.7	10.2	9.4	8.4	10.8	14.2	-	9.8
1988	-	8.6	9.5	9.5	9.3	10.0	9.3	14.6	-	10.1
1989	-	9.8	9.4	10.5	9.6	10.9	10.5	16.8	-	10.0
1990	-	9.4	10.0	9.4	8.7	9.6	13.8	10.5	-	9.4
1991	-	10.4	9.9	9.7	8.3	8.9	10.4	-	-	9.3
1992	-	9.7	10.3	8.7	8.5	9.7	9.9	-	-	9.2
1993	-	9.5	8.9	9.5	8.2	9.2	10.9	12.5	-	9.3
1994	-	10.6	10.6	8.7	13.0	9.6	13.3	15.6	-	11.3
1995	-	9.5	9.3	9.5	9.1	8.7	8.9	8.9	-	9.0
1996	-	9.8	11.3	12.3	11.2	10.5	10.2	11.1	-	10.9
1997	11.8	11.3	11.0	11.9	9.3	9.1	12.4	15.8	-	10.3
1998	11.1	10.8	11.5	12.7	10.8	10.0	14.4	15.6	-	11.2
1999	9.1	10.8	11.7	11.1	10.2	11.8	15.7	16.3	15.2	11.3
2000	13.0	12.9	12.9	11.9	10.9	9.3	10.0	14.2	13.4	10.9
2001	10.3	10.8	10.3	10.5	10.7	9.8	10.3	13.8	13.2	10.5
2002 ^{a/}	9.9	10.2	10.5	11.2	10.9	11.4	11.1	15.1	14.1	10.9
COHO										
1971-1975	-	-	5.1	6.1	7.0	7.2	7.9	-	-	6.2
1976	-	-	4.1	5.0	5.8	5.7	6.2	-	-	5.0
1977	-	-	4.6	6.0	7.1	6.6	7.6	-	-	5.9
1978	-	-	4.4	4.5	5.1	4.9	5.2	-	-	4.5
1979	-	-	-	6.3	6.8	6.2	-	-	-	6.4
1980	-	-	-	5.5	5.9	6.1	-	-	-	5.7
1981	-	-	-	4.8	6.0	-	-	-	-	5.4
1982	-	-	-	5.2	5.6	-	-	-	-	5.2
1983	-	-	-	3.4	3.8	3.6	-	-	-	3.4
1984	-	-	-	-	5.1	-	-	-	-	5.1
1985	-	-	-	5.7	5.9	-	-	-	-	5.8
1986	-	-	4.3	4.4	3.9	-	-	-	-	4.3
1987	-	-	5.0	5.3	5.6	5.9	-	-	-	5.4
1988	-	-	5.2	5.1	5.9	-	-	-	-	5.4
1989	-	-	4.6	4.3	4.7	4.7	-	-	-	4.4
1990	-	-	-	5.1	5.3	5.5	7.2	-	-	5.2
1991	-	-	4.2	4.8	5.1	4.8	-	-	-	4.6
1992	-	-	-	4.0	4.2	-	-	-	-	4.2
1993	-	-	-	3.3	5.2	6.0	-	-	-	5.4
1994	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-
1998	-	-	-	-	-	-	-	-	-	-
1999	-	-	-	-	-	-	-	-	-	-
2000	-	-	-	-	5.9	6.6	-	-	-	5.9
2001	-	-	-	5.0	6.2	6.0	-	-	-	5.6
2002 ^{a/}	-	-	-	-	7.0	-	-	-	-	7.0

a/ Preliminary.

TABLE D-3. Washington monthly troll chinook and coho salmon average dressed weights (pounds).^{a/b/} (Page 1 of 2)

Year	May		June		July		Aug.		Sept.		Oct.		Season ^{c/}	
	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian
1980	10.9	12.0	12.6	-	12.5	13.2	14.2	13.5	10.9	13.1	6.7	-	7.3	13.0
1981	7.3	10.2	9.8	-	10.4	12.8	11.0	13.0	8.1	-	5.7	-	6.7	11.4
1982	8.9	9.7	8.0	-	10.2	12.9	8.4	14.0	5.9	13.6	5.5	-	7.0	11.2
1983	7.1	9.9	8.5	-	9.6	11.8	7.8	12.3	7.2	11.7	5.1	-	6.1	10.5
1984	6.6	9.1	8.8	-	8.1	-	8.6	10.7	8.0	-	4.4	-	5.3	9.4
1985	6.5	9.7	8.9	-	9.8	11.5	10.8	11.1	9.5	-	4.9	-	6.9	10.4
1986	8.3	10.1	7.3	-	8.8	-	8.3	10.3	5.9	-	4.5	-	6.0	10.2
1987	8.2	9.0	6.0	-	10.1	10.6	10.0	-	6.1	-	-	-	6.3	9.5
1988	8.2	10.3	9.6	11.1	10.1	-	9.8	-	8.4	-	5.1	-	7.0	10.6
1989	8.8	10.1	7.7	10.1	9.0	-	9.3	13.2	7.8	12.6	5.1	-	7.1	10.6
1990	7.0	8.0	9.7	12.0	10.1	13.6	8.2	12.7	6.0	11.7	6.2	12.6	7.0	11.1
1991	7.4	10.1	7.9	10.9	8.9	-	8.7	12.7	4.3	12.0	7.9	-	6.5	10.6
1992	6.4	11.3	7.3	12.3	8.3	12.1	8.4	11.5	7.5	-	4.8	-	6.1	11.6
1993	6.3	10.7	7.3	10.8 ^{d/}	8.5	12.0	8.3	11.4	8.4	12.1	8.5	-	7.0	11.0 ^{d/}
1994	9.6	-	9.9	9.3 ^{d/}	11.9	-	-	- ^{d/}	-	- ^{d/}	-	-	8.1	9.3 ^{d/}
1995	5.7	-	6.7	- ^{d/}	6.0	- ^{d/}	7.7	9.1 ^{d/}	6.2	9.4 ^{d/}	4.2	8.3 ^{d/}	6.9	8.4 ^{d/}
1996	5.8	-	6.2	12.9 ^{d/}	-	12.6	7.8	-	6.7	-	-	-	6.9	12.4 ^{d/}
1997	7.3	10.4	6.7	10.9	-	-	8.4	-	9.3	-	-	-	7.4	10.6
1998	11.1	11.4	11.7	12.9	7.4	-	11.0	-	8.2	-	-	-	10.8	11.4
1999	7.1	11.0	8.8	11.1	-	11.9	7.7	11.0	5.6	-	-	-	8.1	11.2
2000	10.6	12.0	9.2	12.0	6.7	-	7.3	10.9	-	10.7	-	-	9.2	11.9
2001	7.4	10.3	9.5	11.7	12.1	12.6	9.7	10.9	8.7	10.1	-	-	9.5	11.4
2002	9.5	11.4	12.9	12.2	11.5	13.1	11.8	14.5	8.3	NA	-	-	11.3	12.6

CHINOOK

TABLE D-3. Washington monthly troll chinook and coho salmon average dressed weights (pounds).^{a/b/} (Page 2 of 2)

Year	May		June		July		Aug.		Sept.		Oct.		Season ^{c/}	
	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian	Treaty Indian	Non-Indian
COHO														
1980	2.5	-	3.4	-	4.3	4.8	5.7	6.0	6.9	5.7	-	-	3.7	5.2
1981	1.7	-	2.9	-	3.9	4.2	4.7	4.7	5.9	5.9	-	5.8	4.5	4.3
1982	2.2	-	3.5	-	4.2	4.7	5.3	4.1	6.5	4.9	-	-	5.3	5.0
1983	3.0	-	3.4	-	3.6	5.0	4.0	4.0	4.8	-	-	-	4.1	4.2
1984	-	-	-	-	3.1	-	5.0	4.5	5.1	-	6.5	-	4.2	4.5
1985	-	-	3.1	-	4.4	4.5	5.5	5.8	5.7	-	-	-	5.0	4.6
1986	-	-	3.0	-	3.5	-	3.9	4.2	-	-	5.8	-	3.4	4.1
1987	-	-	-	-	3.9	4.3	4.3	-	4.6	-	4.6	-	4.1	4.3
1988	-	-	2.6	-	4.1	-	3.9	-	4.4	-	5.0	-	4.0	-
1989	-	-	-	-	4.0	-	4.2	3.8	4.6	4.9	5.0	-	4.3	3.9
1990	-	-	2.9	-	4.6	5.5	4.8	5.2	5.8	6.0	6.2	7.0	4.8	5.6
1991	-	-	-	-	4.1	-	4.8	5.0	3.9	5.6	6.0	-	4.4	5.1
1992	-	-	2.7	-	3.5	3.8	3.4	4.5	2.9	-	3.9	-	3.5	4.1
1993	-	-	-	-	3.4	3.6	4.6	5.0	4.9	5.8	5.7	-	4.6	4.8
1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	3.8	-	4.6	4.2	3.9	4.7	8.0	-	4.6	4.4
1996	-	-	-	-	-	3.8	3.5	4.0	5.3	-	-	-	5.0	4.0
1997	-	-	-	-	-	-	3.4	-	3.9	-	-	-	3.6	-
1998	-	-	-	-	-	-	5.0	-	5.8	-	-	-	5.4	-
1999	-	-	-	-	5.0	4.6	5.0	5.7	-	5.9	-	-	5.0	5.5
2000	-	-	4.0	-	-	-	5.0	5.8	-	6.7	-	-	5.0	5.9
2001	-	-	5.2	-	4.8	5.0	5.6	6.1	6.0	6.8	-	-	5.6	6.0
2002	12.0	-	5.0	-	5.4	10.0	6.6	5.9	5.4	-	-	-	5.8	6.0

a/ Split between treaty Indian and non-Indian beginning in 1979. Treaty Indian statistics include landings from Puget Sound.

b/ All values in this table are based on preliminary information available at the start of each year's review.

c/ Season totals include additional winter treaty Indian troll.

d/ The fishery for chinook was closed north of Cape Falcon, however, chinook were caught off Oregon and landed in Washington.

TABLE D-4. California troll combined chinook and coho salmon landings in dressed weight, value of landings and number of registered vessels making commercial salmon landings.^{a/} (Page 1 of 1)

Year	Dressed Pounds Landed (thousands)	Nominal Exvessel Value (\$ thousands)	Vessels Landing Salmon	Vessels with Permits	Nominal Average Exvessel Value/Vessel (dollars)	Real Average Exvessel Value/Vessel (2002 dollars)
1960	6,221	3,339	1,365	-	2,446	12,096
1961	8,638	4,698	1,615	-	2,909	14,226
1962	6,673	4,023	1,563	-	2,574	12,417
1963	7,849	3,959	1,611	-	2,457	11,723
1964	9,481	5,013	1,774	-	2,826	13,279
1965	9,674	4,989	2,001	-	2,493	11,501
1966	9,447	4,845	1,929	-	2,512	11,262
1967	7,402	3,945	2,137	-	1,846	8,030
1968	6,952	4,014	2,249	-	1,785	7,442
1969	6,151	3,843	2,125	-	1,808	7,194
1970	6,629	5,101	2,065	-	2,470	9,329
1971	8,117	4,757	2,221	-	2,142	7,685
1972	6,423	4,830	2,392	-	2,019	6,941
1973	9,669	8,991	2,848	-	3,157	10,265
1974	8,749	8,013	3,185	-	2,516	7,530
1975	6,925	6,972	3,150	-	2,213	6,065
1976	7,788	10,707	3,526	-	3,037	7,850
1977	5,920	12,074	3,797	-	3,180	7,716
1978	6,788	11,001	4,919	-	2,236	5,075
1979	8,746	19,659	4,593	-	4,280	8,984
1980	6,017	13,149	4,738	-	2,775	5,350
1981	6,012	14,322	4,102	-	3,491	6,160
1982	8,000	19,489	4,013	5,964	4,856	8,077
1983	2,411	4,608	3,223	4,617	1,430	2,284
1984	2,970	7,562	2,569	4,180	2,944	4,535
1985	4,600	11,515	2,308	3,869	4,989	7,453
1986	7,598	15,112	2,582	3,753	5,853	8,557
1987	9,293	25,623	2,442	3,533	10,493	14,911
1988	14,750	41,927	2,571	3,493	16,308	22,421
1989	5,720	13,485	2,534	3,464	5,322	7,045
1990	4,436	12,056	2,115	3,372	5,700	7,262
1991	3,697	9,047	1,769	3,242	5,114	6,303
1992	1,643	4,505	1,085	2,974	4,152	5,009
1993	2,537	5,707	1,240	2,741	4,602	5,407
1994	3,103	6,437	1,024	2,470	6,286	7,233
1995	6,633	11,693	1,104	2,344	10,591	11,932
1996	4,113	5,984	985	2,221	6,075	6,720
1997	5,247	7,288	835	2,076	8,728	9,471
1998	1,847	3,060	670	1,899	4,567	4,894
1999	3,846	7,429	666	1,788	11,155	11,790
2000	5,131	10,303	757	1,725	13,611	14,066
2001	2,408	4,761	689	1,653	6,910	6,986
2002 ^{b/}	4,941	7,660	698	1,581	10,974	10,974

a/ Derived from vessel registrations and fish landing tickets.

b/ Preliminary.

TABLE D-5. **Oregon troll** combined chinook and coho salmon **landings** in dressed weight, value of landings and number of registered vessels making commercial salmon landings.^{a/} (Page 1 of 1)

Year	Dressed Pounds Landed (thousands)	Nominal Exvessel Value (\$ thousands)	Vessels Landing Salmon	Vessels with Permits	Nominal Average Exvessel Value/Vessel (dollars)	Real Average Exvessel Value/Vessel (2002 dollars)
1974	-	7,937	2,253	-	3,523	10,544
1975	-	5,808	2,304	-	2,521	6,907
1976	10,983	14,868	2,770	-	5,368	13,701
1977	6,209	11,484	3,108	-	3,695	8,745
1978	4,673	7,340	3,158	-	2,324	5,274
1979	7,166	16,989	3,114 ^{b/}	-	5,456	11,452
1980	4,362	8,185	3,875 ^{b/}	4,314	2,112	4,072
1981	4,897	9,573	3,615	3,926	2,648	4,672
1982	5,060	9,895	3,269	3,646	3,027	5,034
1983	1,753	2,296	2,951	3,439	778	1,243
1984	621	1,595	771 ^{c/}	3,203	2,069	3,220
1985	2,514	5,774	2,050 ^{d/}	2,993	2,817	4,208
1986	5,275	7,954	2,288	2,739	3,476	5,083
1987	7,098	16,763	2,111	2,626	7,941	11,285
1988	7,723	21,536	2,061	2,597	10,449	14,366
1989	5,528	10,025	1,937	2,569	5,176	6,852
1990	2,815	6,641	1,557	2,528	4,265	5,434
1991	2,106	3,120	1,217	2,044 ^{e/}	2,564	3,159
1992	1,219	2,712	649	2,111	4,179	5,041
1993	770	1,671	612	1,814	2,735	3,208
1994	287	690	371	1,569	1,859	2,140
1995	1,941	3,294	476	1,465	6,920	7,796
1996	1,926	3,007	455	1,377	6,609	7,311
1997	1,542	2,469	433	1,295	5,702	6,187
1998	1,398	2,297	373	1,201	6,159	6,600
1999	722	1,401	328	1,111	4,271	4,515
2000 ^{f/}	1,552	3,064	399	1,062	7,679	7,936
2001 ^{f/}	2,949	4,721	449	1,175	10,511	10,630
2002 ^{g/}	3,498	5,385	467	1,168	11,532	11,532

a/ Derived from vessel registrations and fish landing tickets.

b/ The establishment of a restricted vessel permit system drew a number of historically active vessels back into the fishery in 1980.

c/ Vessels were not required to land at least one salmon in 1984 to be eligible for a permit in 1985. The Oregon Fish and Wildlife Commission waived this requirement because of the elimination of the coho fishery south of Cape Falcon.

d/ Vessels traditionally landing salmon south of Cape Blanco and north of Cape Falcon were not required to land at least one salmon in 1985 to be eligible for a permit in 1986. The Oregon Fish and Wildlife Commission waived this requirement because of the complete salmon closure south of Cape Blanco and a limited one-day coho season between the Columbia River and Cape Blanco.

e/ Legislation passed during the 1991 season of the Oregon Legislature waived the requirement that troll permit holders must buy a 1991 permit to be able to renew for 1992. This was a one-time exemption for 1991 only.

f/ In 2001, permits were reissued in a lottery, because the total number of permits had fallen below 1,200.

g/ In 2002, permits were reissued in a lottery, because the total number of permits had fallen below 1,200.

TABLE D-6. **Washington non-Indian troll** combined chinook and coho salmon landings in dressed weight, value of landings, and number of registered vessels making commercial salmon landings. (Page 1 of 1)

Year	Dressed Pounds Landed (thousands)	Nominal Exvessel Value (\$ thousands)	Vessels Landing Salmon	Vessels with Permits	Nominal Average Exvessel Value/Vessel (dollars)	Real Average Exvessel Value/Vessel (2002 dollars)
1978	4,746	10,025	3,041	3,291	3,297	7,480
1979	5,262	15,091	2,778	3,068	5,432	11,403
1980	3,398	7,114	2,626	2,797	2,709	5,223
1981	2,678	5,921	2,439	2,603	2,428	4,283
1982	2,671	6,730	2,253	2,512	2,987	4,968
1983	653	1,465	2,045	2,328 ^{b/}	716	1,145
1984	197	410	381	2,071 ^{b/}	1,076	1,658
1985	964	1,601	1,259	1,650 ^{c/}	1,272	1,900
1986	659	1,175	1,252	1,531	938	1,372
1987	758	1,960	883	1,401	2,220	3,154
1988	798	2,337	650	1,337	3,596	4,943
1989	696	1,230	883	1,306	1,393	1,844
1990	850	1,648	897	1,170	1,837	2,341
1991	612	1,126	811	1,013	1,388	1,711
1992	583	1,299	604	806	2,151	2,594
1993	398 ^{d/}	795	474	668	1,677	1,970
1994	7 ^{d/}	e/	1	7 ^{f/}	e/	e/
1995	126	91	96	435 ^{g/}	948	1,068
1996	87	85	90	333 ^{h/}	924	1,023
1997	81	126	51	324 ^{h/}	2,450	26,585
1998	82	123	23	299 ^{i/}	5,345	5,728
1999	220	396	57	214	6,947	7,343
2000	162	258	49	179 ^{j/}	5,283	5,450
2001	290	383	57	169	6,718	6,791
2002	679	758	75	155	10,102	10,102

a/ Derived from vessel registrations and fish landing tickets. All values in this table are based on preliminary information available at the start of each year's salmon review.

b/ 312 licenses and delivery permits purchased by buyback program.

c/ 118 licenses and delivery permits purchased by buyback program.

d/ Chinook were caught off Oregon and landed in Puget Sound.

e/ Value information is not provided in order to preserve confidentiality.

f/ Vessels were not required to purchase a permit in 1994 to maintain their eligibility for a permit in 1995.

g/ 190 licenses and delivery permits purchased by buyback program.

h/ 72 licenses and delivery permits purchased by buyback program at the end of 1996 and early 1997.

i/ 100 licenses and delivery permits purchased by buyback program at the end of 1997 and early 1998.

j/ 41 licenses purchased by buyback program at the end of 2000.

TABLE D-7. California salmon troll boat-size catch statistics in pounds of dressed salmon.^{a/} (Page 1 of 3)

Year	Vessels			Catch ^{b/}		
	Length Category (feet)	Number ^{c/}	Percentage	Average Per Boat (pounds)	Total (pounds)	% of Total
2002 ^{d/}	≤20	33	5	1,306	43,084	1
	21-25	120	17	2,184	262,072	5
	26-30	110	16	3,094	340,393	7
	31-35	120	17	5,779	693,423	14
	36-40	145	21	9,090	1,318,069	27
	41-45	77	11	13,714	1,056,016	21
	46-50	64	9	11,674	747,128	15
	51-55	15	2	19,256	288,837	6
	>56	<u>14</u>	2	<u>13,742</u>	<u>192,382</u>	4
TOTAL	698	100	7,079	4,941,404		
2001	≤20	25	4	581	14,529	1
	21-25	117	17	1,117	130,707	5
	26-30	105	15	2,212	232,279	10
	31-35	124	18	3,308	410,150	17
	36-40	145	21	4,624	670,523	28
	41-45	76	11	6,087	462,586	19
	46-50	64	9	5,245	335,652	14
	51-55	18	3	5,324	95,824	4
	>56	<u>15</u>	2	<u>3,734</u>	<u>56,006</u>	2
TOTAL	689		3,495	2,408,254		
2000	≤20	40	5	1,382	55,282	1
	21-25	139	18	2,502	347,743	7
	26-30	115	15	3,881	446,283	9
	31-35	129	17	6,438	830,552	16
	36-40	166	22	8,136	1,350,574	26
	41-45	73	10	11,447	835,622	16
	46-50	66	9	12,811	845,530	17
	51-55	17	2	17,942	305,017	6
	>56	<u>12</u>	2	<u>9,500</u>	<u>113,994</u>	2
TOTAL	757		6,778	5,130,597		
1999	≤20	41	6	891	36,524	1
	21-25	125	19	2,259	282,366	7
	26-30	88	13	3,712	326,697	8
	31-35	131	20	5,196	680,635	18
	36-40	139	21	7,867	1,093,568	28
	41-45	65	10	10,422	677,411	18
	46-50	55	8	10,202	561,119	15
	51-55	15	2	9,101	136,509	4
	>56	<u>7</u>	1	<u>7,275</u>	<u>50,928</u>	1
TOTAL	645		5,400	3,845,762		
1998	≤20	45	7	934	42,044	2
	21-25	154	23	1,406	216,593	12
	26-30	101	15	2,277	229,951	12
	31-35	119	18	2,604	309,870	17
	36-40	129	19	4,040	521,184	28
	41-45	64	10	4,514	288,916	16
	46-50	40	6	4,648	190,579	10
	51-55	11	2	3,256	35,821	2
	>56	<u>6</u>	1	<u>4,048</u>	<u>12,105</u>	1
TOTAL	670		2,757	1,847,102		

TABLE D-7. California salmon troll boat-size catch statistics in pounds of dressed salmon. ^{a/} (Page 2 of 3)

Year	Vessels			Catch ^{b/}		
	Length Category (feet)	Number ^{c/}	Percentage	Average Per Boat (pounds)	Total (pounds)	% of Total
1997	≤20	54	6	1,482	80,022	2
	21-25	197	24	2,791	549,756	10
	26-30	126	15	4,462	562,213	11
	31-35	144	17	6,358	915,510	17
	36-40	157	19	8,500	1,334,555	25
	41-45	78	9	11,281	879,913	17
	46-50	54	6	13,156	710,418	14
	51-55	13	2	11,806	153,476	3
	>56	<u>12</u>	1	<u>11,118</u>	<u>61,929</u>	1
TOTAL	835		6,285	5,247,792		
1996	≤20	66	7	1,500	99,021	2
	21-25	221	22	1,793	396,205	10
	26-30	163	16	2,648	431,620	11
	31-35	161	16	4,315	694,793	17
	36-40	176	18	5,945	1,046,274	25
	41-45	97	10	7,311	709,120	17
	46-50	73	7	7,984	582,826	14
	51-55	14	2	7,751	108,511	3
	>56	<u>14</u>	2	<u>5,508</u>	<u>45,032</u>	1
TOTAL	985		4,176	4,113,403		
1995	≤20	88	7	1,478	130,074	2
	21-25	295	25	2,905	856,987	13
	26-30	188	16	4,542	853,887	13
	31-35	176	15	6,636	1,167,899	18
	36-40	210	18	8,147	1,710,765	26
	41-45	105	9	8,748	918,546	14
	46-50	82	7	8,480	695,374	10
	51-55	21	2	10,708	224,861	3
	>56	<u>14</u>	1	<u>10,724</u>	<u>75,068</u>	1
TOTAL	1,179		5,626	6,633,463		
1994	≤20	78	8	584	45,530	1
	21-25	254	25	1,425	362,007	12
	26-30	170	17	2,085	354,515	11
	31-35	151	15	3,340	504,287	16
	36-40	188	18	4,719	887,232	29
	41-45	94	9	5,878	552,514	18
	46-50	69	7	4,001	276,100	9
	51-55	13	1	8,541	111,033	4
	>56	<u>7</u>	1	<u>1,704</u>	<u>9,887</u>	e/
TOTAL	1,024		3,030	3,103,104		
1993	≤20	101	8	447	45,103	2
	21-25	321	26	1,028	330,110	13
	26-30	218	18	1,538	335,333	13
	31-35	167	13	2,467	411,989	16
	36-40	216	17	3,103	670,209	26
	41-45	103	8	3,859	397,525	16
	46-50	78	6	3,050	237,930	9
	51-55	22	2	4,205	92,500	4
	>56	<u>14</u>	1	<u>1,156</u>	<u>16,185</u>	1
TOTAL	1,240		2,046	2,536,884		

TABLE D-7. California salmon troll boat-size catch statistics in pounds of dressed salmon.^{a/} (Page 3 of 3)

Year	Vessels			Catch ^{b/}		
	Length Category (feet)	Number ^{c/}	Percentage	Average Per Boat (pounds)	Total (pounds)	% of Total
1992	<20	98	9	347	33,962	2
	21-25	279	26	838	233,894	14
	26-30	190	18	1,178	223,847	14
	31-35	158	15	1,535	242,532	15
	36-40	180	17	2,579	464,288	28
	41-45	87	8	2,842	247,249	15
	46-50	64	6	1,720	110,058	7
	51-55	19	2	3,719	70,668	4
	>56	10	1	2,194	16,906	1
TOTAL	1,085		1,515	1,643,403		
1991	<20	196	11	540	105,895	3
	21-25	427	24	944	403,026	11
	26-30	300	17	1,489	446,841	12
	31-35	219	12	2,284	500,112	14
	36-40	309	17	3,194	987,011	27
	41-45	148	8	4,315	638,649	17
	46-50	118	7	3,814	450,025	12
	51-55	27	2	4,852	130,991	4
	56-60	13	1	1,514	19,681	1
	>60	9	1	1,594	14,349	e/
Unknown	3	e/	226	677	e/	
TOTAL	1,769		24,766	3,697,257		

a/ Derived from vessel registrations and fish landing tickets.

b/ Excludes pink salmon landings.

c/ Number of boats includes only those recording pounds greater than 0.

d/ Preliminary.

e/ Less than 0.5%.

TABLE D-8. Oregon salmon troll boat-size catch statistics in pounds of dressed salmon. (Page 1 of 2)

Year	Vessels			Catch		
	Length Category (Feet)	Number ^{a/}	Percentage	Average Per Boat (pounds)	Total (pounds)	Percent of Total
2002 ^{b/}	<20	3	0.6	1,760	5,281	0.2
	20-29	103	22.1	3,488	359,299	10.3
	30-39	179	38.3	7,931	1,419,713	40.6
	40-49	140	30.0	10,092	1,412,864	40.4
	≥50	<u>42</u>	9.0	<u>7,173</u>	<u>301,280</u>	8.6
	TOTAL	467		7,491	3,498,437	
2001	<20	6	1.3	1,271	7,626	0.3
	20-29	102	22.7	2,768	282,386	9.6
	30-39	170	37.9	6,894	1,172,058	39.7
	40-49	141	31.4	9,175	1,293,723	43.8
	≥50	<u>30</u>	6.7	<u>6,488</u>	<u>194,652</u>	6.6
	TOTAL	449		6,571	2,950,445	
2000	<20	3	1	2,056	6,169	0
	20-29	100	25	1,933	193,346	13
	30-39	157	39	4,726	741,968	48
	40-49	111	28	4,594	509,986	33
	≥50	<u>28</u>	7	<u>3,606</u>	<u>100,965</u>	7
	TOTAL	399		3,891	1,552,434	
1999	<20	6	2	1,131	6,783	1
	20-29	68	21	1,205	81,964	11
	30-39	140	43	2,517	352,355	49
	40-49	93	28	2,499	232,418	32
	≥50	<u>21</u>	6	<u>2,298</u>	<u>48,263</u>	7
	TOTAL	328		2,201	721,783	
1998	<20	5	1	1,536	7,679	1
	20-29	65	17	1,036	67,332	5
	30-39	163	44	3,673	598,702	43
	40-49	110	30	5,395	593,433	43
	≥50	<u>30</u>	8	<u>4,351</u>	<u>130,537</u>	9
	TOTAL	373		3,747	1,397,683	
1997	<20	5	1	1,149	5,743	d/
	20-29	98	23	838	82,089	5
	30-39	185	43	3,976	735,478	48
	40-49	114	26	5,401	615,756	40
	≥50	<u>31</u>	7	<u>3,322</u>	<u>102,982</u>	7
	TOTAL	433		2,937	1,542,048	
1996	<20	6	1	2,088	12,530	1
	20-29	117	26	1,009	118,069	6
	30-39	186	41	5,010	931,895	48
	40-49	115	25	6,466	743,584	39
	≥50	<u>32</u>	7	<u>3,720</u>	<u>119,048</u>	6
	TOTAL	456		4,222	1,925,126	
1995	<20	8	2	1,561	12,486	1
	20-29	142	30	1,190	168,999	9
	30-39	185	39	4,573	845,647	44
	40-49	111	23	6,884	764,118	39
	≥50	<u>30</u>	6	<u>4,995</u>	<u>149,846</u>	8
	TOTAL	476		4,078	1,941,096	