

REVIEW OF 2000 OCEAN SALMON FISHERIES



**Pacific Fishery Management Council
2130 SW Fifth Avenue, Suite 224
Portland, Oregon 97201
(503) 326-6352**

February 2001

ACKNOWLEDGEMENTS

Salmon Technical Team

Mr. Dell Simmons, Chair

National Marine Fisheries Service, Lacey, WA

Mr. Allen Grover, Vice-Chair

California Department of Fish and Game, Healdsburg, CA

Mr. Mike Burner

Oregon Department of Fish and Wildlife, Portland, OR

Dr. Robert Kope

National Marine Fisheries Service, Seattle, WA

Mr. Doug Milward

Washington Department of Fish and Wildlife, Olympia, WA

Mr. Michael Mohr

National Marine Fisheries Service, Tiburon, CA

Dr. Gary Morishima

Indian Tribes, Mercer Island, WA

Mr. Henry Yuen

U.S. Fish and Wildlife Service, Vancouver, WA

Pacific Fishery Management Council Staff

Mr. Chuck Tracy

Ms. Kerry Aden

Dr. John Coon

Ms. Renee Heyden

Ms. Sandra Krause

Mr. James Seger

The Salmon Technical Team and Council staff express their thanks for the expert assistance provided by numerous agency and tribal personnel in completing this report.



A report of the Pacific Fishery Management Council pursuant to National Oceanic and Atmospheric Administration Award Number NA17FC1048.

TABLE OF CONTENTS

| | <u>Page</u> |
|--|-------------|
| LIST OF TABLES | iv |
| LIST OF FIGURES | vi |
| ACRONYMS AND ABBREVIATIONS | vii |
| INTRODUCTION | 1 |
| COMMON TABLE CONVENTIONS | 1 |
| CHAPTER I COASTWIDE OCEAN FISHING SUMMARY | I-1 |
| COUNCIL-AREA REGULATIONS AND LANDINGS | I-1 |
| REGULATORY OBJECTIVES BY MANAGEMENT AREA | I-13 |
| Horse Mountain to U.S.-Mexico Border | I-13 |
| Chinook Fisheries | I-13 |
| Coho Fisheries | I-13 |
| Humbug Mountain to Horse Mountain | I-13 |
| Chinook Fisheries | I-13 |
| Coho Fisheries | I-14 |
| Cape Falcon to Humbug Mountain | I-14 |
| Chinook Fisheries | I-14 |
| Coho Fisheries | I-14 |
| U.S.-Canada Border to Cape Falcon | I-15 |
| Chinook Fisheries | I-15 |
| Coho Fisheries | I-15 |
| SELECTIVE COHO FISHERIES AND SALMON BYCATCH | I-15 |
| PACIFIC SALMON COMMISSION | I-17 |
| Chinook Fisheries | I-17 |
| Coho Fisheries | I-21 |
| CHAPTER II CHINOOK SALMON MANAGEMENT | II-1 |
| CENTRAL VALLEY CHINOOK STOCKS | II-1 |
| Management Objectives | II-1 |
| Regulations to Achieve Objectives | II-1 |
| Commercial Troll | II-1 |
| Recreational | II-1 |
| Inside Harvest | II-2 |
| Escapement and Management Performance | II-2 |
| Sacramento River Fall Chinook | II-2 |
| Sacramento River Winter and Spring Chinook | II-2 |
| San Joaquin River Fall Chinook | II-2 |
| Test Fisheries | II-2 |
| NORTHERN CALIFORNIA COAST CHINOOK STOCKS | II-5 |
| Management Objectives | II-5 |
| Regulations to Achieve Objectives | II-5 |
| Inside Harvest | II-5 |
| Escapement and Management Performance | II-7 |
| Threatened California North Coast Chinook | II-7 |
| Klamath River Fall Chinook | II-7 |
| Allocation | II-7 |
| OREGON COAST CHINOOK STOCKS | II-7 |
| Management Objectives | II-7 |
| Regulations to Achieve Objectives | II-9 |

TABLE OF CONTENTS

(continued)

| | <u>Page</u> |
|---|------------------|
| Inside Harvest | II-9 |
| Escapement and Goal Assessment | II-9 |
| North Migrating Chinook | II-9 |
| South/Local Migrating Chinook | II-9 |
| COLUMBIA RIVER BASIN CHINOOK STOCKS | II-14 |
| Management Objectives | II-14 |
| Regulations to Achieve Objectives | II-14 |
| Inside Harvest | II-14 |
| Escapement and Management Performance | II-15 |
| WASHINGTON COASTAL CHINOOK STOCKS | II-15 |
| Management Objectives | II-15 |
| Regulations to Achieve Objectives | II-15 |
| Willapa Bay Chinook | II-16 |
| Inside Harvest | II-16 |
| Escapement and Management Performance | II-16 |
| Grays Harbor Chinook | II-16 |
| Inside Harvest | II-16 |
| Escapement and Management Performance | II-17 |
| Quinault River Chinook | II-17 |
| Inside Harvest | II-17 |
| Escapement and Management Performance | II-17 |
| Queets River Chinook | II-17 |
| Inside Harvest | II-17 |
| Escapement and Management Performance | II-17 |
| Hoh River Chinook | II-18 |
| Inside Harvest | II-18 |
| Escapement and Management Performance | II-18 |
| Quillayute River Chinook | II-18 |
| Inside Harvest | II-18 |
| Escapement and Goal Assessment | II-19 |
| PUGET SOUND CHINOOK STOCKS | II-19 |
| Management Objectives | II-19 |
| Regulations to Achieve Objectives | II-19 |
| Inside Harvest | II-20 |
| Escapement and Management Performance | II-20 |
| COASTWIDE GOAL ASSESSMENT SUMMARY | II-20 |
| CHAPTER III COHO SALMON MANAGEMENT | III-1 |
| OREGON PRODUCTION INDEX AREA COHO STOCKS | III-1 |
| Management Objectives | III-1 |
| Regulations to Achieve Objectives | III-1 |
| Commercial Troll | III-1 |
| Recreational | III-1 |
| Inside Harvest | III-2 |
| Escapement and Management Performance | III-2 |
| Central California Coast and Northern California Coho | III-2 |
| Oregon Coast Coho | III-2 |
| Columbia River Coho | III-7 |
| WASHINGTON COASTAL COHO STOCKS | III-7 |
| Management Objectives | III-7 |
| Regulations to Achieve Objectives | III-7 |
| Willapa Bay Coho | III-7 |

TABLE OF CONTENTS

(continued)

| | <u>Page</u> |
|---|--------------|
| Inside Harvest | III-7 |
| Escapement and Management Performance | III-8 |
| Grays Harbor Coho | III-8 |
| Inside Harvest | III-8 |
| Escapement and Management Performance | III-8 |
| Quinault River Coho | III-8 |
| Inside Harvest | III-8 |
| Escapement and Management Performance | III-8 |
| Queets River Coho | III-9 |
| Inside Harvest | III-9 |
| Escapement and Management Performance | III-9 |
| Hoh River Coho | III-9 |
| Inside Harvest | III-9 |
| Escapement and Management Performance | III-9 |
| Quillayute River Coho | III-10 |
| Inside Harvest | III-10 |
| Escapement and Goal Assessment | III-10 |
| PUGET SOUND COHO STOCKS | III-10 |
| Management Objectives | III-10 |
| Regulations to Achieve Objectives | III-10 |
| Inside Harvest | III-11 |
| Escapement and Management Performance | III-11 |
| COASTWIDE GOAL ASSESSMENT SUMMARY | III-11 |
| | |
| CHAPTER IV SOCIOECONOMIC ASSESSMENT OF THE 2000 OCEAN SALMON FISHERIES . . . | IV-1 |
| ALLOCATION OF THE SALMON RESOURCE | IV-1 |
| COMMERCIAL SALMON FISHERIES | IV-3 |
| West Coast Non-Indian Ocean Troll Fishery | IV-3 |
| Inseason Price Trends | IV-3 |
| Annual Trends (Seasons, Value, Prices, and Pounds) | IV-3 |
| Ocean Commercial Salmon Harvesters | IV-12 |
| West Coast Treaty Indian Commercial Ocean Fishery | IV-15 |
| Columbia River Commercial Fishery | IV-15 |
| Other Inside Commercial Fisheries | IV-15 |
| Puget Sound and Washington Coastal Inside Fisheries | IV-15 |
| Klamath River Fisheries | IV-15 |
| CEREMONIAL AND SUBSISTENCE SALMON FISHERIES | IV-17 |
| RECREATIONAL SALMON FISHERIES | IV-17 |
| Ocean | IV-17 |
| California | IV-17 |
| Oregon | IV-17 |
| Washington | IV-26 |
| Buoy 10 and Area 4B Add-on Fisheries | IV-26 |
| SALMON FISHERY INCOME IMPACTS AND COMMUNITY DEPENDENCE | IV-31 |
| Interpretation of State and Coastal Community Income Impacts | IV-31 |
| West Coast Ocean Fishery Income Impacts | IV-31 |
| Selected Inside Fisheries | IV-31 |
| Columbia River Commercial Fisheries | IV-31 |
| Buoy 10 and Area 4B Add-On | IV-31 |
| | |
| APPENDIX A HISTORICAL RECORD OF OCEAN SALMON FISHERY EFFORT | |
| AND LANDINGS | A-i |

| | | |
|------------|---|-----|
| APPENDIX B | HISTORICAL RECORD OF ESCAPEMENTS TO INLAND FISHERIES AND SPAWNING AREAS | B-i |
| APPENDIX C | HISTORICAL RECORD OF OCEAN SALMON FISHERY REGULATIONS AND A CHRONOLOGY OF 2000 EVENTS | C-i |
| APPENDIX D | HISTORICAL ECONOMIC DATA | D-i |

LIST OF TABLES

| | <u>Page</u> | |
|--------------|--|-------|
| Table I-1. | Summary of actual ocean non-Indian commercial troll salmon fishing regulations for 2000 | I-2 |
| Table I-2. | Summary of actual treaty Indian commercial ocean and Area 4B troll salmon seasons for 2000 | I-3 |
| Table I-3. | Summary of actual ocean recreational salmon fishing regulations for 2000 | I-4 |
| Table I-4. | Council area commercial and recreational ocean salmon fishing effort and landings by state | I-6 |
| Table I-5. | Council area commercial and recreational ocean salmon fishing effort and landings by management area | I-11 |
| Table I-6. | Coho and chinook harvest quotas for 2000 compared with actual harvest in thousands of fish by management area and fishery | I-12 |
| Table I-7. | Summary of 2000 recreational fisheries selective for marked hatchery coho | I-16 |
| Table I-8. | Estimated incidental mortality of chinook and coho in 2000 ocean salmon fisheries | I-18 |
| Table I-9. | Chinook catch by southeast Alaska marine fisheries | I-19 |
| Table I-10. | Chinook and coho catches by Canadian marine fisheries in thousands of fish | I-20 |
| Table II-1. | Sacramento River natural and hatchery adult fall chinook escapements in thousands of fish | II-3 |
| Table II-2. | Klamath River adult inriver fall chinook run size, spawning escapement, recreational catch, Indian net harvest and non-landed fishing mortalities in numbers of fish and percent of the total inriver run size | II-6 |
| Table II-3. | Oregon coastal spring and fall chinook hatchery return and harvest in estuary and freshwater fisheries | II-10 |
| Table II-4. | Spawner indices for naturally produced Oregon coastal fall chinook and south migrating/localized spring chinook | II-11 |
| Table II-5. | Performance of chinook salmon stocks in relation to 2000 conservation objectives (preliminary data) | II-21 |
| Table III-1. | Estimated returns to Oregon coastal streams and lakes in thousands of adult coho | III-3 |

LIST OF TABLES

(continued)

| | | <u>Page</u> |
|--------------|---|-------------|
| Table III-2. | Estimated weekly effort and catches of chinook and coho in the 2000 Buoy 10 recreational fisheries | III-4 |
| Table III-3. | OCN adult coho salmon conservation objective, fishery impacts, and spawner escapement, based on SRS | III-5 |
| Table III-4. | Performance of coho salmon stocks in relation to 2000 conservation objectives | III-12 |
| Table IV-1. | Average monthly exvessel troll salmon price in dollars per dressed pound for California, Oregon, and Washington in 2000 | IV-4 |
| Table IV-2. | Troll chinook and coho landed in California, estimates of exvessel value and average price | IV-5 |
| Table IV-3. | Troll chinook and coho landed in Oregon, estimates of exvessel value and average price | IV-6 |
| Table IV-4. | Non-Indian troll chinook and coho landed in Washington, estimates of exvessel value and average price | IV-7 |
| Table IV-5. | Non-Indian troll caught pink salmon landed in Oregon and Washington, estimates of exvessel value and average price | IV-8 |
| Table IV-6. | Pounds of salmon landed by the commercial troll ocean salmon fishery for major California port areas | IV-9 |
| Table IV-7. | Pounds of salmon landed by the commercial troll ocean salmon fishery for major Oregon port areas | IV-10 |
| Table IV-8. | Pounds of salmon landed by the non-Indian commercial troll ocean salmon fishery for major Washington port areas | IV-11 |
| Table IV-9. | Exvessel values of inriver commercial harvest of Columbia River salmon | IV-16 |
| Table IV-10. | California, Oregon and Washington ocean recreational salmon effort in thousands of angler trips and catch in thousands of fish by boat type | IV-19 |
| Table IV-11. | Estimates of California recreational ocean salmon angler trips by port area and boat type | IV-21 |
| Table IV-12. | Estimates of Oregon recreational ocean salmon angler trips by port area and boat type | IV-23 |
| Table IV-13. | Estimates of Washington recreational ocean salmon angler trips by port area | IV-25 |
| Table IV-14. | Oregon and Washington recreational salmon, bottomfish, and sturgeon angler trips by ocean port area and boat type for the area north of Cape Falcon | IV-27 |
| Table IV-15. | Buoy 10 and Area 4B add-on recreational salmon angler trips and catch by boat type | IV-29 |

LIST OF TABLES

(continued)

| | <u>Page</u> |
|---|-------------|
| Table IV-16. Estimates of California coastal community and state personal income impacts of the troll and recreational ocean salmon fishery for major port areas | IV-32 |
| Table IV-17. Estimates of Oregon coastal community and state personal income impacts of the troll and recreational ocean salmon fishery for major port areas | IV-33 |
| Table IV-18. Estimates of Washington coastal community and state personal income impacts of the non-Indian troll and recreational ocean salmon fishery for major port areas | IV-34 |
| Table IV-19. Local personal income impacts of the commercial salmon gillnet fishery on Oregon and Washington Columbia River communities | IV-35 |
| Table IV-20. Local personal income impacts of the Buoy 10 recreational fishery in Oregon and Washington and the Area 4B add-on fishery in Washington | IV-36 |

LIST OF FIGURES

| | <u>Page</u> |
|--|-------------|
| Figure II-1. Sacramento River adult fall chinook spawning escapements, 1970-2000 | II-4 |
| Figure II-2. Klamath River fall chinook salmon inriver run and spawning escapements, 1978-2000 | II-8 |
| Figure II-3. Spawner indices for naturally produced Oregon Coastal fall chinook | II-13 |
| Figure II-4. Escapement indices for naturally produced Oregon coastal south/local migrating spring chinook, 1941-2000 | II-13 |
| Figure III-1. Oregon Coastal natural adult coho salmon spawners per spawner habitat mile by coastal region based on SRS, 1990-2000 | III-6 |
| Figure IV-1. West Coast non-Indian ocean commercial troll chinook and coho harvest | IV-2 |
| Figure IV-2. West Coast recreational ocean chinook and coho harvest | IV-2 |
| Figure IV-3. West Coast non-Indian ocean troll exvessel salmon annual price trends | IV-13 |
| Figure IV-4. Exvessel value of troll chinook and coho landings by state of landing | IV-14 |
| Figure IV-5. Total recreational ocean salmon trips by state | IV-18 |

LIST OF ACRONYMS AND ABBREVIATIONS

| | |
|---------|--|
| ADFG | Alaska Department of Fish and Game |
| CCC | central California coast (coho) |
| CDFG | California Department of Fish and Game |
| Council | Pacific Fishery Management Council |
| CRFMP | Columbia River Fishery Management Plan |
| CRTAC | Columbia River Technical Advisory Committee |
| CVI | Central Valley Index |
| CWT | coded-wire tag |
| EEZ | exclusive economic zone (from 3-200 miles from shore) |
| ESA | Endangered Species Act |
| ESU | evolutionarily significant unit |
| FMP | fishery management plan |
| FRAM | Fisheries Regulatory Assessment Model |
| GSI | genetic stock identification |
| HRM | Harvest Rate Model |
| KMZ | Klamath management zone (ocean zone between Humbug Mountain and Horse Mountain where management emphasis is on Klamath River fall chinook) |
| KRTAT | Klamath River Technical Advisory Team |
| LFI | Lyons Ferry age three/four fall chinook index |
| LRH | lower Columbia River hatchery (tule fall chinook returning to hatcheries below Bonneville Dam) |
| LRW | lower Columbia River wild (bright fall chinook spawning naturally below Bonneville Dam) |
| MCB | mid-Columbia River brights (bright hatchery fall chinook released in the Mid-Columbia River) |
| MOC | mid-Oregon coast |
| MSY | maximum sustainable yield |
| NA | not available |
| NMFS | National Marine Fisheries Service |
| NOC | north Oregon coast |
| ODFW | Oregon Department of Fish and Wildlife |
| OC | Oregon coast (coho) |
| OCN | Oregon coastal natural (coho) |
| OPI | Oregon Production Index (coho salmon stock index south of Leadbetter Point) |
| PSC | Pacific Salmon Commission |
| RK | Rogue/Klamath (coho) |
| SCH | Spring Creek Hatchery (tule fall chinook returning to Spring Creek Hatchery) |
| SONC | southern Oregon/northern California (coho) |
| SRS | Stratified Random Sampling |
| STEP | Salmon Trout Enhancement Program |
| STT | Salmon Technical Team (formerly the Salmon Plan Development Team) |
| TAC | total allowable catch |
| URB | upper river brights (naturally spawning bright fall chinook normally migrating past McNary Dam) |
| USFWS | U.S. Fish and Wildlife Service |
| VSI | visual stock identification |
| WCVI | West Coast Vancouver Island |
| WDFW | Washington Department of Fish and Wildlife |
| WFMP | Willamette Fish Management Plan |