TABLE 1. Commercial troll management measures adopted by the Council for non-Indian ocean salmon fisheries, 2009. (Page 1 of 4)

A. SEASON DESCRIPTIONS

North of Cape Falcon

Supplemental Management Information

- 1. Overall non-Indian TAC: 41,000 Chinook and an impact equivalent quota of 210,000 coho marked with a healed adipose fin clip (marked).
- 2. Non-Indian commercial troll TAC: 20,500 Chinook and 33,600 marked coho.
- 3. Trade: None.

U.S./Canada Border to Cape Falcon

· May 1 through earlier of June 30 or 13,735 Chinook quota.

Open May 1-5, 8-12, then Saturday through Tuesday thereafter with a landing and possession limit of 75 Chinook per vessel for each open period north of Leadbetter Point or 75 Chinook south of Leadbetter Point (C.1, C.8.e). All salmon except coho (C.7). Cape Flattery, Mandatory Yelloweye Rockfish Conservation Area, and Columbia Control Zones closed (C.5). See gear restrictions and definitions (C.2, C.3). Oregon State regulations require that fishers south of Cape Falcon, OR intending to fish within this area notify Oregon Department of Fish and Wildlife before transiting the Cape Falcon, OR line (45°46'00" N. lat.) at the following number: 541-867-0300 Ext. 271. Vessels must land and deliver their fish within 24 hours of any closure of this fishery. Under state law, vessels must report their catch on a state fish receiving ticket. Vessels fishing or in possession of salmon while fishing north of Leadbetter Point must land and deliver their fish within the area and north of Leadbetter Point. Vessels fishing or in possession of salmon while fishing south of Leadbetter Point must land and deliver their fish in Garibaldi, Oregon. Oregon State regulations require all fishers landing salmon into Oregon from any fishery between Leadbetter Point, Washington and Cape Falcon, Oregon must notify ODFW within one hour of delivery or prior to transport away from the port of landing by calling 541-867-0300 Ext. 271. Notification shall include vessel name and number, number of salmon by species, port of landing and location of delivery, and estimated time of delivery. Inseason actions may modify harvest guidelines in later fisheries to achieve or prevent exceeding the overall allowable troll harvest impacts (C.8).

U.S./Canada Border to Cape Falcon

• July 1 through the earlier of September 15 or 6,765 preseason Chinook guideline (C.8) or a 33,600 marked coho quota (C.8.d).

Open July 1-7, then Saturday through Tuesday thereafter, with a landing and possession limit of 40 Chinook and 200 coho per vessel for each open period north of Leadbetter Point or 40 Chinook and 200 coho south of Leadbetter Point (C.1, C.8.e). All Salmon except no chum retention north of Cape Alava, Washington beginning August 1 (C.7). All coho must be marked (C.8.d). Mandatory Yelloweye Rockfish Conservation Area, Cape Flattery and Columbia Control Zones closed (C.5). Oregon State regulations require that fishers south of Cape Falcon, OR intending to fish within this area notify Oregon Department of Fish and Wildlife before transiting the Cape Falcon, OR line (45°46′00″ N. lat.) at the following number: 541-867-0300 Ext. 271. Vessels must land and deliver their fish within 24 hours of any closure of this fishery. Under state law, vessels must report their catch on a state fish receiving ticket. Vessels fishing or in possession of salmon while fishing north of Leadbetter Point must land and deliver their fish within the area and north of Leadbetter Point. Vessels fishing or in possession of salmon while fishing south of Leadbetter Point must land and deliver their fish within the area and south of Leadbetter Point, except that Oregon permitted vessels may also land their fish in Garibaldi, Oregon. Oregon State regulations require all fishers landing salmon into Oregon from any fishery between Leadbetter Point, Washington and Cape Falcon, Oregon must notify ODFW within one hour of delivery or prior to transport away from the port of landing and location of delivery, and estimated time of delivery. Inseason actions may modify harvest guidelines in later fisheries to achieve or prevent exceeding the overall allowable troll harvest impacts (C.8).

TABLE 1. Commercial troll management measures adopted by the Council for non-Indian ocean salmon fisheries, 2009. (Page 2 of 4)

A. SEASON DESCRIPTIONS (continued)

South of Cape Falcon

Supplemental Management Information

- 1. Sacramento River Basin recreational fishery catch assumption: 0 adult Sacramento River fall Chinook.
- 2. Klamath River recreational fishery allocation: 30,800 adult Klamath River fall Chinook.
- 3. Klamath tribal allocation: 30,900 adult Klamath River fall Chinook.
- 4. Overall recreational TAC: 117,000 coho marked with a healed adipose fin clip (marked).
- 5. Commercial coho TAC: 11,000 coho with no mark-selective restriction, plus impact neutral inseason transfer of surplus recreational TAC less than 110,000 prior to September 1 (C.8.f).

Cape Falcon to Humbug Mt.

• September 1 through the earlier of September 30 or an 11,000 preseason coho quota (C.8.f).

All salmon except Chinook (B, C.8.f, C.9). Seven days per week with a landing and possession limit of 100 coho per vessel per calendar week (C.1, C.8.e), no coho mark-selective restriction (C.7). All vessels fishing in the area must land their fish in the State of Oregon. See gear restrictions and definitions (C.2, C.3) and Oregon State regulations for a description of special regulations at the mouth of Tillamook Bay.

In 2010, the season will open March 15 for all salmon except coho, with a 27 inch Chinook minimum size limit. This opening could be modified following Council review at its March 2010 meeting.

Humbug Mt. to OR/CA Border (Oregon KMZ)

Closed

In 2010, the season will open March 15 for all salmon except coho, with a 27 inch Chinook minimum size limit. This opening could be modified following Council review at its March 2010 meeting.

OR/CA Border to U.S./Mexico Border

Closed.

В.	MINIMUM	SIZE ((Inches)	(See C.1)	
----	---------	--------	----------	-----------	--

	Chinook		Coho			
Area (when open)	Total Length	Head-off ^{1/}	Total Length	Head-off ^{1/}	Pink	
North of Cape Falcon	28.0	21.5	16.0	12.0	None	
Cape Falcon to OR/CA Border	_	_	16.0	12.0	None	
OR/CA Border to U.S./Mexico Border.				-		

^{1/} Dressed, head-off salmon may only be possessed on board a freezer trolling vessel and only for those salmon with an intact adipose fin.

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.1. <u>Compliance with Minimum Size or Other Special Restrictions</u>: All salmon on board a vessel must meet the minimum size, landing/possession limit, or other special requirements for the area being fished and the area in which they are landed if the area is open. Salmon may be landed in an area that has been closed more than 96 hours only if they meet the minimum size, landing/possession limit, or other special requirements for the area in which they were caught. Salmon may be landed in an area that has been closed less than 96 hours only if they meet the minimum size, landing/possession limit, or other special requirements for the areas in which they were caught and landed.

States may require fish landing/receiving tickets be kept on board the vessel for 90 days after landing to account for all previous salmon landings.

C.2. Gear Restrictions:

- a. Salmon may be taken only by hook and line using single point, single shank, barbless hooks are required in all fisheries.
- b. Cape Falcon, Oregon, to the OR/CA border: No more than 4 spreads are allowed per line.
- c. OR/CA border to U.S./Mexico border: No more than 6 lines are allowed per vessel, and barbless circle hooks are required when fishing with bait by any means other than trolling.

TABLE 1. Commercial troll management measures adopted by the Council for non-Indian ocean salmon fisheries, 2009. (Page 3 of 4)

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS (continued)

C.3. Gear Definitions:

Trolling defined. Fishing from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.

Troll fishing gear defined: One or more lines that drag hooks behind a moving fishing vessel. In that portion of the fishery management area (FMA) off Oregon and Washington, the line or lines must be affixed to the vessel and must not be intentionally disengaged from the vessel at any time during the fishing operation.

Spread defined: A single leader connected to an individual lure or bait.

Circle hook defined: A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.

C.4. <u>Transit Through Closed Areas with Salmon on Board</u>: It is unlawful for a vessel to have troll or recreational gear in the water while transiting any area closed to fishing for a certain species of salmon, while possessing that species of salmon; however, fishing for species other than salmon is not prohibited if the area is open for such species, and no salmon are in possession.

C.5. Control Zone Definitions:

- a. Cape Flattery Control Zone The area from Cape Flattery (48°23'00" N. lat.) to the northern boundary of the U.S. EEZ; and the area from Cape Flattery south to Cape Alava (48°10'00" N. lat.) and east of 125°05'00" W. long.
- b. Mandatory Yelloweye Rockfish Conservation Area The area in Washington Marine Catch Area 3 from 48°00.00' N. lat.; 125°14.00' W. long. to 48°02.00' N. lat.; 125°16.50' W. long. to 48°00.00' N. lat.; 125°16.50' W. long. and connecting back to 48°00.00' N. lat.; 125°14.00' W. long.
- c. Columbia Control Zone An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09' N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°15'48" N. lat., 124°05'20" W. long.), and then along the north jetty to the point of intersection with the Buoy #10 line; and, on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line.
- d. Bandon High Spot Control Zone The area west of a line between 43°07'00" N. lat.; 124°37'00" W. long. and 42°40'30" N. lat; 124° 52'0" W. long. extending to the western edge of the exclusive economic zone (EEZ).
- e. Klamath Control Zone The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately six nautical miles north of the Klamath River mouth); on the west, by 124°23'00" W. long. (approximately 12 nautical miles off shore); and on the south, by 41°26'48" N. lat. (approximately six nautical miles south of the Klamath River mouth).
- C.6. <u>Notification When Unsafe Conditions Prevent Compliance with Regulations</u>: If prevented by unsafe weather conditions or mechanical problems from meeting special management area landing restrictions, vessels must notify the U.S. Coast Guard and receive acknowledgment of such notification prior to leaving the area. This notification shall include the name of the vessel, port where delivery will be made, approximate amount of salmon (by species) on board, and the estimated time of arrival.

TABLE 1. Commercial troll management measures adopted by the Council for non-Indian ocean salmon fisheries, 2009. (Page 4 of 4)

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS (continued)

C.7. <u>Incidental Halibut Harvest</u>: During authorized periods, the operator of a vessel that has been issued an incidental halibut harvest license may retain Pacific halibut caught incidentally in Area 2A while trolling for salmon. Halibut retained must be no less than 32 inches in total length, measured from the tip of the lower jaw with the mouth closed to the extreme end of the middle of the tail, and must be landed with the head on. License applications for incidental harvest must be obtained from the International Pacific Halibut Commission (phone: 206-634-1838). Applicants must apply prior to April 1 of each year. Incidental harvest is authorized only during May and June troll seasons and after June 30 if quota remains and if announced on the NMFS hotline (phone: 800-662-9825). ODFW and Washington Department of Fish and Wildlife (WDFW) will monitor landings. If the landings are projected to exceed the 29,362 pound preseason allocation or the total Area 2A non-Indian commercial halibut allocation, NMFS will take inseason action to prohibit retention of halibut in the non-Indian salmon troll fishery.

Beginning May 1, license holders may possess or land no more than one Pacific halibut per each two Chinook, except one Pacific halibut may be possessed or landed without meeting the ratio requirement, and no more than 35 halibut may be possessed or landed per trip. Pacific halibut retained must be no less than 32 inches in total length (with head on).

A "C-shaped" yelloweye rockfish conservation area is an area to be voluntarily avoided for salmon trolling. NMFS and the Council request salmon trollers voluntarily avoid this area in order to protect yelloweye rockfish. The area is defined in the Pacific Council Halibut Catch Sharing Plan in the North Coast subarea (Washington marine area 3), with the following coordinates in the order listed:

```
48°18' N. lat.; 125°18' W. long.;

48°18' N. lat.; 124°59' W. long.;

48°11' N. lat.; 124°59' W. long.;

48°01' N. lat.; 125°11' W. long.;

48°04' N. lat.; 125°11' W. long.;

48°04' N. lat.; 124°59' W. long.;

48°00' N. lat.; 124°59' W. long.;

48°00' N. lat.; 125°18' W. long.;

and connecting back to 48°18' N. lat.; 125°18' W. long.
```

- C.8. <u>Inseason Management</u>: In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:
 - a. Chinook remaining from the May through June non-Indian commercial troll harvest guideline north of Cape Falcon may be transferred to the July through September harvest guideline on a fishery impact equivalent basis.
 - b. NMFS may transfer fish between the recreational and commercial fisheries north of Cape Falcon on a fishery impact equivalent basis if there is agreement among the areas' representatives on the Salmon Advisory Subpanel (SAS).
 - c. At the March 2010 meeting, the Council will consider inseason recommendations for special regulations for any experimental fisheries (proposals must meet Council protocol and be received in November 2009).
 - d. If retention of unmarked coho is permitted in the area from the U.S./Canada border to Cape Falcon, Oregon, by inseason action, the allowable coho quota will be adjusted to ensure preseason projected mortality of critical stocks is not exceeded.
 - e. Landing limits may be modified inseason to sustain season length and keep harvest within overall quotas.
 - f. Marked coho remaining from the June through August Cape Falcon to OR/CA border recreational coho quota may be transferred to the Cape Falcon to Humbug Mt. non-Indian commercial non-mark-selective all salmon fishery on a fishery impact equivalent basis.
- C.9. State Waters Fisheries: Consistent with Council management objectives:
 - a. The State of Oregon may establish additional late-season fisheries in state waters.
 - b. The State of California may establish limited fisheries in selected state waters.

Check state regulations for details.

C.10. For the purposes of California Department of Fish and Game (CDFG) Code, Section 8232.5, the definition of the Klamath Management Zone (KMZ) for the ocean salmon season shall be that area from Humbug Mt., Oregon, to Horse Mt., California.




FIGURE 1. Council-adopted non-Indian commercial salmon seasons for 2009. Dates are the first or last days of the month unless otherwise specified.

TABLE 2. Recreational management measures adopted by the Council for non-Indian ocean salmon fisheries, 2009. (Page 1 of 4)

A. SEASON DESCRIPTIONS

North of Cape Falcon

Supplemental Management Information

- 1. Overall non-Indian TAC: 41,000 Chinook and an impact equivalent quota of 210,000 coho marked with a healed adipose fin clip (marked).
- 2. Recreational TAC: 20,500 Chinook and 176,400 marked coho.
- 3. Trade: None.
- 4. No Area 4B add-on fishery.
- 5. Buoy 10 fishery opens August 1 with an expected landed catch of 115,000 marked coho in August and September.

U.S./Canada Border to Cape Alava (Neah Bay)

• June 27 through earlier of September 20 or 18,350 marked coho subarea quota with a subarea guideline of 2,200 Chinook (C5). Tuesday through Saturday through July 17; seven days per week thereafter. All salmon except no chum retention beginning August 1 and no Chinook retention east of the Bonilla-Tatoosh line beginning August 1 during Council managed ocean fishery. Two fish per day, only one of which can be a Chinook, plus two additional pink salmon. Chinook 24-inch total length minimum size limit (B). All retained coho must be marked. See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).

Cape Alava to Queets River (La Push Subarea)

- June 27 through earlier of September 20 or 4,480 marked coho subarea quota with a subarea guideline of 950 Chinook (C5).
- September 26 through earlier of October 11 or 100 marked coho quota or 100 Chinook quota (C5) in the area north of 47°50'00 N. lat. and south of 48°00'00" N. lat. (C.6).

Tuesday through Saturday through July 17; seven days per week thereafter. All salmon. Two fish per day, no more than one of which can be a Chinook, plus two additional pink salmon. All retained coho must be marked. Chinook 24-inch total length minimum size limit (B). See gear restrictions (C.2). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).

Queets River to Leadbetter Point (Westport Subarea)

 June 28 through earlier of September 20 or 65,270 marked coho subarea quota with a subarea guideline of 11,850 Chinook (C.5).

Sunday through Thursday through July 23, seven days per week thereafter. All salmon, two fish per day, no more than one of which can be a Chinook, plus one additional pink salmon. Chinook 24-inch total length minimum size limit) (B). All retained coho must be marked. See gear restrictions and definitions (C.2, C.3). Grays Harbor Zone closed beginning August 1 (C.4.b). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).

Leadbetter Point to Cape Falcon (Columbia River Subarea)

• June 28 through earlier of September 30 or 88,200 marked coho subarea quota with a subarea guideline of 5,400 Chinook (C.5). Seven days per week. All salmon, two fish per day, no more than one of which can be a Chinook. Chinook 24-inch total length minimum size limit (B). All retained coho must be marked. See gear restrictions and definitions (C.2, C.3). Columbia Control Zone closed (C.4.c). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).

TABLE 2. Recreational management measures adopted by the Council for non-Indian ocean salmon fisheries, 2009. (Page 2 of 4)

A. SEASON DESCRIPTIONS (continued)

South of Cape Falcon

Supplemental Management Information

- 1. Sacramento River Basin recreational fishery catch assumption: 0 adult Sacramento River fall Chinook.
- 2. Klamath River recreational fishery allocation: 30,800 adult Klamath River fall Chinook.
- 3. Klamath tribal allocation: 30,900 adult Klamath River fall Chinook.
- 4. Overall recreational TAC: 117,000 coho marked with a healed adipose fin clip (marked).
- 5. Commercial coho TAC: 11,000 coho with no mark-selective restriction, plus impact neutral inseason transfer of surplus recreational TAC less than 110,000 prior to September 1 (C.5.e).

Cape Falcon to Humbug Mt.

• June 20 through earlier of August 31 or an 110,000 marked coho quota for the area between Cape Falcon and the OR/CA border (C.5.e, C.6).

Seven days per week. All salmon except Chinook, three fish per day (B, C.1). All retained coho must be marked.

• September 1 through earlier of September 30 or a 7,000 preseason marked coho quota (C.5.e, C.6).

Seven days per week. All salmon except Chinook, two fish per day (B). All retained coho must be marked. Coho remaining from the June through August recreational 110,000 coho quota may be transferred inseason to the coho quota for this fishery.

See gear restrictions and definitions (C.2, C.3). Fishing in the Stonewall Bank groundfish conservation area restricted to trolling only on days the all depth recreational halibut fishery is open (call the halibut fishing hotline 1-800-662-9825 for specific dates) (C.3, C.4.d). Open days and bag limit may be adjusted inseason to utilize the available quota (C.5).

In 2010, the season between Cape Falcon and Humbug Mt. will open March 15 for all salmon except coho, two fish per day (B, C.1, C.2, C.3).

Humbug Mt. to OR/CA Border

• June 20 through earlier of August 31 or a 110,000 marked coho quota for the area between Cape Falcon and the OR/CA border (C.5.e, C.6).

Seven days per week. Except as provided below for the all salmon fishery, all salmon except Chinook. Two fish per day (B, C.1). All retained coho must be marked.

• August 29 through September 7 (C.6).

Seven days per week. Except as provided above for the mark selective coho fishery, all salmon except coho. Two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B).

See gear restrictions and definitions (C.2, C.3).

OR/CA Border to Horse Mt. (California KMZ)

August 29 through September 7 (C.6).

Seven days per week. All salmon except coho. Two fish per day (C.1). Chinook minimum size limit of 24 inches total length (B). See gear restrictions and definitions (C.2, C.3). Klamath Control Zone closed in August (C.4.e).

Horse Mt. to U.S./Mexico Border

- · Closed.
- In 2010, season opens April 3 for all salmon except coho, two fish per day (C.1). Chinook minimum size limit of 20 inches total length (B); and the same gear restrictions as in 2007 (C.2, C.3).

TABLE 2. Recreational management measures adopted by the Council for non-Indian ocean salmon fisheries, 2009.	(Page 3 of 4)
B. MINIMUM SIZE (Inches) (See C 1)	

Area (when open)	Chinook	Coho	Pink
North of Cape Falcon	24.0	16.0	None
Cape Falcon to Humbug Mt.	-	16.0	None
Humbug Mt. to OR/CA Border	24.0	16.0	None
OR/CA Border to Horse Mountain	24.0	-	24.0
Horse Mt. to U.S./Mexico Border	-	-	-

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.1. <u>Compliance with Minimum Size and Other Special Restrictions</u>: All salmon on board a vessel must meet the minimum size or other special requirements for the area being fished and the area in which they are landed if that area is open. Salmon may be landed in an area that is closed only if they meet the minimum size or other special requirements for the area in which they were caught.

Ocean Boat Limits: Off the coast of Washington, Oregon, and California, each fisher aboard a vessel may continue to use angling gear until the combined daily limits of salmon for all licensed and juvenile anglers aboard has been attained (additional state restrictions may apply).

- C.2. <u>Gear Restrictions</u>: Salmon may be taken only by hook and line using barbless hooks. All persons fishing for salmon, and all persons fishing from a boat with salmon on board, must meet the gear restrictions listed below for specific areas or seasons.
 - a. *U.S./Canada Border to Point Conception, California*: No more than one rod may be used per angler; and no more than two single point, single shank barbless hooks are required for all fishing gear. [Note: ODFW regulations in the state-water fishery off Tillamook Bay may allow the use of barbed hooks to be consistent with inside regulations.]
 - c. Horse Mt., California, to Point Conception, California: Single point, single shank, barbless circle hooks (see gear definitions below) are required when fishing with bait by any means other than trolling, and no more than two such hooks shall be used. When angling with two hooks, the distance between the hooks must not exceed five inches when measured from the top of the eye of the top hook to the inner base of the curve of the lower hook, and both hooks must be permanently tied in place (hard tied). Circle hooks are not required when artificial lures are used without bait.

C.3. Gear Definitions:

- a. Recreational fishing gear defined: Angling tackle consisting of a line with no more than one artificial lure or natural bait attached. Off Oregon and Washington, the line must be attached to a rod and reel held by hand or closely attended; the rod and reel must be held by hand while playing a hooked fish. No person may use more than one rod and line while fishing off Oregon or Washington. Off California, the line must be attached to a rod and reel held by hand or closely attended; weights directly attached to a line may not exceed four pounds (1.8 kg). While fishing off California north of Point Conception, no person fishing for salmon, and no person fishing from a boat with salmon on board, may use more than one rod and line. Fishing includes any activity which can reasonably be expected to result in the catching, taking, or harvesting of fish.
- b. *Trolling defined*: Angling from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.
- c. Circle hook defined: A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.

TABLE 2. Recreational management measures adopted by the Council for non-Indian ocean salmon fisheries, 2009. (Page 4 of 4)

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS (continued)

C.4. Control Zone Definitions:

- a. The Bonilla-Tatoosh Line: A line running from the western end of Cape Flattery to Tatoosh Island Lighthouse (48°23'30" N. lat., 124°44'12" W. long.) to the buoy adjacent to Duntze Rock (48°28'00" N. lat., 124°45'00" W. long.), then in a straight line to Bonilla Point (48°35'30" N. lat., 124°43'00" W. long.) on Vancouver Island, British Columbia.
- b. Grays Harbor Control Zone The area defined by a line drawn from the Westport Lighthouse (46° 53'18" N. lat., 124° 07'01" W. long.) to Buoy #2 (46° 52'42" N. lat., 124°12'42" W. long.) to Buoy #3 (46° 55'00" N. lat., 124°14'48" W. long.) to the Grays Harbor north jetty (46° 36'00" N. lat., 124°10'51" W. long.).
- c. Columbia Control Zone: An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09' N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°15'48" N. lat., 124°05'20" W. long. and then along the north jetty to the point of intersection with the Buoy #10 line; and on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line.
- d. Stonewall Bank Groundfish Conservation Area: The area defined by the following coordinates in the order listed:

```
44°37.46' N. lat.; 124°24.92' W. long.; 44°37.46' N. lat.; 124°23.63' W. long.; 44°28.71' N. lat.; 124°21.80' W. long.; 44°28.71' N. lat.; 124°24.10' W. long.; 44°31.42' N. lat.; 124°25.47' W. long.;
```

- and connecting back to 44°37.46' N. lat.; 124°24.92' W. long.
- e. *Klamath Control Zone*: The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately six nautical miles north of the Klamath River mouth); on the west, by 124°23'00" W. long. (approximately 12 nautical miles off shore); and, on the south, by 41°26'48" N. lat. (approximately 6 nautical miles south of the Klamath River mouth).
- C.5. <u>Inseason Management</u>: Regulatory modifications may become necessary inseason to meet preseason management objectives such as quotas, harvest guidelines, and season duration. In addition to standard inseason actions or modifications already noted under the season description, the following inseason guidance is provided to NMFS:
 - a. Actions could include modifications to bag limits, or days open to fishing, and extensions or reductions in areas open to fishing.
 - b. Coho may be transferred inseason among recreational subareas north of Cape Falcon on an fishery impact equivalent basis to help meet the recreational season duration objectives (for each subarea) after conferring with representatives of the affected ports and the Council's SAS recreational representatives north of Cape Falcon.
 - c. Chinook and coho may be transferred between the recreational and commercial fisheries north of Cape Falcon on an fishery impact equivalent basis if there is agreement among the representatives of the Salmon Advisory Subpanel (SAS).
 - d. If retention of unmarked coho is permitted in the area from the U.S./Canada border to Cape Falcon, Oregon, by inseason action, the allowable coho quota will be adjusted to ensure preseason projected mortality of critical stocks is not exceeded
 - e. Marked coho remaining from the June through August Cape Falcon to OR/CA border recreational coho quota may be transferred to the September Cape Falcon to Humbug Mt. recreational fishery, or the Cape Falcon to Humbug Mt. non-Indian commercial non-mark-selective all salmon fishery on a fishery impact equivalent basis.
- C.6. <u>Additional Seasons in State Territorial Waters</u>: Consistent with Council management objectives, the States of Washington, Oregon, and California may establish limited seasons in state waters. Check state regulations for details.




FIGURE 2. Council-adopted recreational salmon seasons for 2009. Dates are the first or last days of the month unless otherwise specified.

TABLE 3. Treaty Indian ocean troll management measures adopted by the Council for ocean salmon fisheries, 2009. (Page 1 of 1)

A. SEASON DESCRIPTIONS

Supplemental Management Information

1. Overall Treaty-Indian TAC: 39,000 Chinook and 60,000 coho.

U.S./Canada Border to Cape Falcon

• May 1 through the earlier of June 30 or 19,000 Chinook quota.

All salmon except coho. If the Chinook quota for the May-June fishery is not fully utilized, the excess fish cannot be transferred into the later all-salmon season. If the Chinook quota is exceeded, the excess will be deducted from the later all-salmon season. See size limit (B) and other restrictions (C).

• July 1 through the earlier of September 15, or 20,000 preseason Chinook quota, or 60,000 coho quota.

All Salmon. See size limit (B) and other restrictions (C).

B. MINIMUM SIZE (Inches)

	Chii	nook	Col	Cono		
Area (when open)	Total Length	Head-off	Total Length	Head-off	Pink	
North of Cape Falcon	24.0	18.0	16.0	12.0	None	

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

C.1. <u>Tribe and Area Boundaries</u>. All boundaries may be changed to include such other areas as may hereafter be authorized by a Federal court for that tribe's treaty fishery.

S'KLALLAM - Washington State Statistical Area 4B (All).

MAKAH - Washington State Statistical Area 4B and that portion of the FMA north of 48°02'15" N. lat. (Norwegian Memorial) and east of 125°44'00" W. long.

QUILEUTE - That portion of the FMA between 48°07'36" N. lat. (Sand Pt.) and 47°31'42" N. lat. (Queets River) and east of 125°44'00" W. long.

 $\underline{\text{HOH}}$ - That portion of the FMA between 47°54'18" N. lat. (Quillayute River) and 47°21'00" N. lat. (Quinault River) and east of $125^{\circ}44'00$ " W. long.

QUINAULT - That portion of the FMA between 47°40'06" N. lat. (Destruction Island) and 46°53'18"N. lat. (Point Chehalis) and east of 125°44'00" W. long.

C.2. Gear restrictions

- a. Single point, single shank, barbless hooks are required in all fisheries.
- b. No more than eight fixed lines per boat.
- c. No more than four hand held lines per person in the Makah area fishery (Washington State Statistical Area 4B and that portion of the FMA north of 48°02'15" N. lat. (Norwegian Memorial) and east of 125°44'00" W. long.)

C.3. Quotas

- a. The quotas include troll catches by the S'Klallam and Makah tribes in Washington State Statistical Area 4B from May 1 through September 15.
- b. The Quileute Tribe will continue a ceremonial and subsistence fishery during the time frame of September 15 through October 15 in the same manner as in 2004-2008. Fish taken during this fishery are to be counted against treaty troll quotas established for the 2009 season (estimated harvest during the October ceremonial and subsistence fishery: 100 Chinook; 200 coho).

C.4. Area Closures

- a. The area within a six nautical mile radius of the mouths of the Queets River (47°31'42" N. lat.) and the Hoh River (47°45'12" N. lat.) will be closed to commercial fishing.
- b. A closure within two nautical miles of the mouth of the Quinault River (47°21'00" N. lat.) may be enacted by the Quinault Nation and/or the State of Washington and will not adversely affect the Secretary of Commerce's management regime.

TABLE 4. Chinook and coho harvest quotas and guidelines (*) for 2009 ocean salmon fishery management measures adopted by the Council.

Fishery or Quota Designation	Chinook	Coho
NORTH OF CAPE FALC	CON	
TREATY INDIAN OCEAN TROLL		
U.S./Canada Border to Cape Falcon (All Except Coho)	19,000	-
U.S./Canada Border to Cape Falcon (All Species)	20,000	60,000
Subtotal Treaty Indian Ocean Troll	39,000	60,000
NON-INDIAN COMMERCIAL TROLL ad		
U.S./Canada Border to Cape Falcon (All Except Coho)	13,735	-
U.S./Canada Border to Cape Falcon (All Species)	6,765	33,600
Subtotal Non-Indian Commercial Troll	20,500	33,600
RECREATIONAL ^{a/}		
U.S./Canada Border to Cape Alava	2,200 *	18,350
Cape Alava to Queets River	1,050 *	4,580
Queets River to Leadbetter Pt.	11,850 *	65,270
Leadbetter Pt. to Cape Falcon ^{b/}	5,400 *	88,200
Subtotal Recreational	20,500	176,400
TOTAL NORTH OF CAPE FALCON	80,000	270,000
SOUTH OF CAPE FALC	CON	
COMMERCIAL TROLL ^{c/}		
Cape Falcon to Humbug Mt.	-	11,000
Humbug Mt. to OR/CA Border	-	-
Subtotal Troll	-	11,000
RECREATIONAL ^{a/}		
Cape Falcon to Oregon/California Border	-	117,000
TOTAL SOUTH OF CAPE FALCON	-	128,000

a/ The coho quota is a landed catch of coho marked with a healed adipose fin clip (marked).

b/ Does not include Buoy 10 fishery (115,000 marked coho in August and September).

c/ The coho quota is a landed catch of all legal size coho, with no mark-selective retention requirement.

APRIL 2009

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2009 ocean fishery management measures adopted by the Council.^{a/} (Page 1 of 3)

	ed Ocean Escapement ^{b/} or Oth	
Key Stock/Criteria	(Council Area Fisheries)	Spawner Objective or Other Comparative Standard as Noted
		CHINOOK
PUGET SOUND:		
Elwha Summer/Fall	4.2%	≤ 10.0% Southern U.S. Rebuilding Exploitation Rate (NMFS ESA consultation standard)
Dungeness Spring	4.3%	≤ 10.0% Southern U.S. Rebuilding Exploitation Rate (NMFS ESA consultation standard)
Mid-Hood Canal Summer/Fall	11.7%	≤ 11.9% Preterminal Southern U.S. CERC (NMFS ESA consultation standard)
Skokomish Summer/Fall	11.9%	≤ 15.0% Preterminal Southern U.S. Rebuilding Exploitation Rate and
	1.217	≥ 1.200 Natural spawning escapement (NMFS ESA consultation standard)
Nooksack Spring	6.6%	≤ 6.6% Southern U.S. CERC, not to exceed in four out of five years (NMFS ESA consultation standard)
	10.7%	≤ 60.0% ISBM Index (PSC general obligation)
Skagit Summer/Fall	48.7%	≤ 50.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
	29.1%	≤ 60.0% ISBM Index (PSC general obligation)
Skagit Spring	33.5%	≤ 38.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
	14.2%	≤ 60.0% ISBM Index (PSC general obligation)
Stillaguamish Summer/Fall	22.7%	≤ 25.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
	44.6%	≤ 60.0% ISBM Index (PSC general obligation)
Snohomish Summer/Fall	13.6%	≤ 15.0% Southern U.S. CERC (NMFS ESA consultation standard)
	20.2%	≤ 60.0% ISBM Index (PSC general obligation)
Lake Washington Summer/Fall	10.7%	≤ 15.0% Preterminal Southern U.S. Rebuilding Exploitation Rate (NMFS ESA consultation standard)
	76.8%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2009 because escapement objective met
Green River Summer/Fall	10.7%	≤ 15.0% Preterminal Southern U.S. Rebuilding Exploitation Rate and
	5.813	≥ 5.800 Natural spawning escapement (NMFS ESA consultation standard)
	55.5%	≤ 60.0% ISBM Index (PSC general obligation)
White River Spring	19.8%	≤ 20.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
Puyallup Summer/Fall	49.8%	≤ 50.0% Total Rebuilding Exploitation Rate (NMFS ESA consultation standard)
Nisqually River Summer/Fall	1.792	≥ 1.100 Spawning escapement goal (NMFS ESA consultation standard)
WASHINGTON COAST:		
Hoko Fall	28.4%	≤ 60.0% ISBM Index (PSC general obligation)
Quillayute Fall	88.1%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2009 because escapement objective met
Hoh Fall	98.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2009 because escapement objective met
Queets Fall	50.8%	≤ 60.0% ISBM Index (PSC general obligation)
Grays Harbor Fall	40.4%	≤ 60.0% ISBM Index (PSC general obligation)
,	, .	(3-11-11-11-11-11-11-11-11-11-11-11-11-11

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2009 ocean fishery management measures adopted by the Council. (Page 2 of 3)

Key Stock/Criteria	Dcean Escapement ^{b/} or C Council Area Fisheries)	
ncy otock/ontena	(Council Alea I islielles	CHINOOK
COLUMBIA RIVER		
Columbia Upriver Brights	269.8	88.6 Minimum ocean escapement to attain 60.0 adults over McNary Dam, with normal distribution and no mainstem harvest.
	79.8%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2009 because escapement objective met
Deschutes Upriver Brights	46.1%	≤ 60.0% ISBM Index (PSC general obligation)
Snake River Fall (threatened) SRFI	47.3%	≤ 70.0% Of 1988-1993 base period exploitation rate for all ocean fisheries (NMFS ESA consultation standard).
Mid-Columbia Brights	97.9	13.2 Minimum ocean escapement to attain 4.7 adults for Bonneville Hatchery and 2.0 for Little White Salmon Hatchery egg-take, assuming average conversion and no mainstem harvest.
Columbia Lower River Hatchery Tules	88.2	30.3 Minimum ocean escapement to attain 12.0 adults for hatchery egg-take, with average conversion and no lower river mainstem or tributary harvest.
Columbia Lower River Natural Tules (threatened)	38.0%	≤ 38.0% ESA guidance met by a total adult equivalent fishery exploitation rate on Coweeman tules (NMFS ESA consultation standard).
Columbia Lower River Wild ^{c/} (threatened)	8.6	6.8 Minimum ocean escapement to attain MSY spawner goal of 5.7 for N. Lewis River fall Chinook (NMFS ESA consultation standard).
	47.0%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2009 because escapement objective met
Spring Creek Hatchery Tules	56.5	8.8 Minimum ocean escapement to attain 7.0 adults for Spring Creek Hatchery egg-take, assuming average conversion and no mainstem harvest.
Upriver Summer OREGON COAST:	123.6%	≤ 60.0% ISBM Index (PSC general obligation) not applicable for 2009 because escapement objective met
Nehalem Fall	≤ 60.0%	≤ 60.0% ISBM Index (PSC general obligation) ^{a/}
Siletz Fall	≤ 60.0%	≤ 60.0% ISBM Index (PSC general obligation) ^{a/}
Siuslaw Fall	≤ 60.0%	≤ 60.0% ISBM Index (PSC general obligation) ^{d/}
CALIFORNIA		
Klamath River Fall	40.7	40.7 Minimum number of adult spawners to natural spawning areas. 2009 Council guidance.
Federally recognized tribal harvest	50.0%	50.0% Equals 30.9 (thousand) adult fish for Yurok and Hoopa tribal fisheries.
Spawner Reduction Rate	50.1%	≤ 66.7% Equals 40.9 (thousand) fewer natural adult spawners due to fishing.
Adult river mouth return	130.2	NA Natural and hatchery adults.
Age-4 ocean harvest rate	≤0.1%	≤ 16.0% NMFS ESA consultation standard for threatened California Coastal Chinook.
KMZ sport fishery share	100.0%	No Council guidance for 2009.
CA:OR troll fishery share	NA	50:50 2006 KFMC recommendation, no guidance for 2009.
River recreational fishery share	99.6%	≥ 15% 2009 Council Guidance. Equals 30.8 (thousand) adult fish for recreational inriver fisheries.
Sacramento River Winter (endangered	l Met	Recreational seasons: Point Arena to Pigeon Point between the first Saturday in April and the second Sunday in November; Pigeon Point to the U.S./Mexico Border between the first Saturday in April and the first Sunday in October. Minimum size limit ≥ 20 inches total length. Commercial seasons: Point Arena to the U.S./Mexico border between May 1 and September 30, except Point Reyes to Point San Pedro between October 1 and15.
Cooramonto Divor E-II	100.05	Minimum size limit ≥ 26 inches total length. (NMFS ESA consultation standard).
Sacramento River Fall	122.05	122.0-180.0 FMP objective for Sacramento River fall natural and hatchery adult spawners.
Ocean commercial impacts	0.0	Include fall (Sept-Dec) 2008 impacts; equals 0 SRFC.
Ocean recreational impacts	0.1	Include fall (SeptDec.) 2008 impacts (0 SRFC).
River recreational impacts	0.0 ≥ 22.0	Assumes 0.000 (thousand) adult fish for recreational inriver fisheries.
Hatchery spawner goal	≥ ∠∠.∪	22.0 Aggregate number of adults to achieve egg take goals at Coleman, Feather River, and Nimbus hatcheries.

TABLE 5. Projected key stock escapements (thousands of fish) or management criteria for 2009 ocean fishery management measures adopted by the Council.^{a/} (Page 3 of 3)

Projected	d Ocean Escapement ^{b/} or Oth	er Criteria
Key Stock/Criteria	(Council Area Fisheries)	Spawner Objective or Other Comparative Standard as Noted
		СОНО
Interior Fraser (Thompson River)	9.8%(6.2%)	≤ 10.0% Total exploitation rate for all U.S. fisheries south of the U.S./Canada border based on 2002 PSC
		coho agreement.
Skagit	33.2%(5.7%)	≤ 35.0% 2009 total exploitation rate ceiling; agreement by Parties to <i>U.S. v. Washington</i> e
	27.2	30.0 MSP level of adult spawners Identified in FMP.
Stillaguamish	33.2%(3.8%)	≤ 35.0% 2009 total exploitation rate ceiling; agreement by Parties to <i>U.S. v. Washington</i> e ⁱ
	10.2	17.0 MSP level of adult spawners Identified in FMP.
Snohomish	26.4%(3.8%)	≤ 40.0% 2009 total exploitation rate ceiling; agreement by Parties to <i>U.S. v. Washington</i> e ⁱ
	52.2	70.0 MSP level of adult spawners Identified in FMP.
Hood Canal	47.3%(6.1%)	≤ 65.0% 2009 total exploitation rate ceiling; agreement by Parties to <i>U.S. v. Washington</i> e ⁱ
	36.1	21.5 MSP level of adult spawners Identified in FMP.
Strait of Juan de Fuca	11.9%(4.6%)	≤ 40.0% 2009 total exploitation rate ceiling; agreement by Parties to <i>U.S. v. Washington</i> e ⁱ
	18.3	12.8 MSP level of adult spawners Identified in FMP.
Quillayute Fall	17.8	6.3-15.8
Hoh	7.9	2.0-5.0 FMP objective MSY adult spawner range (not annual target). Annual management objectives may
Queets Wild	25.5	5.8-14.5 be different and are subject to agreement between WDFW and the Washington coastal treaty tribes
Grays Harbor	53.8	35.4 under U.S. District Court orders.
Lower Columbia River Natural	12.5%	≤ 20.0% Total marine and mainstem Columbia River fishery exploitation rate (NMFS ESA consultation
(threatened)		standard). Value depicted is ocean fishery exploitation rate only.
	2.10/	
Upper Columbia	61%	≥ 50% Minimum percentage of the run to Bonneville Dam.
Columbia River Hatchery Early	354.0	39.2 Minimum ocean escapement to attain hatchery egg-take goal of 14.0 early adult coho, with average conversion and no mainstem or tributary fisheries.
Columbia River Hatchery Late	220.6	9.0 Minimum ocean escapement to attain hatchery egg-take goal of 6.6 late adult coho, with average
		conversion and no mainstem or tributary fisheries.
Oregon Coastal Natural	13.0%	≤ 15.0% Marine and freshwater fishery exploitation rate.
Northern California (threatened)	2.8%	≤ 13.0% Marine fishery exploitation rate for RK hatchery coho (NMFS ESA consultation standard).

a/ Assumptions for Canadian and Southeast Alaska Chinook fisheries operating under aggregate abundance based management (AABM) regimes are based on allowable catch levels determined under the 2009 PST Chinook agreement and the 2009 calibration of the PSC Chinook Model. The allowable catch levels are for an Alaska all-gear catch of 218,800, a Northern BC troll and Queen Charolette Islands catch of 143,000, and a WCVI troll and outside sport catch of 107,800.

b/ Ocean escapement is the number of salmon escaping ocean fisheries and entering freshwater with the following clarifications. Ocean escapement for Puget Sound stocks is the estimated number of salmon entering Area 4B that are available to U.S. net fisheries in Puget Sound and spawner escapement after impacts from the Canadian, U.S. ocean, and Puget Sound troll and recreational fisheries have been deducted. Numbers in parentheses represent Council area exploitation rates for Puget sound coho stocks. For Columbia River early and late coho stocks, ocean escapement represents the number of coho after the Buoy 10 fishery. Exploitation rates for CCN coho include all marine impacts prior to the Buoy 10 fishery. Exploitation rates for OCN coho include impacts of freshwater fisheries.

c/ Includes minor contributions from East Fork Lewis River and Sandy River.

d/ Projected ISBM indices for these stocks, which are based on an average of 2005-2007 terminal harvest rates, exceed 60%, but the state of Oregon intends to manage 2009 freshwater fishery impacts to comply with the general obligation.

e/ Annual management objectives may be different than FMP goals, and are subject to agreement between WDFW and the treaty tribes under U.S. District Court orders. Total exploitation rate includes Alaskan, Canadian, Council area, Puget Sound, and freshwater fisheries and is calculated as total fishing mortality divided by total fishing mortality plus spawning escapement.

TABLE 6. Preliminary projections of Chinook and coho harvest impacts for 2009 ocean salmon fishery management measures

adopted by the Council.

		Bycatch		Observe	ed in 2008		
	Catch Projection	Mortality ^{a/}	Bycatch		Bycatch		
Area and Fishery		Projection	Projection ^{b/}	Catch	Mortality		
OCEAN FISHERIES":		CHINOO	K (thousands of fis	h)			
NORTH OF CAPE FALCON							
Treaty Indian Ocean Troll	39.0	9.7	25.4	21.1	3.5		
Non-Indian Commercial Troll	20.5	6.4	17.7	14.0	3.8		
Recreational	20.5	2.3	6.9	15.4	1.8		
CAPE FALCON TO HUMBUG MT.							
Commercial Troll	0.0	4.7	18.1	0.3	0.1		
Recreational	0.2	1.4	8.4	0.5	0.5		
HUMBUG MT. TO HORSE MT.							
Commercial Troll	0.2	0.0	0.1	0.2	0.0 d/		
Recreational	3.6	0.9	4.0	0.3	0.1 d/		
SOUTH OF HORSE MT.							
Commercial	0.0	0.0	0.0	-	-		
Recreational	0.0	0.0	0.0	0.0	0.0		
TOTAL OCEAN FISHERIES							
Commercial Troll	59.7	20.8	61.3	35.6	7.4		
Recreational	24.3	4.6	19.3	16.2	2.4		
INSIDE FISHERIES:							
Area 4B	-	-	-	0.0	NA		
Buoy 10	10.7	NA	NA	8.7	NA		
	COHO (thousands of fish)						
NORTH OF CAPE FALCON			`				
Treaty Indian Ocean Trolle/	60.0	3.7	5.8	14.4	1.2		
Non-Indian Commercial Troll ^{1/}	33.6	10.5	31.6	2.1	1.7		
Recreational ^{T/}	176.4	27.3	106.0	20.9	4.2 9/		
SOUTH OF CAPE FALCON							
Commercial Troll ^{e/}	11.0	0.6	1.8	0.0	0.0		
Recreational [™]	117.0	26.0	136.9	9.9	3.3		
TOTAL OCEAN FISHERIES							
Commercial Troll	104.6	14.8	39.2	16.5	2.9		
Recreational	293.4	53.3	242.9	30.8	7.5		
INSIDE FISHERIES:							
Area 4B [™]	-	-	-	0.1	0.0		
Buoy 10 [™]	100.0	14.8	77.8	8.6	1.6		

a/ The bycatch mortality reported in this table consists of drop-off mortality (includes predation on hooked fish) plus hook-and-release mortality of Chinook and coho salmon in Council-area fisheries. Drop-off mortality for both Chinook and coho is assumed to be equal to 5% of total encounters. The hook-and-release mortality (HRM) rates used for both Chinook and coho are:

Commercial: 26%.

Recreational, north of Pt. Arena: 14%.

Recreational, south of Pt. Arena: 16% (based on the expected proportion of fish that will be caught using mooching versus trolling gear, and the HRMs of 42.2% and 14% for these two respective gear types).

b/ Bycatch calculated as dropoff mortality plus fish released.

c/ Includes Oregon territorial water, late season Chinook fisheries.

d/ Based on observed sublegal encounter rates.

e/ Includes fisheries that allow retention of any legal size coho.

f/ Includes fisheries that allow only retention of coho marked with a healed adipose fin clip.

g/ Based on observed unmarked encounter rates.

TABLE 7. Expected coastwide lower Columbia Natural (LCN) Oregon coastal natural (OCN) and Rogue/Klamath (RK) coho, and Lower Columbia River (LCR) natural tule Chinook exploitation rates by fishery for 2009 ocean fisheries management measures adopted by the Council.

		Exploitation R	Rate (Percent)	
Fishery	LCN Coho	OCN Coho	RK Coho	LCR Tule
SOUTHEAST ALASKA	0.0%	0.0%	0.0%	2.6%
BRITISH COLUMBIA	0.1%	0.3%	0.1%	13.0%
PUGET SOUND/STRAIT	0.2%	0.1%	0.0%	0.3%
NORTH OF CAPE FALCON				
Treaty Indian Ocean Troll	2.9%	0.7%	0.0%	6.9%
Recreational	4.9%	0.9%	0.1%	2.4%
Non-Indian Troll	1.5%	0.4%	0.0%	4.7%
SOUTH OF CAPE FALCON				
Recreational:				0.0%
Cape Falcon to Humbug Mt.	2.5%	4.8%	0.5%	
Humbug Mt. OR/CA border (KMZ)	0.1%	0.6%	1.2%	
OR/CA border to Horse Mt. (KMZ)	0.0%	0.0%	0.2%	
Fort Bragg	0.0%	0.0%	0.0%	
South of Pt. Arena	0.0%	0.0%	0.0%	
Troll:				0.0%
Cape Falcon to Humbug Mt.	0.6%	2.0%	0.6%	
Humbug Mt. OR/CA border (KMZ)	0.0%	0.0%	0.0%	
OR/CA border to Horse Mt. (KMZ)	0.0%	0.0%	0.0%	
Fort Bragg	0.0%	0.0%	0.0%	
South of Pt. Arena	0.0%	0.0%	0.0%	
BUOY 10	3.3%	0.2%	0.0%	8.1%
ESTUARY/FRESHWATER	7.5%	3.0%	0.2%	8.1%
TOTAL ^a	20.0%	13.0%	2.8%	38.0%

a/ Totals do not include estuary/freshwater or Buoy 10 for RK coho.

TABLE 8. Projected coho mark rates for 2009 fisheries under base period fishing patterns (percent marked).

TABLE 8. Projected coho mark rates for 2 Area	Fishery	June	July	August	September
Canada	1 ionory	Gario	oury	, tagaot	Сортонност
Johnstone Strait	Recreational	_	15%	12%	_
West Coast Vancouver Island	Recreational	35%	16%	11%	11%
North Georgia Strait	Recreational	30%	30%	29%	23%
South Georgia Strait	Recreational	36%	36%	30%	32%
Juan de Fuca Strait	Recreational	39%	42%	43%	39%
Johnstone Strait	Troll	35%	26%	21%	25%
NW Vancouver Island	Troll	25%	24%	26%	33%
SW Vancouver Island	Troll	45%	40%	44%	46%
Georgia Strait	Troll	38%	38%	38%	33%
Puget Sound					
Strait of Juan de Fuca (Area 5)	Recreational	57%	50%	50%	50%
Strait of Juan de Fuca (Area 6)	Recreational	55%	47%	49%	48%
San Juan Island (Area 7)	Recreational	48%	41%	40%	31%
North Puget Sound (Areas 6 & 7A)	Net	-	34%	35%	33%
Council Area					
Neah Bay (Area 4/4B)	Recreational	48%	55%	53%	59%
LaPush (Area 3)	Recreational	68%	62%	67%	42%
Westport (Area 2)	Recreational	69%	69%	69%	67%
Columbia River (Area 1)	Recreational	76%	74%	74%	75%
Tillamook	Recreational	71%	68%	65%	51%
Newport	Recreational	68%	66%	64%	49%
Coos Bay	Recreational	62%	59%	47%	31%
Brookings	Recreational	55%	43%	38%	12%
Neah Bay (Area 4/4B)	Troll	56%	52%	56%	61%
LaPush (Area 3)	Troll	60%	62%	59%	63%
Westport (Area 2)	Troll	57%	62%	68%	66%
Columbia River (Area 1)	Troll	72%	70%	69%	75%
Tillamook	Troll	68%	67%	69%	65%
Newport	Troll	66%	66%	64%	62%
Coos Bay	Troll	61%	60%	53%	39%
Brookings	Troll	51%	51%	54%	70%
Columbia River					
Buoy 10	Recreational				78%

TABLE 9. Preliminary projected exvessel value under Council-adopted 2009 non-Indian commercial troll management measures compared to 2008 and the 2004-2008 average (inflation adjusted).

	Exvessel Value (thousands of dollars) ^{a/}								
Management Area	2009 Projected ^{b/}	2008 Actual	Percent Change from 2008	2004-2008 Average ^{c/}					
North of Cape Falcon	2,419	1,175	106%	1,656	46%				
Cape Falcon to Humbug Mt.	242	6	3784%	4,800	-95%				
Humbug Mt. to Horse Mt.	14	17	-14%	392	-96%				
Horse Mt. to Pt. Arena	0	0	-	1,607	-100%				
South of Pt. Arena	0	0	-	7,494	-100%				
Total South of Cape Falcon	256	23	1021%	14,293	-98%				
West Coast Total	2,675	1,198	123%	15,949	-83%				

a/ Exvessel values are not comparable to the community income impacts shown in Table 10.

b/ Dollar value estimates are based on expected catches in the Council management area, 2008 exvessel prices and 2008 average weight per fish.

c/ Values adjusted to 2008 dollars.

34

APRIL 2009

TABLE 10. Preliminary projected angler trips and state level personal income impacts generated under Council-adopted 2009 recreational ocean salmon fishery management measures compared to 2008 and the 2004-2008 average (inflation adjusted).

				Coastal C	ommunity Incon	Percent Change in Income Impacts		
	Angler Trips (thousands)			(thousands of dollars) ^{a/}			Compared to	Compared to
Management Area	2009 Projected	2008 Actual	2004-2008 Avg.	2009 Projected	2008 Actual	2004-2008 Avg.	2008 Actual	2004-2008 Avg.
North of Cape Falcon	73.1	40.1	85.8	7,622	4,174	8,371	83%	-9%
Cape Falcon to Humbug Mt.	73.6	22.0	57.8	3,689	1,101	3,526	235%	5%
Humbug Mt. to Horse Mt.	24.3	4.8	27.4	1,130	223	1,366	407%	-17%
Horse Mt. to Pt. Arena	0.0	0.4	18.7	0	29	1,446	-100%	-100%
South of Pt. Arena	0.0	0.0	90.1	0	0	7,936	-	-100%
Total South of Cape Falcon	97.9	27.2	194.0	4,819	1,353	14,274	256%	-66%
West Coast Total	171.1	67.2	279.8	12,440	5,528	22,645	125%	-45%

a/ Income impacts are sums of the impacts for individual communities within each management area. Income impacts are not comparable to the exvessel values shown in Table 9. All dollar values are adjusted to 2008 real values.




FIGURE 3. Projected coastal community personal income impacts associated with the 2009 commercial troll fishery under Council-adopted management measures compared to 2008 and the 2004-2008 average in real (inflation adjusted) dollars.




FIGURE 4. Projected coastal community personal income impacts associated with the 2009 recreational fishery under Council-adopted management measures compared to 2008 and the 2004-2008 average in real (inflation adjusted) dollars.