

TABLE 2. **Recreational** management options adopted by the Council for ocean salmon fisheries, 2004. (Page 1 of 7)

A. SEASON OPTION DESCRIPTIONS		
OPTION I	OPTION II	OPTION III
<p>The fisheries in this option will need to be restructured if negotiations in the North of Falcon forum or final preseason catch expectations for Canadian and Alaskan fisheries do not result in an SRFI at or below 0.70 as required by the NMFS ESA consultation standard.</p> <p style="text-align: center;">North of Cape Falcon</p> <p>Supplemental Management Information:</p> <ol style="list-style-type: none"> Overall non-Indian TAC: 120,000 chinook and 275,000 coho. Trade: May be considered at the April Council meeting. Recreational TAC: 58,000 chinook and 206,250 coho. No Area 4B add-on fishery. Buoy 10 fishery opens Aug. 1 with an expected landed catch of 10,500 coho in Aug. and 4,500 coho in Sept. All retained coho must have a healed adipose fin clip except as noted below. Overall chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, or upon conclusion of negotiations in the North of Falcon forum, or receipt of final preseason catch expectations for Canadian and Alaskan fisheries. 	<p style="text-align: center;">North of Cape Falcon</p> <p>Supplemental Management Information:</p> <ol style="list-style-type: none"> Overall non-Indian TAC: 90,000 chinook and 225,000 coho. Trade: May be considered at the April Council meeting. Recreational TAC: 45,000 chinook and 168,750 coho. No Area 4B add-on fishery. Buoy 10 fishery opens Aug. 1 with an expected landed catch of 14,000 coho in Aug. and 6,000 coho in Sept. All retained coho must have a healed adipose fin clip except as noted below. Overall chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, or upon conclusion of negotiations in the North of Falcon forum, or receipt of final preseason catch expectations for Canadian and Alaskan fisheries. 	<p style="text-align: center;">North of Cape Falcon</p> <p>Supplemental Management Information:</p> <ol style="list-style-type: none"> Overall non-Indian TAC: 60,000 chinook and 175,000 coho. Trade: May be considered at the April Council meeting. Recreational TAC: 30,000 chinook and 131,250 coho. Area 4B add-on fishery of 6,000 coho with chinook non-retention opens upon ocean closure (C.5). Buoy 10 fishery opens Aug. 1 with an expected landed catch of 17,500 coho in Aug. and 7,500 coho in Sept. All retained coho must have a healed adipose fin clip. Overall chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, or upon conclusion of negotiations in the North of Falcon forum, or receipt of final preseason catch expectations for Canadian and Alaskan fisheries.
<p>U.S./Canada Border to Cape Alava (Neah Bay)</p> <p>C June 20 through earlier of Sept. 30 or 21,450 coho subarea quota with a subarea guideline of 4,800 chinook.</p> <p>Seven days per week. All salmon except no chum retention Aug. 1 through Sept. 14, , two fish per day, no more than one of which may be a chinook (chinook 24-inch total length minimum size limit) (B). All retained coho must have a healed adipose fin clip, except an inseason conference call may occur no earlier than September 1 to consider allowing retention of all legal sized coho beginning Sept. 7. See gear restrictions (C.2). Chinook retention east of the Bonilla-Tatoosh line in July only (C.3.d) during Council managed ocean fishery. Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>	<p>U.S./Canada Border to Cape Alava (Neah Bay)</p> <p>C June 27 through earlier of Sept. 19 or 17,550 coho subarea quota with a subarea guideline of 4,100 chinook.</p> <p>Seven days per week. All salmon, except no chum retentino August 1 through Sept. 14, two fish per day, no more than one of which may be a chinook (chinook 26-inch total length minimum size limit) (B). All retained coho must have a healed adipose fin clip, except an inseason conference call may occur no earlier than September 1 to consider allowing retention of all legal sized coho beginning Sept. 7. See gear restrictions (C.2). Chinook non-retention east of the Bonilla-Tatoosh line (C.3.d) during Council managed ocean fishery. Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>	<p>U.S./Canada Border to Cape Alava (Neah Bay)</p> <p>C July 4 through earlier of Sept. 12 or 12,550 coho subarea quota (not adjusted for Area 4B add-on) with a subarea guideline of 3,000 chinook.</p> <p>Seven days per week. All salmon, except no chum retention August 1 through Sept. 14, two fish per day, no more than one of which may be a chinook (chinook 26-inch total length minimum size limit) (B). All retained coho must have a healed adipose fin clip. See gear restrictions (C.2). Chinook non-retention east of the Bonilla-Tatoosh line (C.3.d) during Council managed ocean fishery. Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>

TABLE 2. **Recreational** management options adopted by the Council for ocean salmon fisheries, 2004. (Page 2 of 7)

A. SEASON OPTION DESCRIPTIONS		
OPTION I	OPTION II	OPTION III
<p>Cape Alava to Queets River (La Push)</p> <p>C June 20 through earlier of Sept. 24 or 5,300 coho subarea quota with a subarea guideline of 2,450 chinook.</p> <p>C Sep. 25 through Oct. 10 or 100 coho quota or 100 chinook quota: In the area north of 47° 50'00" N. Lat. and south of 48°00'00" N. Lat. (C.5).</p> <p>Seven days per week. All salmon, two fish per day, no more than one of which may be a chinook (chinook 24-inch total length minimum size limit) (B). All retained coho must have a healed adipose fin clip, except an inseason conference call may occur no earlier than September 1 to consider allowing retention of all legal sized coho beginning Sept. 7. See gear restrictions (C.2). Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>	<p>Cape Alava to Queets River (La Push)</p> <p>C June 27 through earlier of Sept. 19 or 4,300 coho subarea quota with a subarea guideline of 1,850 chinook;</p> <p>C Sep. 25 through Oct. 10 or 100 coho quota or 100 chinook quota: Inside area defined by a line from Teahwhit Head northwesterly to "Q" buoy to Cake Rock then true east to the shoreline (C.5).</p> <p>Seven days per week. All salmon,, two fish per day, no more than one of which may be a chinok (chinook 26-inch total length minimum size limit) (B). All retained coho must have a healed adipose fin clip, except an inseason conference call may occur no earlier than September 1 to consider allowing retention of all legal sized coho beginning Sept. 7. See gear restrictions (C.2). Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>	<p>Cape Alava to Queets River (La Push)</p> <p>C July 4 through earlier of Sept.12 or 3,400 coho subarea quota with a subarea guideline of 1,200 chinook.</p> <p>C Sep. 25 through Oct. 10 or 100 coho quota or 100 chinook quota: In the area north of 47° 50'00" N. Lat. and south of 48°00'00" N. Lat. (C.5).</p> <p>Seven days per week. All salmon, two fish per day, no more than one of which may be a chinook (chinook 26-inch totla length minimum size limit) (B). All retained coho must have a healed adipose fin clip. See gear restrictions (C.2). Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>
<p>Queets River to Leadbetter Pt. (Westport)</p> <p>C June 20 through earlier of Sept. 30 or 76,300 coho subarea quota with a subarea guideline of 40,350 chinook.</p> <p>Sun. through Thurs, except: there may be a conference call no later than July 28 to consider opening seven days per week. All salmon, two fish per day, no more than one of which may be a chinook (chinook 24-inch total length minimum size limit) (B). All retained coho must have a healed adipose fin clip, except an inseason conference call may occur no earlier than September 1 to consider allowing retention of all legal sized coho beginning Sept. 7. See gear restrictions (C.2). Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>	<p>Queets River to Leadbetter Pt. (Westport)</p> <p>C June 27 through earlier of Sept. 19 or 62,400 coho subarea quota with a subarea guideline of 30,700 chinook.</p> <p>Sun. through Thurs, except: there may be a conference call no later than July 28 to consider opening seven days per week. All salmon, two fish per day, no more than one of which may be a chinook (chinook 26-inch total length minimum size limit) (B). All retained coho must have a healed adipose fin clip, except an inseason conference call may occur no earlier than September 1 to consider allowing retention of all legal sized coho beginning Sept. 7. See gear restrictions (C.2). Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>	<p>Queets River to Leadbetter Pt. (Westport)</p> <p>C July 11 through earlier of Sept. 12. or 49,600 coho subarea quota, with a subarea guideline of 20,500 chinook.</p> <p>Sun. through Thurs, except: there may be a conference call no later than July 28 to consider opening seven days per week. All salmon, two fish per day, no more than one of which may be a chinook (chinook 26-inch total length minimum size limit) (B). All retained coho must have a healed adipose fin clip. See gear restrictions (C.2). Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>

TABLE 2. **Recreational** management options adopted by the Council for ocean salmon fisheries, 2004. (Page 3 of 7)

A. SEASON OPTION DESCRIPTIONS		
OPTION I	OPTION II	OPTION III
<p>Leadbetter Pt. to Cape Falcon (Columbia River)</p> <p>C June 27 through earlier of Sept. 30 or 103,100 coho subarea quota with a subarea guideline of 10,300 chinook.</p> <p>Sun. through Thurs, except: there may be a conference call no later than July 28 to consider opening seven days per week. All salmon, 2 fish per day, no more than one of which may be a chinook (chinook 24-inch total length minimum size limit) (B). All retained coho must have a healed adipose fin clip, except an inseason conference call may occur no earlier than Sept. 15 to consider allowing retention of all legal sized coho. See gear restrictions (C.2). Columbia Control Zone closed (C.3.a). Closed between Cape Falcon and Tillamook Head beginning Aug.1. Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>	<p>Leadbetter Pt. to Cape Falcon (Columbia River)</p> <p>C July 4 through earlier of Sept. 30 or 84,400 coho subarea quota with a subarea guideline of 8,250 chinook.</p> <p>Sun. through Thurs, except: there may be a conference call no later than July 28 to consider opening seven days per week. All salmon, 2 fish per day, no more than one of which may be a chinook (chinook 26-inch total length minimum size limit) (B). All retained coho must have a healed adipose fin clip, except an inseason conference call may occur no earlier than Sept. 15 to consider allowing retention of all legal sized coho. See gear restrictions (C.2). Columbia Control Zone closed (C.3.a). Closed between Cape Falcon and Tillamook Head beginning Aug.1. Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>	<p>Leadbetter Pt. to Cape Falcon (Columbia River)</p> <p>C July 11 through earlier of Sept. 30 or 65,600 coho subarea quota with a subarea guideline of 5,200 chinook.</p> <p>Sun. through Thurs, except: there may be a conference call no later than July 28 to consider opening seven days per week. All salmon, 2 fish per day, no more than one of which may be a chinook (chinook 26-inch total length minimum size limit) (B). All retained coho must have a healed adipose fin clip. See gear restrictions (C.2). Columbia Control Zone closed (C.3.a). Closed between Cape Falcon and Tillamook Head beginning Aug.1. Inseason management may be used to sustain season length and keep harvest within the overall chinook recreational TAC for north of Cape Falcon (C.4).</p>

TABLE 2. **Recreational** management options adopted by the Council for ocean salmon fisheries, 2004. (Page 4 of 7)

A. SEASON OPTION DESCRIPTIONS		
OPTION I South of Cape Falcon	OPTION II South of Cape Falcon	OPTION III South of Cape Falcon
<p>Cape Falcon to Humbug Mt C Except as provided below during the selective fishery, the season will be Mar. 15 through Oct. 31 (C.5). All salmon except coho. Two fish per day. See gear restrictions (C.2). See Oregon State regulations for a description of a closure at the mouth of Tillamook Bay.</p> <p>In 2005 the season will open March 15 for all salmon except coho. Two fish per day. Same gear restrictions as in 2004. This opening could be modified following Council review at its November 2004 meeting.</p> <p><u>Selective fishery: Cape Falcon to OR/CA Border</u></p> <ul style="list-style-type: none"> June 19 through earlier of Aug. 31 or a landed catch of 75,000 coho. <p>Open seven days per week, all salmon, two fish per day. All retained coho must have a healed adipose fin clip. Open days may be adjusted inseason to utilize the available quota (C.4). All salmon except coho season reopens the earlier of Sept. 1 or attainment of the coho quota.</p> <p>Humbug Mt. to Horse Mt. (KMZ) C Except as provided above during the selective fishery, the season will be May 15 through Sept. 12 (C.5). All salmon except coho. Seven days per week, two fish per day. See gear restrictions (C.2). Klamath Control Zone closed Aug. 1-31 (C.3.b).</p> <p>Horse Mt. to Pt. Arena (Fort Bragg) C Feb. 14 through Nov. 14. All salmon except coho. Two fish per day. Chinook minimum size 24 inches total length through April 30 and 20 inches total length thereafter (B). See gear restrictions (C.2).</p> <p>In 2005, season opens Feb. 12 (nearest Sat. to Feb. 15) for all salmon except coho. Two fish per day, chinook 20-inch total length minimum size limit through April 30; same gear restrictions as in 2004.</p>	<p>Cape Falcon to Humbug Mt C Same as Option I</p> <p>In 2005, same as Option I.</p> <p><u>Selective fishery: Cape Falcon to Humbug Mt.</u></p> <ul style="list-style-type: none"> June 19 through earlier of Aug. 31 or a landed catch of 65,000 coho. <p>Open seven days per week, all salmon, two fish per day. All retained coho must have a healed adipose fin clip. Open days may be adjusted inseason to utilize the available quota (C.4). All salmon except coho season reopens the earlier of Sept. 1 or attainment of the coho quota.</p> <p>Humbug Mt. to Horse Mt. (KMZ) C May 15 through Sept. 12 (C.5). All salmon except coho. Seven days per week, two fish per day. See gear restrictions (C.2). Klamath Control Zone closed Aug. 1-31 (C.3.b).</p> <p>Horse Mt. to Pt. Arena (Fort Bragg) C Same as Option I.</p> <p>In 2005, same as Option I.</p>	<p>Cape Falcon to Humbug Mt C Same as Option I</p> <p>In 2005, same as Option I.</p> <p><u>Selective fishery: Cape Falcon to Humbug Mt.</u></p> <ul style="list-style-type: none"> July 1 through earlier of Aug. 31 or a landed catch of 55,000 coho. <p>Open five days per week (Tuesday-Saturday), all salmon, two fish per day. All retained coho must have a healed adipose fin clip. Two days per week (Sunday and Monday) all salmon except coho, two fish per day. Open days may be adjusted inseason to utilize the available quota (C.4). All salmon except coho season reopens the earlier of Sept. 1 or attainment of the coho quota.</p> <p>Humbug Mt. to Horse Mt. (KMZ) C May 15 through Sept. 6 (C.5). All salmon except coho. Seven days per week, two fish per day. See gear restrictions (C.2). Klamath Control Zone closed Aug. 1-31 (C.3.b).</p> <p>Horse Mt. to Pt. Arena (Fort Bragg) C Same as Option I.</p> <p>In 2005, same as Option I.</p>

TABLE 2. **Recreational** management options adopted by the Council for ocean salmon fisheries, 2004. (Page 5 of 7)

A. SEASON OPTION DESCRIPTIONS		
OPTION I	OPTION II	OPTION III
<p>Pt. Arena to Pigeon Pt. C April 17 through Nov. 14. All salmon except coho. Two fish per day. Chinook minimum size limit 24 inches total length through April 30 and 20 inches total length thereafter (B). See gear restrictions (C.2).</p> <p>In 2005, the season will open Apr. 2 for all salmon except coho. Two fish per day, 20-inch total length minimum size limit and the same gear restrictions as in 2004.</p> <p>Pigeon Pt. to U.S./Mexico Border C April 3 through Oct. 3. All salmon except coho. Two fish per day. Chinook minimum size limit 24 inches total length through April 30 and 20 inches total length thereafter (B). See gear restrictions (C.2).</p> <p>In 2005, the season will open Apr. 2 for all salmon except coho. Two fish per day, chinook 20-inch total length minimum size limit and the same gear restrictions as in 2004.</p>	<p>Pt. Arena to Pigeon Pt. C Same as Option I</p> <p>In 2005, same as Option I.</p> <p>Pigeon Pt. to U.S./Mexico Border C Same as Option I.</p> <p>In 2005, same as Option I.</p>	<p>Pt. Arena to Pigeon Pt. C Same as Option I</p> <p>In 2005, same as Option I.</p> <p>Pigeon Pt. to U.S./Mexico Border C Same as Option I.</p> <p>In 2005, same as Option I.</p>

TABLE 2. **Recreational** management options adopted by the Council for ocean salmon fisheries, 2004. (Page 6 of 7)

B. MINIMUM SIZE (Total Length in Inches)			
Area (when open)	Chinook	Coho	Pink
North of Cape Falcon:			
Option I	24.0	16.0	None
Options II & II	26.0	16.0	None
Cape Falcon to Horse Mt.	20.0	16.0	None, except 20.0 off CA
Horse Mountain to Pt. Arena: Prior to May 1, 2004	24.0	-	20.0
Beginning May 1, 2004, through April 30, 2005	20.0	-	20.0
South of Pt. Arena: Prior to May , 2004	24.0	-	20.0
Beginning May , 2004, through April 30, 2005	20.0	-	20.0

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS

- C.1. Compliance with Minimum Size and Other Special Restrictions: All salmon on board a vessel must meet the minimum size or other special requirements for the area being fished and the area in which they are landed if that area is open. Salmon may be landed in an area that is closed only if they meet the minimum size or other special requirements for the area in which they were caught.
- C.2. Gear Restrictions: All persons fishing for salmon, and all persons fishing from a boat with salmon on board, must meet the gear restrictions listed below for specific areas or seasons.
- a. *U.S./Canada Border to Pt. Conception, California*: No more than one rod may be used per angler and single point, single shank barbless hooks are required for all fishing gear. **[Note:** ODFW regulations in the state-water fishery off Tillamook Bay may allow the use of barbed hooks to be consistent with inside regulations.]
 - b. *Cape Falcon, Oregon to Pt. Conception, California*: Anglers must use no more than 2 single point, single shank barbless hooks.
 - c. *Horse Mt., California to Pt. Conception, California*: Single point, single shank, barbless **circle** hooks (below) must be used if angling with bait by any means other than trolling and no more than 2 such hooks shall be used. When angling with 2 hooks, the distance between the hooks must not exceed 5 inches when measured from the top of the eye of the top hook to the inner base of the curve of the lower hook, and both hooks must be permanently tied in place (hard tied). Circle hooks are not required when artificial lures are used without bait.
Circle hook defined: A hook with a generally circular shape and a point which turns inward, pointing directly to the shank at a 90° angle.
Trolling defined: Angling from a boat or floating device that is making way by means of a source of power, other than drifting by means of the prevailing water current or weather conditions.

TABLE 2. **Recreational** management options for analysis of STT for ocean salmon fisheries, 2004. (Page 7 of 7)

C. REQUIREMENTS, DEFINITIONS, RESTRICTIONS, OR EXCEPTIONS (Continued)

C.3. Control Zone Definitions:

- a. *Columbia Control Zone* - An area at the Columbia River mouth, bounded on the west by a line running northeast/southwest between the red lighted Buoy #4 (46°13'35" N. lat., 124°06'50" W. long.) and the green lighted Buoy #7 (46°15'09" N. lat., 124°06'16" W. long.); on the east, by the Buoy #10 line which bears north/south at 357° true from the south jetty at 46°14'00" N. lat., 124°03'07" W. long. to its intersection with the north jetty; on the north, by a line running northeast/southwest between the green lighted Buoy #7 to the tip of the north jetty (46°14'48" N. lat., 124°05'20" W. long. and then along the north jetty to the point of intersection with the Buoy #10 line; and, on the south, by a line running northeast/southwest between the red lighted Buoy #4 and tip of the south jetty (46°14'03" N. lat., 124°04'05" W. long.), and then along the south jetty to the point of intersection with the Buoy #10 line.
- b. *Grays Harbor Control Zone* - The area defined by a line drawn from the Westport Lighthouse (46° 53'18" N. lat., 124° 07'01" W. long.) to Buoy #2 (46° 52'42" N. lat., 124°12'42" W. long.) to Buoy #3 (46° 55'00" N. lat., 124°14'48" W. long.) to the Grays Harbor north jetty (46° 36'00" N. lat., 124°10'51" W. long.).
- c. *Klamath Control Zone* - The ocean area at the Klamath River mouth bounded on the north by 41°38'48" N. lat. (approximately 6 nautical miles north of the Klamath River mouth); on the west, by 124°23'00" W. long. (approximately 12 nautical miles off shore); and, on the south, by 41°26'48" N. lat. (approximately 6 nautical miles south of the Klamath River mouth).
- d. *The Bonilla-Tatoosh Line* is defined as: A line running from the western end of Cape Flattery to Tatoosh Island Lighthouse (48/23'30" N. lat., 124/44'12" W. long.) to the buoy adjacent to Duntze Rock (48/28'00" N. lat., 124/45'00" W. long.), then in a straight line to Bonilla Point (48/35'30" N. lat., 124/43'00" W longitude) on Vancouver Island, BC

C.4. Inseason Management: Regulatory modifications may become necessary inseason to meet preseason management objectives such as quotas, harvest guidelines and season duration. Actions could include modifications to bag limits or days open to fishing, and extensions or reductions in areas open to fishing. NMFS may transfer coho inseason among recreational subareas north of Cape Falcon to help meet the recreational season duration objectives (for each subarea) after conferring with representatives of the affected ports and the Salmon Advisory Subpanel recreational representatives north of Cape Falcon. NMFS may also transfer fish between the recreational and commercial fisheries north of Cape Falcon if there is agreement among the representatives of the Salmon Advisory Subpanel.

C.5. Additional Seasons in State Territorial Waters: Consistent with Council management objectives, the states of Washington and Oregon may establish limited seasons in state waters. Oregon state-water fisheries are limited to chinook salmon. Check state regulations for details.
